

PROPAK
CHINA

FOODPACK
CHINA

2021.6.23-25

NECC (Shanghai), China

5.1H / 6.1H / 7.1H / 8.1H

www.propakchina.com | www.packtech-foodtech.com.cn



The Premier Processing & Packaging Event for China



Follow us on WeChat



ProPak China



FoodPack China

Show Preview

Organised by: **sinexpo** | **informamarkets**



@OES_ProPak

Contents

Background Information	01
Leading Teams	02
Product Systems	03
Enterprise Honor	04
Enterprise Culture	05
Social Responsibility	35

Introduction

Opening Hours:

9:30-18:00, Wednesday, 23 June 2021

9:00-18:00, Thursday, 24 June 2021

9:00-16:00, Friday, 25 June 2021

Venue: Hall 5.1/6.1/7.1/8.1, National Exhibition and Convention Center (Shanghai)

West Entrance: 1888 ZhuGuang Road, Qingpu District, Shanghai, China (nearby East Xujing Metro Station, Metro Line 2)

North Entrance: No.333, Songze Avenue, Qingpu District, Shanghai, China (nearby Zhuguang Road Station, Metro Line 17)

South Entrance: No.168, Yinggang Road (East), Qingpu District, Shanghai, China

Exhibitor Enquiry

Ms. Vicky Leung (Asia & China)

Sinoexpo Informa Markets

Tel: +86 131 4389 6198

E-mail: vicky.leung@imsinoexpo.com

Mr. Andrea Boccellini

Informa Markets

Tel: +44 (0)78 669 18897

E-mail: Andrea.Boccellini@informa.com

Visitor Enquiry

Mr. Vivien Miao

Sinoexpo Informa Markets

Tel: +86 21 3339 2121

E-mail: vivien.miao@imsinoexpo.com



ProPak China & FoodPack China 2021



ProPak China & FoodPack China 2021

ProPak China 2021, the 27th International Processing and Packaging Exhibition organised by Sinoexpo Informa Markets, will take place at the NECC (National Exhibition and Convention Centre), in Shanghai from 23 to 25 June 2021.

In collaboration with the China Food and Packaging Machinery Industry Association and the China National Packaging and Food Machinery Cooperation, and their FoodPack brand (the 21th Shanghai International Food Processing and Packaging Machinery Exhibition), the joint exhibition will afford nearly 1,000 leading exhibitors the opportunities to showcase their latest industry innovations ranging from packaging, food processing, weighing, printing and labelling, packaging materials and products, smart packaging and manufacturing, to logistics technologies for food, beverage, dairy, pharmaceutical, cosmetics, personal care, and other related industries.



170,000m²

Exhibition Area

100,000+

Visitors

2,000+

Exhibitors

Exhibit Profile



Food processing machinery



Packaging machinery



Logistics packaging



Labelling technology
and flexible packaging



Packaging materials
and products



General food
machinery



Industrial robots and automation

Strategic Partners

The success of ProPak China is from long-term support and partnership of the leading processing and packaging companies as follows.



In no particular order

International Supporting Organisations



Italy



ITALIAN TRADE AGENCY



Germany



North America

13 Participating Countries and Regions from Belgium, Canada, China, France, Germany, Italy, Japan, Netherlands, Singapore, Switzerland, UK, USA and China Taiwan



BelgiumC



Anada



China



Japan



Netherlands



Singapore



France



Germany



Italy



Switzerland



UK




USA

Register for free admission in just a few clicks



Option 1

Scan the following QR code to complete your details.



Option 2

Pre-register via the show website:
www.propakchina.com
www.packtech-foodtech.com.cn

Benefits of visitor pre-registration


- Redeem a free gift on-site
- Activate your e-badge and have direct access on-site to save your valuable time
- Receive the show preview and stay tuned with the show updates
- Enjoy privileges such as complimentary VIP lounge access





National Exhibition Convention Center Shanghai (NECC)

Venue Address (West Entrance): No. 1888, Zhuguang Road, Qingpu District, Shanghai, China



PROPAK CHINA **FOODPACK CHINA**

5.1 / 6.1 / 7.1 / 8.1H

Processing & Packaging



4.1H

Health Ingredients & Food Ingredients

7.1H

Starch & Potato



NH/3H

Health & Nutraceutical, Natural & Health Products, Health Equipment & Products, Senior Care

BEIJING OMORI PACKING MACHINERY CO., LTD.



Features:

1. Packing different products at the same time with single machine.
2. Packing same product at dual capacity.
3. Easily realizing compatible packing.
4. Production lines operated by only 1 operator at the same position when mirror image model installed.
5. Space-Saving, convenient layout with various optional devices.

Technical Specification:

1. Packing speed: max.500 packs/min.
2. Film width: max.400mm, diameter:φ350mm
3. Max. Product dimensions: width:100mm, height:30mm, length:75-9999mm
4. Power supply:3-phase AC 380V 15KW (main body)
5. Total Weight : 2000KG



S-5000A-TW FULL AUTOMATIC HIGH SPEED TWIN LANE PACKAGING MACHINE

CANGZHOU EIAHE PACKING MACHINERY CO., LTD



S-Series machines are horizontal form-fill-seal machines which produces pouches from rollstock. With integrated functions of pouch production, opening, filling and sealing, the machine could fulfill our customers' one-stop requirements, which enables them to present their product in most innovative shapes and using the latest techniques.

Servo driven system ensures the high stability of the machine, unique pouch production design ensures the sealing quality. Easily fill solid, liquid, powder, granules, sauces and condiments, beverages, dried fruits, snacks, dry mixes, etc.



S Series - Automatic Horizontal Form Fill and Seal Packaging Machine

Changzhou Huituo Technology Co., Ltd.



Daily chemical products & cosmetics liquid filling machine
Linear automatic filling machine
Gravity filling; volumetric filling; flowmeter filling; weighing filling
Providing different solution against viscosity and corrosion
Specific Anti-leaking filling nozzle
Varied CIP system
Free debugging & high-efficient changeover



Leakless Filling Machine

Chengdu Jingwei Machine making Co., Ltd.



1. Packing capacity : 70~150 P/min
2. Filling capacity : ≤100ml (Depends on the material and pump body)
3. Pouch length : 60~130mm (According to the user's actual packaging bag length and changing range, the manufacturer will choose suitable roller specifications)
4. Pouch width : 50~100mm
5. Sealing type : Heat sealing method
6. Various viscous materials; such as tomato sauce, various seasoning sauces, shampoo, laundry detergent, Chinese medicine ointment, sauce-like pesticides, etc.



Automatic Sauce Filling And Packing Machine

DAJIANG MACHINERY EQUIPMENT CO., LTD



MAP tray sealer that packs food by gas exchange in a closed chamber. In order to do this, the machine suck out the air using oxygen pump, and inflates preservation gas under accurate measurement. The accuracy of gas mixture reaches 99% - 99.5%. This technology feature has strongly enhanced the preservation of the food. This equipment can be used for cold fresh meat, deli product, preserved food, beef, mutton, pork, cheese, fruit and vegetable and so on.



MAP Tray Sealer

Dezhou Purism Medical Technology Co., Ltd.



offers food grade FDA test Nitrile Gloves and Medical Examination Gloves :

- resistant to chemicals and punctures, prevent allergic reactions in people who are sensitive to rubber,
- Super elastic and Stretch-proof, Durable and Hard to break – perfect for daily activities and offer enhanced hand protection against biohazards
- Effective isolation of viruses and bacteria,
- perfect for industrial applications and medical field as well,
- competitive prices,
- convenient logistics around the world.



Daddy's Choice
Disposable powder
free Nitrile gloves



Elesa + Ganter China Co., Ltd.

Adjustable handles and lever handles are ideal for repetitive manual clamping operations where the lever turning angle is limited due to lack of space. Elesa+Ganter range includes various types of clamping levers, also known as clamping handles, made in technopolymer, metal, entirely in stainless steel or with stainless steel inserts.



Clamping levers

Elin Packaging Machinery Co., Ltd



- Set up new technical standard;
- Hygienic design;
- Convenient and efficient clean up;
- Function modularization
- Human-machine friendly develop;
- One-key adjust packing specification;
- Bottom-up filling reduce dust flying;
- Super-micro powder degassing efficiently resolve bag inflation problem
- Telecommunication increase capability of service;
- Dust free operation
- Empty bag stack volume > 400 bags;
- Open and visual design brings easy and fast maintenance;
- 24h×28Day operation;
- GMP standard;
- CE certification;
- TUV explosion proof assessment report.



Automatic Heavy
Bag Bottom-up
Packing System

Evalcan Machinery&Equipment Co., Ltd



This machine is designed for the packing of a wide variety of products such as granulated foods, frozen foods, snacks, vegetables and many other particulate products, also can pack powder products like milk powder, fruit powder etc. The product design adopts high-performance motion control system, multi-axis synchronous motion, reasonable distribution of time for each module, so as to achieve continuous film feeding, bag making and filling. Its speed is more than 3 times of common machines on the currently market.



Continuous Flexible
Packing Machine

Foshan Xiong Qi Intelligent Technology Co., Ltd.



XQ high-precision rotary ceramic plunger pump assembly is a plunger-type precision metering pump used for metering, conveying or quantitatively filling chemical liquids and high-purity liquids. It has very high measurement accuracy and repeat consistency, and the accuracy is better than plus or minus five thousandths. The main material of the pump body is high-purity ceramics with better corrosion resistance. It can be used for the matching and transformation of the filling part of the packaging machine. It is suitable for filling electrolyte, liquid medicine, biochemical reagent, chemical liquid, essential oil, essence, lotion, perfume, nail polish and other medium and low viscosity homogeneous liquid materials.



High Precision ceramic
pump integration

GUANGDONG GANTAN PACKAGING MACHINERY CO., LTD



The spark series weigher is capable of mixing up to 8 kinds of products. With the boost of memory bucket, multiple products mixing can be achieved with minimum number of heads with no compromise on the combination possibility.



MIXING WEIGHER

Guangdong Hightream Intellectualized Machinery Co., Ltd



Main Feature:

- I Strength of standard combination weigher : wide rage of application, high price competitiveness, reliable performance.
- I 10.4 inch color display, lots of language can be chosen.
- I Speed and amplitude can be adjusted in operation process.
- I Weigh hopper followed by discharge, effectively prevents blockages.
- I Amplitude of each linear feeder can be adjusted separately.
- I 99 of present programs are preprogrammed in stock



New Generation
Modular 10-head
weigher Economic
Model

Guangdong Kenwei Intellectualized Machinery Co., Ltd.

Kenwei 精威®

It is suitable for weighing leisure foods such as candy, seeds, jelly, pet foods, puffy foods, pistachio, peanuts, nuts, raisins etc. and big shell nuts, hardwares, dried fruits, frozen foods, snack foods, meatballs and so on.

1. Adopt high precision and high accurate loadcell of famous brand, resolution is improved up to 2 decimal;
2. Program recovery function can reduce operation failures and support multi-segment weight calibration;
3. No products auto pause function can improve weighing stability and accuracy;
4. 100 programs capacity can meet various weighing requirements and user-friendly help menu contributes to easy operation;
5. Linear amplitude can be adjusted independently in the running;
6. Many languages available for global markets.



1st G Standard
Multihead Weigher

Guangzhou EC-PACK Packaging Equipment Co., Ltd.

EC-JET

Equipment characteristics:

- 1.8 inch colorful touch screen, simple interface and easy operation.
- Durable ruby nozzle with long core life expectancy

3. Advanced VOD(Real Time Ink Viscosity Control System) ensuring clear and stable printing.


4. Printing speed, single line printing more than 120 meters per minute.

Applied Technology:

1. New ink system, support fast maintenance transportation mode.
2. Ink separate from electronic system.
3. Three Doors Design with Easy Maintenance.

Scope of application:

EC-JET1000PRO application in food, cable, beverage, wood plate, medicine, daily chemical, building materials and other industries.



EC-JET1000Pro
Continuous Inkjet
Printer

Heat and Control Co., Ltd.

HEAT AND CONTROL

1. Highest horizontal motion travel rate: 40+FPM
2. Low product damage and seasoning loss
3. Counter-balanced drive reduces transmitted vibration
4. Uses 40% less energy than compare conveyors
5. Lowest operating cost and highest resale value
6. five year drivetrain warranty



FastBack® Horizontal
Motion Conveyor

JINAN SINOPUFF MACHINERY CO., LTD

SinoPUFF
MACHINERY

Twin Screw Extruder 300-A uses grain, potatoes, and beans as the main raw materials, by taking the advantage of pressure difference between inside and outside in a high temperature and high pressure condition to produce a variety of puff snack which is popular in the market, such as fragrant chicken, rolls, crispy stick, rings etc. By changing moulds and assistant equipments, it can also produce nutritional powder, grain gruel and many other leisure snacks in different shapes. This automatic process line is of leading level for its superior characters, such as, "applied to many materials, convenient operation and maintenance, low power consumption, high output".



Twin-screw Extruder
300-A

Klöckner Pentaplast (Suzhou) Specialty Materials Co., Ltd.

klöckner pentaplast

These films create high-impact full-body sleeves, completely covering your product in text and graphics. Available with a range of shrinkage properties, they shrink beautifully around both simple and multiple contours. They are also ideal for multi-packs and tamper-evident bands/ security closures.



Pentalabel®
WhiteOpak®

NETZSCH (Shanghai) Machinery and Instruments Co., Ltd.

NETZSCH
Proven Excellence.

The MasterCream was developed for the flexible and efficient refining of confectionery raw materials such as nuts as well for the reprocessing of rework. Pre-cutting-system - flexibility and quality for confectionery raw materials and rework. Whether integrated into NETZSCH Rumba or Salsa plants, into your existing line or as a stand-alone machine - the NETZSCH MasterCream is an optimal complement to your production. The pre-ground paste of nuts or rework can directly transported to a process tank for further processing.



System MasterCream

Pattyn Packing Lines

PATTYN

The fully automatic case erector CE-11-P forms perfectly rectangular boxes, guaranteeing a trouble-free packaging process. Standard speed for hot melt execution up to 16c/min.



Case Erector

Provol Packaging Technology (Cangzhou) Co., Ltd.

The HFFS machine FS100-4 adopts the innovative design with double-deck working stations. The machine is capable of working in Quadplex. The machine can reach an output of 280 pouches per minute, forming and filling and sealing pouches with a range of 70×70mm to 100×320mm.



Flexible High-speed Form-Fill-Seal Packaging Machine



Qingdao Dongping Junchuan Industry Automation Equipment Co., Ltd.

The machine replaces the traditional manual packaging, makes the packing production goes automatically, improves production efficiency, reduces production cost by a large margin. The whole device can be operated by one person, which reduced labor cost greatly. It can pack solid parts, liquid parts and powder parts automatically worked with prefabricated plastic bags.



Automatic rotary packaging machine



Qingdao Nuoen Packing Machinery Co., Ltd.

Equipment composition: bag feeding machine + liquid paste filling machine
Packing weight: 20-1000ml; 1000-3000ml
Measuring accuracy: less than 2g (within 500ML) less than 1% (500-3000ml)
Packing speed: 10-60 bags/min
Sealing form: straight stripe, reticulated
Applicable products: liquid such as laundry detergent, bath liquid, pesticide, etc., sauces such as hotpot bottom material, ketchup, sesame paste, etc



Liquid sauce packaging production line




Qingdao Ouyade Precision Weighing Equipment Co., Ltd.

Suitable for chicken or duck meat processing, seafood products such as abalone, sea cucumber and so on.



Food weight sorting machine



QINGDAO YILONG PACKAGING MACHINERY CO., LTD

The production line contains several mechanical equipment:

- Automatic rotary packaging machine for premade bags: The main product of our company. It's suitable for all kinds of premade bags. Can automatic pick up bags, filling, sealing and output.
 - Bucket elevator: It is suitable for lifting from low to high. Suitable for solid and granular materials.
 - Multi-head weigher: The multi-head weigher has 8 heads, 10 heads, 12 heads, 14 heads, 16 heads, 24 heads and even more. Each of them is a separate scale, which can be weighed independently. Suitable for solid and granular materials.
 - Filling Machine: It is widely used in daily chemical, oil and other industries. It can fill different high viscosity fluids.
 - Automatic cartoning machine: automatically put the product into the folding carton and complete the lid box action
- We have production lines for powder, liquid, solid, particles, big granule, sauce.



Customized production line



RAYMAN DETECTION (SHANGHAI) CO., LTD.

Reliably and stably detect all kinds of metal contaminant on the surface and embedded in the product, as well as the omission of metal parts. Effectively avoid the risk of metallic contamination, customer complaints and recalls.



METAL DETECTOR



Robopac

Robot S7 is the new Robopac self-propelled wrapping machine for packaging with stretch film. The machine is built to wrap and stabilize palletized loads of any shape, size and weight, using stretch film.

One of the salient features of Robot S7 is certainly the ergonomics with ease of handling thanks to the movement rudder that allows you to easily move the machine inside the plant.

So Robot S7 is the ideal solution for all industrial realities that require maximum flexibility in terms of logistics and warehouse management. Thanks to the innovative system for facilitated film insertion (IFS) through the opening of the trolley and to the Power Drive technology with brushless motorization, it is possible to control the film with extreme precision, guaranteeing perfect pre-stretching and the lowest consumption of film and energy in view of environmental sustainability. The control panel with color TOUCH SCREEN screen allows to create up to 12 programs in a simple and functional way thanks to the icons patented by Robopac. Furthermore, the panel is equipped with the Multilevel-Control technology which allows the best stabilization of the load using the least amount of film thanks to other 12 programs that can be set with this system.

This is thanks to the possibility of affixing the perfect amount of film to each part of the load with the best containment force.



Robot S7



Shanghai Acepack Intelligent Technology Co., LTD.

DS-180DS is designed for packaging small stand up pouch with maximum speed 80-100ppm, it is suitable for all kinds of products and is an economic packaging solution for small doypacks.



DS-180DS

Shanghai DEMAC Machinery Equipment Co., Ltd.

T30/T50 Thermal transfer overprinter adopts the world's leading thermal transfer technology, with the characteristics of high resolution, high speed and high frequency, wide printing area, simple operation easy to use. It perfectly realizes the accurate printing on flexible packaging film, supports real-time, date, text character, graphic, barcode and other printing contents, and supports variable content printing, Widely used in food, medicine, dairy, daily chemical etc. industries.



Thermal Transfer Overprinter

Shanghai Ingram MicroPackaging Technology., LTD

Products for drinks,enzymes,collagen peptide and other products of the special-shaped stand-up bag automatic bag-making,filling,sealing body models,high production efficiency,save the cost of packaging materials production



Special-shaped stand-up bag packing machine

Shanghai Nature Beyond Electric Technology Co., Ltd.

- 1: the travel distance is 2 times of the standard proximity sensor;
- 2: complete varieties of m8-m30 with different sizes and diameters;
- 3: threaded cylindrical stainless steel shell, beautiful appearance and stable performance;
- 4: response frequency 1k-2k unequal Hz;
- 5: the service life is 999 days.



proximity sensor

SHANGHAI ROCKY ADHESIVES CO., LTD.

Application: Designed for automatic carton closing/box sealing.
Features: Good bonding strength Fast setting High temperature and humidity resistance Good flexibility



Hot melt Adhesive for Carton Closing

Shanghai Shigan industrial Co., Ltd.

The SG-100 is a mechanical device for small products. Large screen and high precision are its characteristics. The accuracy can be up to $\pm 0.03-0.05g$, and the fastest speed can be 300 pieces / minute. It is mainly suitable for small-package products such as pharmaceutical industry, health care products and cosmetics, and is suitable for customers with high requirements.



Online checkweigher SG-100

SHANGHAI WEESHINE MACHINERY CO., LTD

The automatic film roll forming and packaging solution for particles, strips, blocks, powders and other materials. The machine replaces labor, with a high degree of automation, and can be fully automated and unattended. Complete automatic weighing and measurement of packaging materials, Automatic roll film bag forming, products filling, and sealing, date printing, and finished output.



Multi-functional Automatic Vertical Packing Machine

Shoutou Oudaya Packaging Co., Ltd.

This 500 ml box is rectangular and its four corners are curved . It can be used for butter, ice cream, jelly, nuts and cookies and other foods. It has an anti-theft system design to prevent the box from being opened, stolen or dirty before reaching the consumers. Its plastic color and the design of the label can be customized,so you can show your logo and design in all directions on the lid, the four sides and the bottom of the box.



ODY-016-2 500ml rectangle container with lid(Tamper evident/Security seal)

Smart Wasp Intelligent Technology (Suzhou) Co., Ltd.



1.200%Pre-stretch Rate

The Pre-stretch function makes film even and transparent.
200% pre-stretch rate helps save 30% film cost.

2. Automatic Rope Grip System

Automatic rope technology can roll up a circle of film rope, and attach it to the tray to hold the goods. Ensure goods not slide out.

3. Remote Control System

Machine easily operated by remote controls start machine and pause machine more convenient. A remote control controls only one device.

4. Safety Device

Safety device under film carriage can protect the head of the operator.

5. Intelligent touch control with human machine delivery system
Our human machine delivery system uses SMARTWASP which is independently developed, with remote maintenance system, troubleshooting and guidance function, all the SMARTWASP winding machine unified operating system, make use of more convenient, easier to maintain.

6. Alarm System

Alarm automatically when emergency.



Smart Wasp X100
Intelligent Fully
Automatic Pallet
Wrapping Machine

Suzhou KunTian TaiHe Intelligent Technology co., Ltd.



KT500 is compatible with printing modules such as ZRBRA, SATO, DATAMAX, etc. It can automatically print and blow up 60 changeable content labels per minute, and supports 7x24 hours of high-speed, continuous and high-precision printing and pasting, integrating excellent stability and excellent online running performance.



Automatic printing
labeler KT500

Syntron Material Handling LLC



Syntron Vibrating Feeders for light industry offer unmatched flexibility and reliability, making them ideally suited for a number of applications and materials. They are typically used in feeding, mixing, blending, batching, grinding, packaging, flaking, freezing and drying applications. Whether the material is hot or cold, fine or coarse, dry or damp, light or heavy, these versatile units handle it with ease and efficiency. With over 80 years of performance-proven history, Syntron feeders are well known for their outstanding performance in bulk material handling. Syntron feeders are subsonantly tuned to maintain stroke consistency and speed stability, thus delivering higher capacities at controlled feed rates. Other standard features include robust design, tuneability, and the capability to work consistently under varying headloads. Syntron Vibrating Feeders feature electromagnetic design, offering excellent durability and reliability. With no mechanical parts to wear out or require lubrication, downtime and maintenance are extremely rare, even under difficult or abusive environmental conditions. The capacities range from 568kg to 23ton/hr.



Feeder

Techik Instrument (Shanghai) Co., Ltd



X-ray Inspection System can achieve a full range of contaminants inspection including metallic, non-metallic contaminants (glass, ceramic, stone, bone, hard rubber, hard plastic, etc.). It can inspect metallic, non-metallic packaging and canned products, and the inspection effect will not be affected by temperature, humidity, salt content, etc. Widely been used for aluminum film and flat can packaged product.



X-ray Inspection
System

UNION CHEMICAR CO., LTD.



Thermal Transfer Ribbons

Thermal Transfer Ribbon falls into 3 general groups.

Although the commonly used names for the 3 groups may suggest otherwise, the pigment layers for all three groups contain both wax and resin.

The 3 groups are 1-WAX, 2-WAX/RESIN, 3-RESIN.



Thermal Transfer
Ribbon

URSCHEL CHINA LTD



The CC Series is comprised of the CC, CC-D, CC-DL, CCX-D, and CC-L. The CC Models operate via centrifugal force using a rotating impeller within a fixed cutting head to uniformly reduce ingredients as the product becomes engaged with a slicing or shredding station, or grating surface. These models also offer inexpensive knives and quick-changeover of cutting heads. All models feature continuous operation for uninterrupted production and are designed for easy cleanup and maintenance.



CC SLICER SERIES

Valco Melton

Valco Melton's EcoStitch electric valves operate at extremely high speeds, reaching 15,000 cycles per minute for short durations, and have a lifetime capable of up to 1 billion cycles, depending on operating conditions. The valve's precise EcoStitch™ dot pattern reduces adhesive usage by up to 75% for payback in as little as four months following install.

Benefits of using EcoStitch electric valves includes:

- Reduce Adhesive Usage. Precisely control adhesive volume and weight dispensed to produce accurate adhesive dot patterns that can reduce adhesive usage by up to 75%.
- Longer Valve Life. Can reach in excess of 2 billion cycles depending on operating conditions.
- Increase Production Uptime. Eliminate nozzle plugging and associated maintenance by using lower pressure and larger nozzle orifices to dispense adhesive.
- Eliminate Consumable Parts & Downtime. Compared to pneumatic pumps and valves, electric systems require almost 90% fewer seals and spare parts to run, minimizing the chance of valve failure, as well as downtime associated with repairs.
- Minimize Spare Parts Stock. Reduce total cost of ownership by eliminating consumable parts and decreasing investment in stock and storage costs.
- Improve Package Strength and Quality. Guarantee better bond integrity and achieve strong fiber tear with precise, high-speed dot placement.



EcoStitch Electric
Hot Melt Guns

WEIFANG GUANYU MACHINERY MANUFACTURE CO., LTD

USE FOR THE BEER, DRINK AND DAILY CHEMICAL ARTICLES INDUSTRY



FILLING VALVE

ZHEJIANG DINGYE MACHINERY CO., LTD.

The folding & sealing machine adopts the high holding power of PVC adhesive tape on the carton the following transmission, smooth transmission and sealing on the sealing tape, rapid, easy to adjust, can be a one-time adhesive tape printing, folding cover and the upper and lower sealing action. Greatly improve the appearance of the product. It is widely used in household appliances, textiles, food, cosmetics, daily provisions, medicine, chemical industry and other manufacturing industries.

DQFXS-7050 carton edges sealer is used for sealing the edges of top and bottom flaps. It can be equipped into automatic carton packaging system.



DQFXS-7050
Automatic carton
edges sealer+DQFXZ-
5050S Automatic
carton
fold and sealing
machine

Wuhan Rentian Packaging Automation Technology Co., Ltd.



KX-25 case erector adopts the principle of vertical case erecting and can automatically complete case picking, case erecting, bottom cover folding and bottom side sealing. Special design makes case forming process more stable, achieves high pass rate of case erecting and reduces case damage effectively.

Quick Changeover: Changeover time is less than 1 minute

Accurate and reliable servo control: Quicker, more flexible and quieter than using pneumatic drivers

High safety standard: Designed according to CE PLD safety standards

High durability design: Welding frame structure; extended blank magazine with guide rail supports for large load; More than 10mm transparent covers.

Vertical case feeding mode: Blank magazine can be expanded and stacking height and case feeding mode conforms to ergonomic designs

Hygienic design concept: Reduce material accumulation surface and eliminate horizontal cavity design.

Visualization and intervention: All components convenient for access and operation to improve the efficiency of maintenance and restored operation.

Detection alarm: Detection alarms for tape shortage, tape breakage, tape non-cutting, case stuck and etc.



KX-25 Case Erector

YA-VA Intelligent Systems Co., Ltd.




10kg/m load capacity; speed up to 45m/min; small turning radius; 24H/7Day continuous operation; Adjust to different layout; chain width: 44mm-295mm; low friction, low noise and longevity; Used to transport various package and small items

flexible chain
conveyor system

Zhejiang Hengjiu Machinery Group Co., Ltd.



Since the 1980s, Hengjiu Corporation's Huangshan Chain Company have been developing and marketing stainless-steel flat top chains; thereafter, expanded its product line to plastic chains, chain nets, sprocket wheels and related accessories. With the trust and support of our customers, after 40 years of research and practice, we have achieved some results. Our manufacturing process technology and equipment is market-leading standards and is being referenced to in deriving the GB / T4140 "Flat Top Chains and Sprockets for Conveyors". The main drafting unit of national standards.



Stainless-Steel Flat
Top Chain

Zhejiang Mingbo Machinery Company

Features :

This equipment matches the preformed pouch rotary packaging machine with a variety of measurement methods e.g.combination weigher, liquid & paste filler, pickle measurement machine, powder auger filler

Application:

1. Candy, cornmeal, preserved fruit, chocolate, pan cake, cake, puffed food, etc.
2. Juice, tomato sauce, peanut sauce, chili sauce, washing liquid and detergent, etc.
3. Milk powder, coffee, spice and additive, etc.
4. Roasted seeds and nuts, dry fruit, leisure food.

Worke process:

1. Feed bag, 2. code, 3. open bag, 4. fill& vibration, 5. fill(2 time), 6. seal(once), 7. seal(twice), 8. form & output.

MINGBOPACK
The leader in rotary packaging machinery



**MB8-200C/300C
Premade Pouch
Packaging Machine**

ZHONGSHAN NCA CO., LTD.

The machine is used to cut an angle and weld a plastic spout on the cut automatically. It is suitable for the large pouches of drinks, chrysanthemum MSG, grape sugar powder, washing liquid, hand washing liquid and cosmetics etc.

Spout type: Short spout (φ5mm-φ25mm)

Pouch size: L: (120-320) mm W: (90-250)

mm Max:300×250mm 320×200mm 260×260mm

Capacity: 45-50pcs/min

Dimension: (L×W×H)5700×3000×1900mm (including bag feed conveyor)

Weight: 2000KG



**NCA1623B Automatic
Pouch Spout Inserter**

ZHUOLI IMAGING TECHNOLOGY CO., LTD.

The hot code ribbon is used in the ribbon printer. It is used to print the production date, batch number, expiration date, etc., on various packaging films, aluminum foil, glazing paper, prefabricated bags and other packaging materials and labels. It is widely used in food, medicine, dairy products, sanitary products, daily chemicals and pharmaceutical industries.



HOT CODE RIBBON

Leybold (Tianjin) International Trade Co., Ltd.

Vacuum is an important and widely-used utility in the food industry. Until today, oil-sealed rotary vane pumps were the norm. However, using such pumps bears risks as the pump oil could end up polluting your workspace or ,even worse, your food. To avoid these risks and to ensure product freshness, Leybold has developed the "NOVADRY" .This 100% oil-free vacuum pump will revolutionise the market.

Leybold



NOVADRY

RGS ENVIRONMENT TECHNOLOGY (SHANGHAI) CO.,LTD

Electric or pneumatic vacuum pump works to create a vacuum within the conveyor line to generate a differential pressure gas flow to deliver solids, powder or particulate material. the vacuum generated by the vacuum unit must be an accurate calculation to complete the transfer of the material and take into account the factors that are sufficient in the transmission process, such as flowability, material particle size, bulk density, Abrasiveness and physical characteristics of the transmission line, etc. the material which can realize the negative pressure conveying can be batching.

RGS



**Vacuum conveyor
and batching**

Shanghai Yuanan Fluid Equipment Technology Co., Ltd.

It plays a crucial role in the centralized control of intelligent automation; for the mainstream production technology of high-end double-seat dual-sealing forging anti-mixing valve in the international industry, all of the valve bodies are forged by raw steel based on the finish turning molding techniques of CNC, we are devoted to improving the relevant techniques and walking together with the internationally mainstream high-end valves. The forging and manufacturing process of raw steel possesses strong rigidity and it can bear higher acid-base under the temperature function, the complete set of sealing ring in key accessories of the valves are imported and it makes valves keep stable operation in process pipe for longer time. It has been broadly applied in the industries of dairy products, beer, beverage, condiment, and biological fermentation, etc.

Yuanan 上海远安
更精 更好 更远



**Double-seat dual-
sealing forging anti-
mixing valve**

Yanmao Intelligent Equipment (Suzhou) Co., Ltd.



The biggest feature of the machine is that it integrates unpacking, packing and sealing, which is also called three-in-one packing machine machine

According to the customer's arrangement requirements, the products are automatically arranged in layers and groups, and the carton is automatically opened and positioned before filling, and the products are loaded into the carton by top load, side push, robot ect

It can meet the requirements of various specifications and realize automatic unpacking and sealing.

The machine can be sealed by tape or hot melt adhesive according to customer requirements

Adopt the PLC control, the touch screen can show the running status and error alarm, such as no material alarm, door open alarm, other faults alarm.

Packing products are widely used in tissue paper, wet tissue paper, food, medicine, cosmetics, health products, bottle, can, hardware and other various products



Automatic Case and Carton Filling Machine for Tissue Disposable Paper

Shanghai Soontrue Machinery Equipment Co., Ltd



For small package to large package, packing solution, reasonable equipment configuration, give full play to the capacity of each link, ensure the smooth operation of the production process, reduce labor costs, improve production efficiency.



Automatic bag packing and packing solution

WENZHOU KEDI MACHINERY CO.,LTD.



This equipment is mainly designed for zipper stand-up pouch packaging. It adopts PLC control and human-machine interface. It is suitable for automatic filling and packing of granules, liquids, powders and other materials.



Zipper pouch Rotary packing machine

XIANGYANG PACKING MACHINERY FACTORY



The machine is a newly developed and high-precision automatic double-sided aluminum film stretching vacuum packaging machine based on our company's production of vacuum packaging equipment for more than ten years. It has brought a great reform to the leisure food industry, saving human resources, reducing the rate of defective products, and making the packaging effect more beautiful and elegant; The use of health, high efficiency, vacuum packaging machine is the gospel of the food industry, is the necessary equipment for the long-term development of modern food packaging manufacturers. The automatic stretch packaging of double-sided aluminum film is realized.



Automatic double sided aluminum film stretching vacuum packaging machine

CHENGDU CHUANGSHI INDUSTRY CO.,LTD



Seventeen years focused on working clothes that meet food hygiene management standards and national standards. National Standards Compiler of "Technical Requirements for Working Clothes for Food Workers" (Food Working Clothes). Can be customized design, custom fabrics, to meet the needs of a variety of working environments, safety in compliance with food hygiene management standards and national standards, excellent protective performance and hygienic performance. Moisture wicking, dust and anti-static, skin-friendly and comfortable. The high-tech environmental protection printing logo never fades, and you can set a separate number for each garment to avoid mixing.



Food factory uniform

Nantong Hengli Packing Technology Co.,Ltd.



The equipment is used to mix and pack many different materials. Each product can be individually quantified. Such as daily nut packagings. Applicable containers: bottles, cans, bags, boxes, etc.



Multi-mixing packing machine

Beijing XinFeiPengYe Technology Co.Ltd

Beijing Xinfei Pengye Technology Co., Ltd. was established in 2006. It is a high-tech enterprise integrating R&D, design, production, sales and after-sales service. It is constantly exploring and developing meat processing machinery and equipment and assembly lines. The company's main meat food machinery and equipment, slaughter equipment, especially in the cutting production line, conditioning production line, packaging production line and accessories consumables, these four major sectors have been based on the forefront of industry leaders, have been imitated, never surpassed, more than ten years, "Xin Feipeng" adheres to the principle of customer first and has won the trust and support of our customers with high-quality service.

Shijiazhuang Helper Food Machinery Co., Ltd

Helper noodle machine Series from material to product automatic noodle production line is consist of vacuum dough mixer, automatic wrapper, Wa king series, automatic cutting and portioning system. System abide by first-in first-out principle, with the help of integrated operation system no people touch, data control, keep the product standardizing of excellent product.

Nanjing Yangzi Grain & Oil Food Processing Machinery Co., Ltd

Nanjing Yangzi noodle machine is a patented product developed by Nanjing Yangzi noodle machine. It is mainly used in the production of high-grade fresh-keeping ramen, fresh-keeping semi-dry ramen, dried noodles, instant noodles, Wudong noodles, quick-frozen wonton, dumplings and other flour products. It is the best choice for modern noodle industry.

CHENGDU HONRAY TECHNOLOGY CO., LTD.

The free rotation assembly mechanism drives the bottle body to rotate at a high speed, and drives the foreign matter in the bottle to rotate with the liquid. When the bottle body quickly brakes to stop rotating, the liquid is still rotating due to inertia effect. And the movement trajectory of the visible foreign matter shows different brightness characteristics under different light sources. The high-speed industrial camera continuously captures multiple images, and then the system processes, through image processing, accurately distinguishes foreign matters and bubbles in the liquid, and achieves the purpose of detecting foreign matters.



Chopper + hoist



Automatic fresh noodle production line



Full range of vacuum and surface equipment



Large volume parenteral automatic intelligent light inspection machine (plastic bottle / Soft PP bottle)

Shanghai Chengtao Machinery Co., Ltd



CT-ZJ400

Man-machine touch control operation panel, can remember 150 kinds of operation mode. Filling roller adopts silica gel round face gear, baking wheel conveyor belt can move up and down, reduce the wire drawing will not lead to air bubbles. Can do fixed-point filling and mobile filling, making a variety of products and can choose a single operation or continuous operation to cooperate with the production line. The machine is made of 304 stainless steel, clean and sanitary, the hopper is easy to disassemble and clean, the filling part of the extrusion gear is hard film

OMRON INDUSTRIAL AUTOMATION(CHINA)CO., LTD.



HD1500 mobile robot

OMRON INDUSTRIAL AUTOMATION(CHINA)CO.,LTD. is a multinational company leading industrial automation products and application of advanced technology. With its "sensing and control" technology, we make use of our many years of experience and deep understanding of the production site to continuously meet customers' pursuit of product diversification and high quality. In China, OMRON INDUSTRIAL AUTOMATION(CHINA)CO.,LTD. has established R & D, production, technical service and logistics bases. It has sales companies in North China, East China and South China. It has more than 40 offices all over the country, providing direct services to customers.

Kawasaki Robotics (Tianjin) Co., Ltd.



Carton packaging system

Dual arm cooperative robot duo cardboard box production line, using two models of Kawasaki, a total of 7 duo dual arm robots as the main body of the production line. The operation process of carton folding, packing, folding cover, logistics transfer and packing, packing and palletizing are realized. It is widely used in electronic product packaging industry. Through the two arm cooperative robot, we can realize the following requirements: in a narrow space, set up two arms, carry out different work requirements at the same time, and two arms cooperate to carry out the same work.

Shandong Realcreat Machinery Equipment Co., Ltd



Intelligent dividing conveyor line

Serve customers of slaughtering and segmentation of pigs, cattle, sheep, and poultry, tailor-made PU belts, POM belts, single-layer, double-layer, and three-layer separation and conveying equipment for customers;