

THE 31ST INTERNATIONAL PROCESSING AND PACKAGING EXHIBITION

PROPAK CHINA



2026 15 - 17 June
NECC(Shanghai)

Show Preview

Concurrent events:

FOODPACK
CHINA



200,000
square meters

2,500+
exhibitors

120,000+
visitors

CONTENTS

003 Introduction

004 Hall Assignments

005 About ProPak China 2026

006 Strategic Partners

007 Exhibit Preview

118 Travel Tips

120 Visitor Registration

Introduction

Opening Hours

9:30 – 18:00, Monday, 15 June 2026

9:00 – 18:00, Tuesday, 16 June 2026

9:00 – 15:00, Wednesday, 17 June 2026

Venue: Hall 5.1/6.1/7.1/8.1, National Exhibition and Convention Center (Shanghai)

West Entrance:

1888 ZhuGuang Road, Qingpu District, Shanghai, China
(National Exhibition and Convention Center Station, Metro Line 2)

Exhibitor Enquiry

Mr. Koni Xi

Sinoexpo Informa Markets

Tel: +86 21 3339 2568

E-mail: Koni.Xi@imsinoexpo.com

Visitor Enquiry

Ms. Jovienne Dai

Sinoexpo Informa Markets


Tel: +86 21 3339 2386

E-mail: Jovienne.Dai@imsinoexpo.com



Hall Assignments

Venue: National Exhibition and Convention Center(NECC)



PROPAC CHINA FOODPACK CHINA

5.1/6.1/7.1/8.1H

Processing & Packaging

STA Starch Expo

Hi Asia China

Fi Asia China

APC

1.1H Starch Expo

2.1/3/4.1H

Health Ingredients & Food Ingredients / Health & Nutraceutical

www.propackchina.com/en

About ProPak China 2026

ProPak China 2026, the 31st International Processing and Packaging Exhibition organised by Sinoexpo Informa Markets, will take place at the NECC (National Exhibition and Convention Centre), in Shanghai from 15 to 17 June 2026.

In conjunction with FoodPack China, Hi & Fi Asia-China, HNC and Starch Expo, ProPak China will feature a total space of 200,000 square meters and more than 2,500 leading exhibitors from around the world to showcase their latest industry innovations ranging from packaging, food processing, weighing, printing and labelling, packaging materials and products, smart packaging and manufacturing, to logistics technologies for food, beverage, dairy, pharmaceutical, cosmetics, personal care, and other related industries.



Food



Beverage



Dairy



Cosmetic



FMCG



Pharmaceutical



Exhibit Profile



Packaging Machinery



Food Processing Machinery



Smart Packaging and Manufacturing



Filling Technology and Equipment



Fermentation Technology and Equipment



Daily Chemical Processing and Packaging



Packaging Materials and Products



Printing and Labelling Equipment



Strategic Partners

The success of ProPak China is from long-term support and partnership of the leading processing and packaging companies as follows.



International Brands

1,000+ Participating Brands from 16 Countries & Regions will showcase their cutting-edge products and technologies.




Exhibit Preview

*Part of the exhibitor information displayed

ANHUI HENGCHANG NEW MATERIAL CO., LTD.



The vacuum bag can be supplied in various thicknesses, structures and types, with total thicknesses from 20 to 150 μm . Thanks to the excellent qualities of the film with the temperature (from the freezer to the oven) this is used for double usability, in the ready-made meal market both as a cover film and a bag. The product can be taken from the freezer, and then baked in an oven or microwave. Our smooth vacuum bags are suitable for vacuum packaging solid, liquid and delicate products. Each bag is made of high quality PA/PE, which guarantee excellent impermeability to oxygen and water vapour. They are suitable for chamber vacuum packaging machines.



Vacuum pouch

ANHUI JIEXUN OPTOELECTRONIC TECHNOLOGY CO., LTD.



Anhui Jiexun Optoelectronic Technology Co., Ltd. is a world-leading provider of full-scenario intelligent sorting solutions. With 27 years of dedicated focus on the sorting industry, it boasts mature solutions spanning food safety, industrial manufacturing and renewable resources, with its products reaching more than 100 countries and regions worldwide.

Committed to the full-process intellectualization of food processing lines, Jiexun has pioneered an innovative solution—Jiexun Cloud-Controlled Quality Sorting AI Super Agent—a fully controllable, smart sorting solution for all scenarios. This system is deeply integrated into global food processing networks and has been unanimously recognized as "internationally advanced" by academicians Sun Baoguo and Jin Zhengyu of the Chinese Academy of Engineering, alongside a panel of distinguished experts.




Color Sorter

ANHUI KECHENG INTELLIGENT EQUIPMENT CO., LTD.



The transportation pallet conveying system is specifically designed for the efficient and stable transportation of wooden or plastic pallets, and is applicable to warehousing, logistics, and manufacturing industries. The system is driven by heavy-duty rollers or chains to ensure high load capacity and long service life. Its modular design supports straight, turning, and inclined conveying, adapting to various layout requirements. The intelligent control system enables automated operation, improving production efficiency and reducing labor costs.



Transport pallet conveyor line

ANHUI KOYO PACKAGING MACHINERY CO., LTD.



Anhui KOYO Packaging Machinery Co., Ltd., has been deeply involved in the production of fully automatic liquid packaging/filling machines for over 20 years. Currently, the company develops and produces liquid packaging machines, ultra-clean liquid packaging machines, aseptic filling and sealing machines for plastic cups, and filling and sealing machines for plastic bottles (dairy products). The "科苑" and "KOYO" series liquid packaging machines have become well-known brands in China, Africa, and the Middle East, truly leading the industry!



KOYO Brand CBF2000 Ultra-Clean Full Auto Packaging Machine



ANPING COUNTY QIANGDI SAFETY & PROTECTION EQUIPMENT CO., LTD.

Anping Qiangdi Safety Protection Facilities Co., Ltd. specializes in producing high-quality workshop safety protection facilities, and is a reliable manufacturer of robot fences, equipment isolation nets, shelf back nets and overall workshop isolation solutions. We make durable products with solid steel, exquisite welding technology and rust-proof zinc plating/plastic spraying treatment. Deeply understand the rigid demand of modern workshop for partition management and collision protection, and strive to provide customers with an integrated protection scheme that is convenient to install, firm and beautiful through modular and standardized design. It is our constant pursuit to protect the safety of personnel and equipment and improve work efficiency. Choosing Qiangdi is to choose a lasting peace of mind for your workshop.



Workshop isolation net

ANRITSU INDUSTRIAL SOLUTIONS (SHANGHAI) CO.,LTD.



Anritsu XRAY is well-known with its long life, lower TCO, high stability and excellent usability, which can be used for contaminants, shape detection, missing product detection and etc. in food, pharmaceutical and cosmetic industries.



X-Ray Inspection Machine

Anxi Xuanteng Machinery Equipment Co., Ltd



The bag packaging machine is controlled by a servo motor, ensuring stable bag picking and accurate positioning; Adopting PID temperature controller for more accurate temperature control; The operating system adopts a fast PLC to control the movements of the entire machine, with a human-machine interface display and convenient operation; All accessible materials are made of SUS304 stainless steel to ensure the hygiene and reliability of the products; Some working cylinders are imported from Yadeke to ensure their accuracy and stability. The additional device of this machine can complete functions such as vacuum pumping, date printing, and nitrogen filling.



Horizontal feeding bag packaging machine
Horizontal feeding bag packaging machine

ATBR QINHUANGDAO INTELLIGENT EQUIPMENT CO.,LTD



The FZL light-duty electromagnetic vibrating feeder adopts a modular structure design. The core components of the driver are reinforced through a special protection process, and the whole machine is fully sealed with an IP rating of IP65, enabling stable operation in an environment ranging from -20°C to 40°C. Customized versions can be designed according to specific requirements. As a light-duty electromagnetic drive unit, the FZL series employs an innovative electromagnetic drive technology combined with high-resilience special leaf springs, achieving precise linear control and high-accuracy weighing and conveying. Compared with traditional feeding equipment, the whole machine reduces weight by 35% and cuts energy consumption by 40%. The no-load operating noise is less than 70 dB at a distance of 1 meter. Verified by experiments on thousands of material types, the conveying capacity is continuously adjustable from 0.2 to 40 t/h (taking sand as an example: 1.6 t/m³, particle size 1-10 mm, moisture content 8%, cubic particles). The optimized structure realizes a breakthrough in volume reduction, which not only meets the stringent requirements of different working environments for the equipment but also makes installation, commissioning and maintenance more convenient.



Light electromagnetic vibrating feeder

ATLAS CONTRACT MANUFACTURING (HUIZHOU) LIMITED



"Sapphire" Wrapper – an efficiency, multi-functional and hygienic (No gear, No oil) wrapper by the simplest design.

"Sapphire" – it powered by ONE MOTION motors to rotate the pulley/hub directly without the aid of gears, results in less mechanical losses, less electrical consumption and overall efficiencies above 90%.

"Sapphire"- it is very flexible to apply into any automatic production line for sorting and arranging material to different directions. Such as sorting materials for metal detection and remove disqualified piece. Also, it can be customized for any product with different shapes, packing pieces, seal directions and heat/cold sealing.

"Sapphire"- simple design with the advantages of sanitary, easy to clean and maintenance.

"Sapphire" - a automation for the food industry such as producing biscuits, rice, wafers, ice cream, yolk pies, chocolates, breads, instant noodles, moon cakes, vegetables and frozen/delicatessen meats. Also, can be applied for the industry of pharmaceutical, application products etc...



Sapphire wrapper

Autofast Technologies Co.,Ltd.



Autofast precision planetary gearboxes are high-precision, high-efficiency transmission devices that achieve speed reduction and torque amplification through a planetary gear structure. They are widely used in automation fields such as industrial robots and CNC machine tools. With single-stage accuracy of ≤ 1 arcmin and transmission efficiency reaching 97-98%, these gearboxes deliver stable, reliable performance and are designed for lifetime maintenance-free operation.



High Precision Planetary Reducer

BEIJING BAIYUEDA TRADE CO., LTD.



The TT-9CW is suitable for a wide range of dual-track models, nine-station double-row machine production efficiency is higher, the footprint is smaller, the body is water-resistant design, easy to clean, the standard is suitable for pouch type: self-standing bag, flat bag. Non-standard optional, double bag, oblique mouth bag. Can correspond to liquid, solid-liquid mixing, powder filling.



TT-9CW High Speed Full Automatic Filling Packaging Machine

BEIJING LENNO MACHINERY EQUIPMENT CO., LTD.



Elea is the world's leading provider of Pulsed Electric Field Systems (PEF) to the food, beverage, dairy & Oliver oil sectors. By permeabilizing cell membranes Elea PEF modifies a product's structure. Product handling is enhanced by tissue softening, improved cutting, increased process capacity, reduced energy consumption, improved extraction, and sterilization resulting in more efficient manufacturing, a higher quality product and exciting new product development.



Pulse Electric Field System

BEIJING OMORI PACKING MACHINERY CO., LTD.



1. The machine is equipped with 15 servo motor control system with high stability
2. Each film unwind 11g shaft is control ed by an independent servo motor, snaking corrector is equipped,and these ensured the packing film stable in high speed operation
3. The automatic film splicing platform is design 1.28m high for easier operation



S-5000A-TW automatic high speed double row packaging machine

BEIJING WOJAMARK TECHNOLOGY CO., LTD



The Thermal Transfer Overprinter (TTO Printer) can print variable data, bar codes, and images at 300dpi quality onto flexible packaging films and labels for a wide range of manufacturing and packaging applications in the food, pharmaceutical, and industrial sectors.

Thermal transfer is already a well-established technology for coding onto flexible packaging yet through superior capability and technological advances that make it more affordable, it is also now gaining widespread recognition as a replacement to older, non-digital technologies including hot stamp and roller roller coders. ccoders.



Thermal Transfer Overprinter

BEIJING XUTENGDA AUTOMATION EQUIPMENT CO., LTD.



1. Function introduction: The intelligent sky rail system consists of an aerial transport trolley and a control system. It is a fully automatic and intelligent elevated rail material transportation system. Through the three-dimensional transportation mode, it completely solves the ground space limitation, improves transportation efficiency, reduces material handling costs, and utilizes idle space. It is an efficient, safe and accurate transportation method.



The intelligent sky rail system

2. Equipment parameters:

Rated load: 50-100kg.

Moving speed: ≥ 0.8 m/s.

Cargo warehouse lifting speed: ≥ 0.2 m/s.

Power supply mode: through slide wire.

Communication method: Wireless.

Positioning accuracy: ± 5 mm.

Applicable material box/carton size: L200-700mm*W150-700mm*H50-500mm.

Lifting height: 0-4.5 meters.

BEIJING Y.C.T.D. PACKAGING MACHINERY CO.,LTD



High efficiency: Packaging speed of 80 boxes/min.

The cardboard bin has a large capacity and is easy to operate: the cardboard conveying length is 2 meters, which can accommodate 500-1000 sheets of cardboard. It can be connected to an automatic feeding system. The cardboard bin is designed according to ergonomics, and workers can add cardboard at a comfortable height.



CATON PACKING MACHINE YCZX80

Reasonable cardboard structure: The cardboard is divided into batches from tilted to flat, and is controlled by servo motors to roll open one by one, ensuring stable cardboard supply.

System stability: The French Schneider servo control system is used to ensure stable and accurate system operation.

Smooth whole row: YCTD's "Weizhen" bottle separation structure ensures that PET bottles do not squeeze or overturn at the entrance.

Firmly bonded: During the process of unboxing, elastic guardrails are tightly attached to both sides of the cardboard box to ensure continuous and even compression of the box side folds, making the bonding more secure.

BINZHOU HONGRUIXIANG INDUSTRY AND TRADE CO., LTD



This series of products is for formal group food processing plants, restaurants, canteens and other formalized meat processing workshops, carefully created a high-end model in line with food safety management regulations. The whole machine is made of food-grade 304 stainless steel, and the working platform and material contact surface are made of food-specific materials. The CNC system and distribution cabinet use waterproof materials to effectively waterproof and moisture-proof electrical appliances. The tool is made of international imported alloy material, high wear resistance and rust prevention.... The whole machine can be directly washed and disinfected with high pressure water gun; This series of products has a number of national patents, and effective practice in this equipment. The equipment has the function of automatic material pressing to realize automatic material pressing; The press mode is pneumatic press + ram press claw press, perfect and effective to solve the problem of cutting irregular materials; The equipment also has the function of cutting speed adjustment, cutting speed per minute can be adjusted in the range of 50~120 times, high efficiency, wide applicability..... The equipment can be efficiently used in steak, bacon, pork, pork belly, ham, beef and mutton and other meat high-speed cutting, slicing, cutting roll work.



Push type high speed slicing and slicing machine

BLUEPRINT AUTOMATION (HANGZHOU) CO., LTD.



Founded by Bob Prakken in 1980. We remain family owned! A Worldwide leaders in packaging automation with 8 full-service manufacturing & Service Facilities, worldwide support sales and service, over 8,000 installations in over 60+ countries, 40+ years of expertise in case packing and product handling, and 650 BPA specialists around the world at your service.



Gravity 100r

BONENG TRANSMISSION (SUZHOU) CO., LTD.



AN-MN series servo drive system

The AN-MN series is a high-performance servo drive system independently developed and produced by Boneng. Its direct connected servo motor has a compact structure and high power density; The motor has high efficiency, high protection level, and high overload capacity; Support high-precision 23 bit absolute value encoder; Support STO function; It can be widely used in industries such as packaging, printing, machine tools, robots, textiles, etc.



MN Servo Motor & AN Servo Drives

CAMA(LUOYANG) ELECTROMECHANIC CO.,LTD



The DXDD30 high-speed (granule) packaging machine is unique and independently developed based on nearly 40 years of experience in the development of packaging machine. The whole machine adopts PLC , HMI and multi-point sensing detection control, and adopts independent intellectual property technologies such as quick change, adaptive filling volume, bag sorting and cartoning, etc. It has the characteristics of high intelligence, high efficiency, high stability and high energy saving. Through serialized design, high-speed small bag packaging of granules, powders, sauces and other materials can be realized, and the output products are in the form of single-layer bags (three-side sealing, four-side sealing), etc.



DXDD30 high-speed (granule) packaging machine

CANGZHOU EIAHE PACKING MACHINERY CO., LTD.



P-220S machines mainly serves for the pre-made pouch production with functions of pouch picking, opening, filling, sealing integrated in one machine. Latest servo control system is adopted, electronic CAM function ensures the precision and stability of machine movement. Modular design support flexible production of different types of pouches in one machine, Integrate with different filling systems for powder, granules or liquid and pasty products.



P-220S Pre-made Pouch Horizontal Packaging Machine

CHANGSHU CLEVERTECH AUTOMATION CO., LTD



The core of the canning production line is the design and efficiency of the conveyor. The size of the conveyor, especially the ability to achieve the optimal running capacity of the entire production line system, is part of Clevertech's long-term experience.

Starting from machines and expanding to conveyors, a complete and comprehensive integrated solution is the key to Clevertech's success in the canning industry.

The first result of this holistic approach is a more user-friendly and user-friendly interface, which can be mirrored on different machines that also have the same manuals, safety designs, and electromechanical installations. Another added value is the software and component list, which is also common in different machines, both of which help with simpler and faster maintenance and reduce spare parts inventory.

The Clevertech system can handle products such as one piece cans, two piece cans, three piece cans (cylindrical or irregular), aerosol cans, buckets, etc.



Empty Cans palletizer

CHANGZHOU HECHUAN DETECTION EQUIPMENT TECHNOLOGY CO., LTD.



The aluminum foil sealing detection system is composed of a military - grade thermal imaging system, an AI - based intelligent big - data algorithm, and an industrial intelligent control system. The thermal imaging system captures the thermal images of the aluminum foil seals. The AI algorithm analyzes the temperature distribution model and makes real - time judgments on whether the products are qualified (OK) or unqualified (NG). Qualified products are released, while unqualified products are removed online by the industrial intelligent control system, ensuring the efficient operation of the intelligent production line.



Aluminum Foil Sealing Quality Inspection Machine (All-in-One Machine)

CHANGZHOU HUITUO TECHNOLOGY CO.,LTD.



Small batch multi-order production
Capacity:40-60bpm

- Washing - filling - capping - cap-pressing
- Compact design: only 12 m² for one line;
- Easy to plan: multi-line can save more space;
- Highly cost-effective: 50% cost saved;
- Faster changeover: module structure, within 10 min.



MaxMod All-in-one line

Changzhou Terry packing SCI-TECH CO., LTD



This device is suitable for cosmetic products and corresponds to market trends. It integrates blowing, filling, pressing inner pads, and capping, reducing the number and footprint of equipment, simplifying production processes, automating operations to reduce manual intervention, improving production efficiency, and reducing labor costs.

The linear frame structure is easy to operate, with adjustable bottle molds for quick and convenient production changes. The production change cart is easy to clean during production changes, and both manual lid placement and automatic lid sorting can be adapted to the host. Online detection ensures that no bottles are filled, no internal plugs are inserted, and no caps are screwed. Unqualified products are automatically removed without manual intervention.



Fully automatic cream filling machine

CHANGZHOU TICCO ROBOTICS CO., LTD.



TICCO's first automatic end-of-line packaging system for soft bag packaging products was put into use in 2014, and has been in steady operation for 12 years now. In recent years, TICCO has upgraded and iterated the production line to the third generation, and applied it to multiple factories.

The automatic end-of-line packaging system shown in the figure is connected to four VFFS. The system integrates a high-speed case unpacker, four dual parallel robot pick-packing units, a weighing scale, a straw unloading machine, a sealing machine, an automatic palletizing system, plus conveying systems for both products and cartons. Each of the four lines can operate independently, so a fault in one filling machine won't interrupt the overall operation. The production line delivers an output of 32000 packages per hour and supports 24/7 continuous production--helping customers reduce labor costs while resolving the seasonal capacity crunch that many face.



Robotic Packaging System

Chaozhou Chaoan Anbu Renhe Packing Products Factory



Now stand up pouch with zipper bag packaging industry has become the most popular bags, We are very strict in the selection of materials, all of which are 100% food-grade materials. The aluminized material inside the bag can make the storage life of the bag longer. At the same time, the corner of the edge can be switched at any time, and the bag can make it matt finished or glossy.



stand up pouch with zipper

CHENGDU CRONO TEXTLE CO., LTD



CHENGDU CHUANGSHI ZHIZAO CO.,LTD is a professional manufacturer focusing on the research and development and production of protective clothing and professional clothing. There are three major product lines in pharmaceutical industry, food industry and catering industry. It is committed to becoming a world leader in functional professional wear in the food and catering industry. At the same time, it is the first national promotion supplier of professional food work clothes in China.

CHENGDU CHUANGSHI ZHIZAO co.,LTD is also the editor-in-chief of China's national standard for food work clothes "Technical Requirements for Work Clothes for Food Practitioners" GB/T 37850-2019, and the "General Technical Specification for Clean Room Clothing" FZ/T 80014 major compilation unit.



food Work Clothes

CHINA JWELL INTELLIGENT TECHNOLOGY CO., LTD.



1. Deep cold extrusion reduces energy consumption for in-mold drying during hot pressing by 15%-30%, while shortening drying time by 10%.
2. Utilizes fully servo-motor drive for precise control of all motion speeds and positioning, eliminating interference and preventing misoperation.
3. Eliminates high-decibel operational noise and oil leakage contamination associated with hydraulic systems or pneumatic-hydraulic booster cylinders.
4. Slow mold closing minimizes impact, extending mold service life.



Direct-Press Pulp Molding Equipment

CHONGQING YONGYUAN PACKAGING EQUIPMENT CO., LTD.



Chongqing Yongyuan Packaging Equipment Co., Ltd. is a comprehensive enterprise specializing in the packaging industry. It integrates R&D, professional design, precision manufacturing, and efficient sales. Strictly adhering to international quality standards, the company is not only certified under the ISO9001-2000 International Quality Management System but also partners with Pacific Insurance to underwrite all its products. This dual guarantee reinforces its quality defense line, providing customers with reliable products and services.



Integrated Carton Sealer SFQZ5050

CHUN NUO INTEL-MFG TECH. CO., LTD.



Ultra-High Temperature (UHT) Sterilizer subjects products to an intensive heat treatment process at temperatures of 135 °C –140 °C for a duration of 1–10 seconds to achieve commercial sterility. The robust and flexible UHT plant is capable of withstanding pressures up to 60 bar and features a thermal regeneration efficiency of approximately 85%. With a sterilization temperature range of 135 °C –140 °C and a sterilization time as short as 4–5 seconds, it optimally preserves the sensory qualities of beverages and dairy products. The UHT process maintains product color and taste as much as possible, reduces fouling rates in heat exchange tubes, extends operational uptime, and ensures superior product quality. Key Features: High operational uptime, Flexible product applicability, Easy inspection of product and contact surfaces, High-pressure resistance, Low energy consumption, Low maintenance costs, Versatile interfaces. Pre-assembled and factory-tested components, Design compliant with ASME, PMO, and 3A standards.



UHT Sterilizer

CORSTAR FLUID TECHNOLOGY(FOSHAN) CO., LTD.



X2 Series Ceramic Pump Integration is a type of precision metering pump that utilizes the rotary motion of a plunger to meter or deliver chemical liquids and high-purity fluids with high accuracy and repeatability. The axial linear motion is generated based on the adjustable pump head angle during the plunger's rotation, enabling precise stroke adjustment to control input and output. This series of metering pumps achieves a very high level of metering accuracy and repeatability, with an accuracy better than $\pm 0.5\%$. It is suitable for packaging machine filling and retrofitting, and suitable for filling low to medium viscosity homogeneous liquid materials such as electrolytes, medicine, biochemical reagents, chemical fluids, essential oils, liquid essences, emulsions, perfumes, nail polish, etc.



X2 Series Ceramic Pump Integration

COTAO Technologies Co., Ltd.



Big 180 mm label width, 900 m label capacity and 1200 m ribbon capacity.
Robust
Servo-Print TM technology, high-performance and excellent stability,
Universal
30 x 30 ~ 180 x 300 mm label size. Fully electric labeling, Eco and easy



70E e-Tamp DGM Printer Applicator

D&R MACHINERY



D&R mogul plant especially producing gummy candies. With high quality, easy operation, working reliable, with high output. The whole plant includes kitchen system, mogul plant, starch conditioning system, starch collecting and recycle system, product finishing and ancillary machinery. The plant suits for producing gelatin base candies, foamed candies and so on. Whatever your production requirements, D&R has the right solution. We offer different types of depositors to meet to your needs for flexibility and speed. We offer the depositing type with swing, one shot, servo driven for center filled gummies and strip gummies.



Starch Mogul Line

DANYANG FENGCHUANGMACHINERY MANUFACTURING CO.,LTD.



This fresh noodle-making machine is specially designed for the production of fresh noodles, integrating high efficiency, convenience and multi-functionality. Its core press roller has a diameter of 180mm and a width of 360mm, ensuring that the dough is rapidly rolled out under strong and uniform pressure, laying a solid foundation for the chewy texture of the noodles. The most prominent feature is the innovative automatic tool-changing system. The machine is equipped with an intelligent tool library that can store up to 5 different types of tools. Operators do not need to manually move and change the tools with effort. They can simply switch through the control panel with a single button, completing the transformation from round noodles, flat noodles to knife-cut noodles and other various noodle shapes. This not only greatly saves manpower and time, reduces labor intensity, but also ensures the continuity of the production process and food hygiene and safety.



CNC automatic tool-changing dough divider

DONGGUAN COSO ELECTRONIC TECH CO.,LTD



The AEC500C series conveyor-type digital intelligent metal detector is a new generation of intelligent metal detection equipment developed using digital intelligent technology. It is used to detect metal impurities such as metal chips, broken needles, iron wires, lead, copper, aluminum, tin, and stainless steel mixed into raw materials or products. It achieves full digitalization and intelligence in metal detection technology, with excellent performance and simple operation, helping to improve production efficiency and ensure product quality.



AEC500C Digital Intelligent Metal Detector

DONGGUAN KEQI AUTOMATION EQUIPMENT CO., LTD.



Established in 2006 and renamed in 2012, KQ automation is one of the leading suppliers of dispensing/adhesive application and plasma treatment surface ,auto-double side tape adhesive etc equipment, KQ specialize in the manufacturing packing and sealing of items such as corrugated boxes, cartons, books, bags, and pharmaceutical products across the corrugated ,packaging, Envelope, Folding, Carton, Print finishing, Nonwovens, furniture ,product assembly, bag manufacturing industries. With world headquarters in china, direct sales , research & manufacture facilities throughout all over the world. KQ Auto is high-tech manufacturer into specialized research and invocations units to applicate wide of variety of dealer ,OEM and end-user needs ,whether its cold glue system, hot melt systems, plasma treatment surface machine, double side /tear easy tape adhesive machine, assurance systems etc. ,its can increase productivity ,reduce human intervention, protect human environment, Make sure fully automatic in productive activities.



Hot Melt Glue Machine

DONGGUAN WORTH-IT INTELLIGENT EQUIPMENT CO.,LTD.



The S-60 auto sleeving machine is a fully-automatic continuous motion tray sleever that inserts a variety of tray or pot formats into pre-glued sleeves with speed up to 55 packs per minute.

■ FEATURES:

- 1、 Continuous Motion
- 2、 Max Speeds up to 55 packs per minute
- 3、 Small footprint and low power consumption
- 4、 Simple low maintenance design features
- 5、 Runs pre-glued sleeves
- 6、 Robust stainless steel construction
- 7、 Available for loose produce sleeving
- 8、 Available for skin pack sleeving

■ Paperlabel sleeve size:

- DIM A:100-260mm
- DIM B:90-260mm
- DIM C:25-75mm
- DIM C:75-220mm

For better applicability,samples need to be sent in advance for testing and evaluation



Auto Sleeving Machine

DONJOY TECHNOLOGY CO., LTD.



The arc-shaped valve is a valve designed for high cleanliness and hygiene, which can effectively reduce the residue and dead corners of the medium inside the valve, and improve the cleanliness and hygiene level of the system. Suitable for pipeline cleaning systems, capable of switching and reversing fluids, making the system smoother and more efficient. It can also be used as a shut-off valve, with excellent sealing performance and fast response ability, which can effectively cut off fluid. It can also serve as a key component of complex process pipeline systems, suitable for various high demand and high standard industrial fields. The design structure of the arc-shaped valve is reasonable, easy to operate, easy to maintain, and can meet various working conditions.



The arc-shaped valve

The materials and specifications of the arc-shaped valve are diverse, and can be selected and customized according to different medium characteristics and operating conditions, ensuring the stability and reliability of the system.

Specification: 1"-4", DN25-DN100

Material: SS304/316L

Temperature: Max 140 °C

Pressure: 3 bar for outer arc/10 bar for inner arc.

Advantage

The valve channel is designed to be independently closed, ensuring smooth passage of materials through the pipeline without obstruction or blockage. The full diameter design allows particles to pass through the valve without being trapped inside due to the small diameter, improving material throughput and system cleanliness.

The design without flow resistance ensures that materials do not experience excessive resistance when passing through valves, reducing energy loss and equipment wear.

The high viscosity characteristics of materials make them easy to remain and adhere to the pipe wall in pipelines. With the help of flexible pipeline cleaners, they can be effectively recovered and cleaned.

The design of independently closing the valve channels and the combination of flexible pipeline cleaners can achieve the integration of pipeline cleaning and material recovery, improving the efficiency and reliability of the system.

ELESA + GANTER CHINA CO.,LTD.



ELESA+GANTER® is a century-spanning cooperative brand of ELESA® from Italy (founded in 1941) and GANTER® from Germany (founded in 1894).

It is dedicated to standard mechanical components, with 23 major product categories and 80,000 item numbers. The products cover a wide variety of all types of standard mechanical accessories and are widely used in multiple key fields.



Standard Machine Elements

EMBORIO (SHANGHAI) CO.,LTD



BFM Fitting connection is a new type of internal cartridge-style soft connection developed by BFM Fitting Company from New Zealand. Its patented design can solve the leakage problem that occurs during the powder conveying and processing process.



BFM Fitting

FOSHAN AOLGE MACHINERY COMPANY LIMITED



The Horizontal packaging machine is the latest automatic continuous shrink packaging equipment in China. It adopts the ordinary electric furnace wire heating method. It is characterized by fast temperature rise, good stability, low maintenance cost, etc. The shrinkage temperature and motor transmission speed are stable and adjustable, and Wide adjustment range; original roller rotation device, capable of continuous operation. Therefore, the heat shrink machine has the characteristics of advanced design, stable and reliable performance, high energy saving and high efficiency, good shrinkage effect, novel and beautiful structure, easy operation and maintenance, etc. It can be suitable for shrink packaging of any shrink film. Compared with previous shrinking machines, the performance is better, the packaging effect is better, and you can use it with confidence.



Horizontal packing machine

FOSHAN FANGO INTELLIGENT EQUIPMENT TECHNOLOGY CO., LTD.



Foshan Fango Intelligent Equipment Technology Co., Ltd. boasts over 20 years of industry experience, integrating R&D, production, and sales to provide comprehensive packaging machinery solutions. We have a fully equipped workshop to ensure product quality and uniqueness, meeting customer needs. We specialize in high-speed rotary horizontal flow packaging machines, high-speed box-motion type horizontal flow packaging machines, vertical brick bag vacuum packaging machines, and Quad-seal heat-sealing vertical packaging machines. Foshan Fango is trusted by over 1000 customers worldwide, with business spanning Europe, Southeast Asia, and the Middle East. Adhering to the principles of integrity, professionalism, and technological innovation, we provide customers with safe, efficient, and environmentally friendly packaging solutions and unmanned production lines. Our 10,000 m² facility is located in Foshan City, Guangdong Province, China. We will always adhere to a customer-oriented approach, flexibly improving the production design of packaging machines based on customers' actual product needs, greatly enhancing their production efficiency.



Vertical brick bag vacuum packaging machine

FOSHAN IKE TECHNOLOGY CO., LTD



WRH-100T cabinet dryer is a compact heat pump drying system, coming with 15 trays, loading up to 100kg per batch. With a wide drying temperature range of 20-80°C, WRH-100T is suitable for drying herbs, fruits, vegetables, meat, seafood, and other foods.



IKE HEAT PUMP DRYER

FOSHAN INDIGO PRINTING PACKAGING CO.,LTD



Foshan Indigo Printing Packaging Co. Ltd (short for IDG), which established in 2002, located at the southern China, and is specialized in printing and processing high quality label products as the main business.

Seasoning labels is one of our product lines, primarily featuring vibrant spot colors and four-color printing. These labels are enhanced by UV glossy/matt varnish, which not only elevates the design but also provides protection.



Seasoning labels

FOSHAN SAMFULL PACKING MACHINE CO., LTD.



Foshan Samfull Packaging Machine Co.,Ltd. was founded in 2010. In the 16 years since its establishment, Samfull has successfully achieved an extraordinary leap based on the strategy of "brand-opening and terminal-oriented" Development and become a mature enterprise in the domestic packaging machinery industry in one fell swoop.

Samfull mainly produces fully automatic weighing and packaging machines, and has independent large-scale research and development institutions in the same industry in China, a complete manufacturing system and a huge marketing service network. It is an international packaging machinery and equipment manufacturing company integrating R&D, manufacturing, marketing and service. Samfull packing machines are exported to Malaysia, Vietnam, the Netherlands, Germany, Poland, the United States, Canada, Saudi Arabia, Mexico, Peru, Ecuador, Argentina, Bolivia, Egypt, etc. Quality of the machine and service enjoy sound reputation among customers at home and abroad.

Samfull is hailed as one of the fast-growing enterprises in China's packaging machine industry, and has passed the CE certification. It has become a professional automatic weighing packing machine manufacturer. In the future, Samfull will take "the constantly surpassing fully automatic weighing and packaging machine expert" as its mission; "respect for customers, research and development, and generate value" as the guide, stride forward to a well-known supplier of fully automatic weighing and packaging machines!



Multi lane liquid packing machine

FOSHAN SHUANGFU PACKING CO.,LTD.



Foshan Shuangfu Packing Co.,Ltd, which is a leading manufacturer of packaging bags more than 20 years, located in Foshan city, China. We have established a strict quality control system throughout the entire manufacturing process, from raw materials procurement, production, sales, packing to shipment. The company has 20000 sqm of production and office area and over 200 employees.

So far, Shuangfu Packing has 6 subsidiaries company, 3 factories, daily output more than 10000kgs, 100 fully automatic equipments, more than 200 production technicians and produces different kind of the packaging bags, such as the food packaging bags, coffee bags, vacuum sealer bags, industrial bags, flat bottom pouches, clothing packaging bags, drink pouches, and so on.

Shuangfu Packing not only offers OEM&ODM service, but also has 19 warehouses, more than 5,000,000kgs inventory products. Our mission is to facilitate customers and make their products more valuable because of our packaging.

We have important business in oversea market with high quality and reasonable price. With good employees who have enough experiences and advanced machines, we can supply plastic bags according to customers' need. Welcome you to make business with us.



Color-printed Metallized Stand-up Pouch

FOSHAN SUK PRECISION MACHINERY CO., LTD



The machine adopts horizontal configuration and continuous transmission. It has advantages of stable running and high packing efficiency. The machine is suitable for packing blisters, vials, tubes, soaps, poker and other related objects.



High speed cartoner machine

FOSHAN SUNTECH MACHINERY CO., LTD.



1. The combination weigher ensures stable and accurate packaging weight. 2. Medium-speed and high-speed machines are available to meet different production volume 3. The packaging machine can be equipped with various functional options, such as corner insertion, perforation, and more. 4. Depending on needs, the combination weigher can be fitted with additional components like a collective hopper or patterned plate hopper, making it suitable for different materials. 5. Each unit is available in full stainless steel or carbon steel structures, catering to the diverse needs of various customer levels.



SUN-420 GRANULE PACKAGING MACHINE

FOSHAN TEFUDE AUTOMATION EQUIPMENT CO.,LTD



This Parallel Robot adopts a 3+1-axis design, adding a Zaxis rotation function to the common style three-axis parallel robot, it enables movement and rotation within three-dimensional space and, when works with a vision system, achieves rapid tracking, picking and placing of product items on conveyor belts. The Parallel Robot can adapt to various application scenarios with different arm-span requirements featuring multiple load capacities, diverse arm spans, high speed, and high precision. The parallel kinematics design and the integrated cast body structure ensure a clean, fast, stable, and quiet operation. The robot can carry a maximum load of 4.5 kgs with an effective working range of up to 1600 mm.



Parallel Robot

It is compatible with various industrial-standard motion control systems. When integrated with a vision system, the robot can also perform random picking of mixed movable products.

FOSHAN WILPAC PACKAGING MACHINERY CO.,LTD



- Applicable bag type: pillow bag, gusset bag, seal type bag.
- Applicable Film Materials: a variety of laminated films, single-layer PE film, film thickness range 0.04mm~0.15mm.
- Applicable packing materials: a variety of snack food, deep frozen food, milk powder, coffee, oatmeal, granulated sugar, salt, puffed food, rice, herbal, tea small hardware etc.
- PLC control, man machine interface, easy to operate and maintain.
- Equipped by double servo motors and optical tracking devices to keep accuracy and high speed.
- Automatic multthead weighing and vertica packaging combine in one unit(2 in 1 technology).



Weighing and Packing 2 in 1 Machine

FOSHAN ZCHONE PACK MACHINERY CO.,LTD



Foshan ZCHONE PACK Machinery Automatic Pouch Packing Machine is an automatic packaging equipment which is specially applied to pack prefabricated bags with high requirements for appearance, and it can complete a series of actions such as bag loading, marking, opening, measuring, discharging, sealing and shaping of the bags through multi-station full-automatically, and it is suitable for all kinds of granules, liquids, pastes, sauces, flakes and powder materials, and it is widely used in the industries such as food, pharmacy, beverages, chemical industry, agriculture, hardware, toys, and so on. It is widely used in food, medicine, beverage, chemical, agriculture, hardware, toys and other industries. High efficiency, easy to operate, save labor.




Full automatic
premade pouch
packing machine

FPS FOOD PROCESS SOLUTIONS (GUANGDONG) CO., LTD.



FPS is a global company that started with the research and development and manufacturing of refrigeration and cooling equipment. It has now evolved into a provider of comprehensive solutions for food processing, offering a wide range of products and services to customers worldwide. With the accelerating pace of globalization, FPS opened its first integrated production, sales and engineering service center in Zhongshan City, China in 2019, positioning it as the Asian service center. In November 2024, the new FPS factory in China was officially put into operation and upgraded to the Asia-Pacific headquarters, further enhancing service guarantees for global customers and deepening and expanding one-stop solutions for multi-category food processing production lines. As of now, the total global production and office area of FPS has reached 110,000 square meters, covering 20 office and production sites, including the headquarters in Canada, manufacturing and warehouse facilities, and international sales offices across six continents.



Spiral Freezer &
Chillers

FUJI PACKAGING MACHINES CHINA CO., LTD.



FUJI MACHINERY presents a new flagship model of high speed horizontal pillow packaging machine. We brushed up the basic characteristics of packaging machines and produced a safe and secure machine that is easier to understand and use than previous models. It greatly reduces the labor done by the operator by automatically calculating the necessary numerical values just by entering the basic information of the product you want to wrap.



Horizontal Pillow
Packaging Machine

FUJIAN INTERPACK INDUSTRIAL CO.,LTD.



We produce empty tin can for food and beverage packing, including 3-pc can, 2-pc can, and customized cans. Meanwhile, we can provide a full range of one-stop production equipment overall solution.



EMPTY TIN CAN

FULL MORE (SHANGHAI) PACKAGING MACHINE CO.,LTD.



- *Continuous automatic packer with 3belts controlled by brushless servomotor
- *Using the integral steel knife, make the seal is fastness
- *Continuous motion cross sealing bar with PTFE-coated sealing blade controlled by brushless servomotor
- *Sevo system design, good stability for sealing, high durability
- *Operator Interface with Panel PC and 7” full-color touch screen display
- *This system is able to check all operations, simply and precisely, such as:
 - 1)Checking of the film tension
 - 2)Adjustment of cross bar height sealing time adjustment
 - 3)sealing time adjustment
 - 4)Controlled conveyor belt speed
 - 5)The machine adopts simple adjustable punching pin wheel, easy adjustment
 - 6)Control center seal system



Mobile high-speed side sealing machine
CALPACK2000X

FURUKAWA MFG.CO.,LTD.




This machine is a double turntable vacuum packaging machine with the bagging and vacuum sections open. There are a total of 8 bagging stations set up, with a maximum packaging capacity of 45 bags/minute, and a variety of optional devices. The bag recycling function is the standard configuration of this machine, which can reduce the waste of empty bags. By using touch screen operation, up to 100 types of product data can be set. The vacuum chamber can be rinsed with water. Through various optional devices, this machine is compatible with various packaging and products, including various foods, powders, chemicals, hardware, etc.



VACUUM PACKAGING MACHINE FVV-10-220NIII

GENERAK PACKER



- 1.Cleaning task is improved more and more after the manufacture.GPJ-F10A prevents from tampering and contaminating, so contribute to keep food eafoty and eanitary.
2. Your products can be altered to suit your specification quickly and correctly by the big touch screen and various products are available to be registered as pictures on the product register screen.
3. Collaborating with the latest print inspection device GP-NC100A is outstanding. The best quality print inspection device GP-NC100A adopts the pattern matching system which corresponds with Ink jet printer and supports high elibility of printing.
4. In addition to safety, the high productivity is attractive. Maximum performance is exercised by the simple synchronized funnel (option), 当 1sO the max capacity is 65 pouches/ per minute.
5. Furthermore, this new machine accommodates 260mm (10 inches) pouch width; therefore, a wide range of packaging is available.



GPJ-F10A Automatic Bag Feeding Filling Machines

GERICKE (SHANGHAI) LTD.



Feature:

High mixing homogeneity of up to 95%
Suitable for micronutrient blends down to 0.1 per cent micronutrient ratios.
Froude number 1.1 for optimum mixing efficiency at low energy introduction.
ECD type with extractable mixing rotors allows to reduce cleaning cycles and increases the operation efficiency.
Short mixing cycles enable up to 10 batches per hour.
No dead zones or corners where product could deposit.

Application:

Mixing containing trace elements, such as infant formula, speciality medical foods, coffee powder, etc.

Materials that need to be mixed flexibly to reduce the damage to the granularity of the material.

Very high hygienic requirements.

Capacity Range:

35 L/Batch - 4000 L/Batch


Types Available:

GMS 140 C, GMS 350 C, GMS 700 C & ECD, GMS 1400 C & ECD, GMS 2100 C & ECD, GMS 2800 C & ECD, GMS 5000 C & ECD.



**GERICKE Double Shaft
Gentle Batch Mixers
2800 ECD**

Guangdong Barrett Electric Appliance Co., Ltd.



The new product series, built around dual/triple condenser technology, delivers outstanding energy efficiency: it consumes approximately 45% less energy than traditional air conditioners on average, with the photovoltaic inverter models achieving over 84% in maximum energy savings.



**Photovoltaic
Direct Drive Triple
Condenser Inverter Air
Conditioner**

GUANGDONG DACHUAN PACKAGING TECH CO., LTD.



In order to meet the market demand, our company has developed a series of cartoning machines including glue spraying/bottom buckling/self-bottom buckling/box insertion.

The product process includes unpacking → opening the box → pushing the material → automatic box loading → folding the small ears → folding the lower page → spraying glue (inserting pages) → folding the upper page → box loading and forming → finished product output.

1. Mitsubishi PLC control system, Panasonic variable frequency speed regulation, and electrical components are all internationally renowned brands;
2. Human-machine interface operating system, parameter memory, and menu management are used;
3. Automatic detection of empty boxes and empty packages, and automatic removal of cartons without packaging and instructions;
4. Automatic shutdown of the machine in case of overload, fault display, alarm, and finished product counting;
5. Stable performance, simple and easy to understand operation.
6. The products are widely used in industries that require packaging, such as food, daily necessities, cosmetics, toys, pharmaceuticals, electronic products, chemicals, cultural supplies, building materials, lighting, and hardware.



**Automatic cartoning
machine**

GUANGDONG DANQING PRINTING CO., LTD.



Headquartered in Chaozhou city, Guangdong province, DQ PACK started its commitment to provide custom flexible packaging and printing solutions to global customers since 1991. Our company has over 200 employees with 30,000 square meters of facilities in Dongshanhu industrial Park. As a leading flexible packaging company with self-run export rights in the local printing market, DQ PACK has set up branches in Malaysia and Hong Kong China respectively.

Our company is devoting to flexible packaging such for food, beverage, meat products, flavoring, snack food, daily-use products and chemical products. Main products consist of stand up spout pouch, stand up zipper bag, retort pouch bag, food packing film, easy-peelable film, Pvc shrinkable sleeves and label etc. Our entire production process is carried out following the requirements of international quality management system certification, and our trademark "DQ PACK CN" has become a well-known brand name maintaining a leading position within laminated flexible packaging and printing fields.



STAND UP POUCH WITH SPOUT

GUANGDONG GANTAN PACKAGING MACHINERY CO., LTD



The spark series weigher is capable of mixing up to 8 kinds of products. With the boost of memory bucket, multiple products mixing can be achieved with minimum number of heads with no compromise on the combination possibility. Various bucket capacities are available to handle from small portion mixing to large weight mixing.



MIXING WEIGHER

GUANGDONG GUANYI MACHINERY TECHNOLOGY CO., LTD



The Multi-lane packaging machine is a high-speed strip packaging equipment, including high-speed continuous film feeding, an automatic feeding system, servo metering and filling, bag forming, back sealing, horizontal sealing, and servo punching for final output of the finished product. The machine features a stable temperature control module, ensuring smooth operation and superior packaging quality compared to traditional models, significantly improving packaging efficiency. The machine is equipped with a multi-channel feeding and filling device, and can be customized with 6, 8, 10, or 12 columns to meet the needs of different customers, improving production efficiency, reducing labor intensity, and enhancing packaging quality. It can be connected to multiple machines, cartoning machines, and bagging machines to form a complete packaging line.



Ten-lane packing machine

GUANGDONG HUACHUAN PACKAGING EQUIPMENT CO.,LTD.



Automatic Filling Production Line integrates Auto Filler, Auto Vacuum Capper and Labeler—an efficient solution for the sauce, condiment, edible oil, fruit juice, syrup and related industries. Specifically designed for glass bottles with tin caps (common in the market), it realizes one-stop filling, vacuum capping and labeling, ensuring tight sealing and precise labeling.

Key advantages: Easy operation (workers master quickly after simple training), convenient bottle type adjustment (no complex debugging), high capacity (2000 bottles/hour), and customizability for specific bottle sizes. The integrated design reduces manual intervention, improves production efficiency and product consistency, helping enterprises cut costs and expand capacity. Welcome to our booth at the exhibition for on-site inspection and cooperation discussion!



Filling Production line :Auto Filler - Auto Vacuum Capper - Labeler

GUANGDONG JINHUATAI PACKAGING MACHINE TECHNOLOGY CO., LTD.



JINHUATAI is a high-tech enterprise in Guangdong Province China. Our company has strong technical strength and complete production processes. Since its establishment in 1999, our company has been committed to the research and development, production, and sales of food and various packaging equipment. The product has served many fields such as food, washing, and medicine, and currently has offices in major large and medium-sized cities in China. We warmly welcome domestic and foreign enterprises to visit and guide us, to seek cooperation and common development.



Automatic Multilane packaging machine

GUANGDONG KENWEI INTELLECTUALIZED MACHINERY CO., LTD.



It is suitable for weighing leisure foods such as candy, seeds, jelly, pet foods, puffy foods, pistachio, peanuts, nuts, raisins etc. and big shell nuts, hardwares, dried fruits, frozen foods, snack foods, meatballs and so on.

1. Adopt high precision and high accurate loadcell of famous brand, resolution is improved up to 2 decimal;
2. Program recovery function can reduce operation failures and support multi-segment weight calibration;
3. No products auto pause function can improve weighing stability and accuracy;
4. 100 programs capacity can meet various weighing requirements and user-friendly help menu contributes to easy operation;
5. Linear amplitude can be adjusted independently in the running;
6. Many languages available for global markets.



1st G Standard Multihead Weigher

GUANGDONG KINGHANLONG INTELLIGENT EQUIPMENT TECHNOLOGY CO., LTD.



1. The machine body is designed according to the structure of the large vertical machine, and the frame is welded by 13 chromium, 18-8 chromium-nickel steel food-grade square tube + stainless steel plate, which is strong, stable and strong;
2. Simple, efficient and stable, adopting the fixed lapel mechanism integrally formed by the CNC machine tool imported from Germany, with high precision, low friction, stable film transport, and no deviation, ensuring the beautiful and correct longitudinal sealing of the bag;
3. The highly sensitive optical fiber automatically corrects deviation to ensure stable operation of the film, and automatically corrects the deviation of the film caused by uneven winding during the production of the film to ensure accurate slitting position and correct longitudinal seal alignment;
4. Rounded corners or special-shaped punching knives can be customized according to requirements to punch out personalized shapes;
5. It is equivalent to the size of a single-row machine and has a small footprint;
6. The parts do not need to be disassembled and packaged directly (except the feeding machine), and can be used after opening the box and power on, and there is no trouble after sales;
7. Original imported electrical equip



Multi-row packaging machine

GUANGDONG LEBEI PACKING CO., LTD.



Composite cowhide paper self-standing bag, waterproof and oil-proof, can be installed in snacks, nuts, candy, etc.



Kraft paper pouch

GUANGDONG SHANAN TECHNOLOGY CO.,LTD



The Shan'an X-ray Foreign Object Detection Machine utilizes high-resolution X-ray imaging technology and an advanced AI-powered intelligent recognition algorithm, enabling efficient and precise detection of various foreign objects in products, including metals, glass, ceramics, stones, rigid plastics, as well as defects such as missing components or damage. The equipment offers exceptional penetration and identification capabilities, unimpeded by product packaging materials (e.g., tinplate, aluminum foil, glass bottles), ensuring comprehensive, non-destructive inspection of bagged, bottled, canned, and boxed products on the production line. It is widely used in industries such as food, pharmaceuticals, and daily chemicals. The housing features a food-grade 304 stainless steel design, paired with an intuitive and intelligent operation interface that supports one-touch product parameter switching, real-time imaging display, and data traceability. It integrates seamlessly into production lines, ensuring the highest safety standards while significantly enhancing inspection efficiency and production compliance.



Food X-ray Inspection Machine

GUANGDONG WANERX INTELLIGENT TECHNOLOGY CO., LTD.



This machine is suitable for automatic packing and palletizing of products in regular cubic shapes. It integrates automatic unpacking, packing, sealing and palletizing functions, and adopts PLC+ human-machine interface operating system. It can be used online with the front-end cartoning machine or three-dimensional packaging machine, and is widely used in the back-end packaging of pharmaceutical, food, daily chemical and other products.



Opening, sealing, and palletizing integrated machine

A collaborative robot completes the unpacking and forming. The formed carton is transferred backward along the center line to the packing station.

The box support device opens the front, back and side pages of the top of the carton. The bottom (partition) plate can be placed according to the packaging process. The products put in by the feeding conveyor line are arranged into the required single-layer state after sorting. Another industrial robot grabs a layer of products and puts them into the carton, and then puts in a partition.

The products and partitions are loaded in turn. After the products in the carton meet the packing requirements, they are transferred backward to the sealing and folding mechanism station to complete the sealing of the front, back and side pages. The tape sealing operation is completed during the backward transmission. After that, the carton is transferred to the palletizing conveyor line to wait for the palletizing operation. The palletizing and packing are completed by the same robot, and the palletizing reaches the required stacking type and then output.



GUANGDONG YONGFENG ELECTRONIC TECHNOLOGY CO., LTD.

1. Fast combination speed: select the optimal combination instantaneously by computer weight calculation .
2. High-precision digits: accurate measurement with high-precision digital weighing sensor.
3. Easy operation: Multilingual interface can be switched easily and it has a sensitive and colorful liquid crystal touch screen.
4. Multithreading interface: parameters can be changed and statistical information can be reviewed during running.
5. Easy operation process: simplified operation procedures make the computer combination weigher easier to operate.
6. Weighing-style material control: using the weighing sensor to control the elevator switch signal.
7. Linear vibration force can be adjusted independently and the weight of each hopper can be displayed in operation.
8. Text and color sectors show the status of each hopper.
9. Maximum weighing speed: 65packs/min



Standard 10-hopper microcomputer combination scale

Guangdong Yuedong Mechanical Industry Co., Ltd



- Suitable for packaging material range: prefabricated plastic cups (PP, PE, PET, PS and other materials);
 - Single film (aluminum-plastic composite, paper-plastic composite);
 - Applicable product range: liquid products such as yogurt, milk and other dairy products, juice drinks and other beverage products;
 - Filling accuracy: It is related to the filling amount and materials, and can be up to within 1g.
- Machines with different cup shape and different functions can be designed according to the customers' request.



HIGH-CLEAN FULL-AUTO CUP FILLING AND SEALING WITH PRECUT ALUMINUM FOIL MACHINE

GUANGZHOU GUANYI INTELLIGENT EQUIPMENT CO., LTD.



It is a new generation of automatic filling and capping machine designed and produced by the company, which can be used for the automatic filling and capping equipment of suction and self-supporting bags. It provides a complete set of efficient and stable automatic filling production line for food, daily chemical, automotive supplies and other industries. The whole set is divided into bag - feeding - filling - capping - capping, which is characterized by stable production, fast and efficient, different sizes of bags can be used by changing the mold, and the versatility of package materials is strong.



Suction bag filling machine

GUANGZHOU HEYI PACK CO.,LTD



Making stick bags and printing date automatically, with weight detection and rejection function, counting, arranging, boxing, sealing boxes and conveying finished products etc.

Fully servo-controlled

Precise metering, stable operation, and better sealing

Ordered sorting counting line: consistent head and tail, consistent front and back, arbitrary counting, orderly boxing



Multi lanes packing counting boxing production line

Guangzhou Human New Material Science and Technology Co., Ltd.



Paper Barrier Coatings designed for disposable packaging applications such as food paper cups, ice cream cups, heat-sealing containers, and specialized edge-sealing adhesives. These coatings enable effortless self-sealing or heat-sealing with bare paper surfaces, offering excellent resistance to water, water vapor, hot/cold liquids, and oils. Paper packaging coated with these materials is repulpable and recyclable, aligning with sustainable development principles and promoting fluorine-free, reduced-plastic packaging solutions.



Barrier coatings for paper packaging

Handan Ruiheng Plastic Industry Co., Ltd



Crafted from food-grade PP or HDPE virgin materials, these crates are non-toxic, odor-free, and comply with China's GB/T 5737-1995 and GB14881-2013 hygiene standards, ensuring safe direct contact with meat. Premium models feature GS1-certified in-mold labeling for full traceability, recording product origin, shelf life, and other critical data to meet stringent industry requirements. Engineered for -25 °C to 65 °C environments, they maintain optimal freshness for chilled meat and seafood. Reinforced wall thickness enhances impact resistance, while anti-slip bases and stackable designs (4-5 layers when fully loaded) ensure transport stability.

Widely used in slaughterhouses, supermarkets, and cold-chain logistics, they support end-to-end handling from raw material storage to final delivery. Their corrosion-resistant, easy-to-clean surfaces allow repeated use, reducing waste and operational costs. By combining durability, airtight sealing, and lightweight construction, these crates minimize spoilage risks and streamline efficient cold-chain management for businesses.



Food-Grade Meat Transport Crates

Hangzhou Antian Technology Co.,Ltd



The PIJ UV Piezo Inkjet Printer is a high-precision industrial coding solution based on piezoelectric drop-on-demand technology, combined with instant UV curing ink. It delivers high-speed, high-resolution, and stable variable data printing for modern production lines.

The system supports QR codes, barcodes, serial numbers, logos, text, and graphics, enabling one-item-one-code identification, anti-counterfeiting, and full traceability solutions.

PIJ UV printers are suitable for a wide range of substrates, including plastic films, labels, cartons, metal, glass, coated paper, self-adhesive labels, and wash care labels. The printed codes feature strong adhesion, excellent scratch resistance, and chemical durability.

With multi-head expansion, seamless integration into high-speed production lines, and compatibility with MES, ERP, and traceability systems, the PIJ UV inkjet printer is widely used in food, pharmaceutical, personal care, electronics, packaging, and digital marking applications, making it an ideal solution for smart manufacturing and variable data coding.



PIJ UV InkJet Printer

HANGZHOU DONGHUA CHAIN GROUP CO.,LTD.



Multilane four side packing machine, Multilane sachet tomato sauce packing machine, multilane shampoo packing machine, multilane ice pop packing machine, multilane three side sachet packing machine



Multilane sachet packing machine

HANGZHOU HANSIN NEW PACKING MATERIAL CO., LTD.



Founded in 2006, HANSIN is a High-Tech enterprise specialized in the R&D, manufacturing and sales, focusing on medium-large flexible packaging products. We can produce flexible packaging bags with different applications and varies barriers, size range from 1L to 220L to 1500L, mainly aseptic bag, bag in box, IBC liner and FIBC liner, which are widely used in storage and transport for food and non-food.



Flexible Packaging

HANGZHOU ITDRIVE LTD.



Fully enclosed tank design, eliminates the risk of oil leakage, using safer.
· High-quality raw materials, significantly improves life expectancy, using more reliable.

· Stronger bearing configuration, withstand frequent start-stop as well as positive and negative rotation impact force with more assured selection.

· High-performance lubrication: standard synthetic oil, life-long maintenance-free, More convenient to use.

· Low noise operation, advanced noise vibration detection and analysis, getting better usage experience.



DWS WORM GEARMOTOR

HANGZHOU KECHUANG MARK TECHNOLOGY CO.,LTD.



New UV laser marking machine, designed for packaging industry. Ultra-compact structure reduces the volume by 30%, 70mm short focal length optical system, fits the internal structure of all kinds of packaging machinery, can be easily embedded into the packaging machine, assembly line or narrow workspace, dramatically improving the integration of production lines. High-performance UV laser can realize high-precision marking on plastic film and composite materials without thermal damage, eliminating ink pollution and consumable costs, perfect alternative to TIO thermal transfer. Modular design supports multi-angle installation, suitable for vertical, pillow type, horizontal and other production line layout. Intelligent control system is plug-and-play, easily meet the needs of high-speed production lines.



UV LASER MARKING MACHINE

Hangzhou Rongshi Packaging Technology Co., Ltd.



Designed for use in sealed containers, these machines can adapt to harsh environments such as high humidity and dust. Pursuing efficiency and environmental protection is our company's mission. These models can be used in conjunction with multi-head scales, screw machines, measuring cups, and conveyor belts for filling. The weight range they can produce is 20 grams to 10,000 grams, with bag width ranging from 80 to 450 mm and length ranging from 80 to 600 mm. The maximum single-machine speed is 120 bags per minute. We customize solutions based on our customers' product characteristics, packaging requirements, actual environments, and practical application experiences and cases to provide the most suitable solutions for them.



Continuous Automatic Packaging Machine 350l

HANGZHOU ZON PACKAGING MACHINERY CO.,LTD.



Scope of application

This set of equipment is mainly used for crystallized monosodium glutamate, granular drugs, capsules, seeds, chemical raw materials, sugar, chicken essence, melon seeds, nuts, agricultural drugs, fertilizers, feed and other packaging. Main features

1. Fast packing speed and stable performance.
2. Waterproof system makes cleaning more convenient; adopts colorful touch screen, simple operation.
3. Innovative solutions to various packaging problems at reasonable cost.
4. This machine uses prefabricated bags with exquisite patterns and good sealing quality to enhance the product grade.

Machine stations and functions:

- The first station: take the bag (to the bag), open the clip
- The second station: coding (production date, shelf life, etc.)
- The third station: opening (bag opening)
- The fourth station: filling 1 (fill 1)
- Fifth station: filling 2 (filling 2)
- Sixth station: poking material
- Seventh station: sealing 1
- Eighth station: sealing 2, shaping output




Rotary packing machine

HANTIAN AUTOMATION (ZHEJIANG) CO., LTD.



This product can be used in palletizing application ;with built-in vacuum generator and check valve ,can be used to handle workpieces of different sizes.



HGP series area gripping system

HANWA VACUUM TECHNOLOGY (WUXI) CO., LTD.



HANWA, founded in 2000, is a diversified high-tech enterprise specializing in robotic vacuum-based flexible handling solutions, integrating R&D, production, sales, and technical support. Our products serve a wide range of industries including automotive, woodworking,electronics,packaging,food, construction, laser processing, and new energy, delivering comprehensive vacuum application solutions to our clients. In food packaging, our vacuum grippers effectively eliminate cross-contamination risks associated with manual handling, enable precise sorting by product type, and when integrated with weighing sensors accurately measure food weight to ensure consistent product quality and stability.



vacuum suction

HEBEI CHUANDA MACHINERY MANUFACTURING CO., LTD.



I Technical Data:

- Voltage&Frequency: 380V/50Hz/3Phase or according to customer' s demands
- Power: 7Kw
- Inner Drum Diameter: 300mm
- Capacity:500~1000Kg/h
- Max Input Material Size: Diameter less than 100mm
- Cutting Size Range: 4~10mm Frozen Meat Slices, Strips and Cubes
- External Dimension: 1410*760*1208mm
- Weight: 464Kg
- Material of the Machine: SUS304 Stainless steel
- Best Cutting Temperature for the frozen meat: -10℃ ~-0℃
- Best Cutting Temperature for the frozen meat: -6℃ ~-5℃
- Meat Thaw Environment Temperature: -8℃~-4℃
- Material Input Way: Continuously
- Lubricating Way: Oil nozzle
- Thickness control: Manual Adjustment
- Control system: PLC, Touch screen, Frequency transformer

II Introduction:

- Advanced knife rollers disassembly way:
Workers could disassemble the knife rollers by hands, no need any tools
- Cleaning Way:
High pressure gun flush directly
- Safety Equipment:
Inductive Automatic Shutoff Circuit
- Application:
Frozen Meat Slice, strips and Cubes



**Frozen Meat Dicer
CD300**

Hebei Huanzheng Food Machinery Co., LTD



From ingredient crushing to juice extraction, the entire process is conducted in a sealed vacuum environment, completely preventing oxygen exposure to maximize nutrient retention. Combined with low-temperature technology, it avoids the degradation of heat-sensitive nutrients while perfectly preserving the juice's natural color—boasting a bright, vivid appearance just like freshly cut fruit.




Vacuum fresh-locking
juice extraction
system

HEBEI HUAS JIYUAN HIGH FREQUENCY EQUIPMENT CO., LTD



The RF thawing equipment is a device that uses an accessible workbench to feed frozen products into the thawing chamber of the RF thawing machine, thaw them while transporting them, and then send out the thawed products. There are multiple models of equipment that are suitable for different production capacity requirements of frozen products. The thawing of frozen products is uniform, the thawing speed is fast, the temperature inside and outside the frozen products is evenly heated, and there is minimal loss of water and nutrients. After thawing, the color and taste of the meat are preserved, and the process is safe and environmentally friendly, without secondary pollution or bacterial growth; The working environment is safe and environmentally friendly, using only electricity and producing no other waste; Automated program control, can be used independently or integrated into the production line.



RF thawing equipment

HEBEI XIAOJIN MACHINERY MANUFACTURING INC.



HEBEI XIAOJIN MACHINERY MANUFACTURING INC. WAS FOUNDED IN 1986. WE HAVE OVER 30 YEARS EXPERIENCES IN FOOD PROCESSING MACHINERY INDUSTRY, WHICH IS PLAYING A LEADING ROLE IN CHINESE MEAT PROCESSING INDUSTRY. UNDER THE LEADERSHIP OF BOARD MR.MIN XIAOJIN,THE COMPANY INSISTS OF MODERN MANAGEMENT AND AN EXCELLENT STAFF AND STRONG TECHNICAL TEAM. THE PRODUCTS INCLUDE, VACUUM FILLER, TUMBLER, MIXER, SLICER, GRINDER, SALINE INJECTOR, AUTOMATIC SMOKEHOUSE, TENDERIZER, BOWL CUTTER, CLIPPER AND ALL KINDS OF CLIPS, 30 TYPES OF PRODUCTS OWN NATIONAL PATENTS, SINCE WE HAVE FOUNDED A COMPREHENSIVE SERVICE SYSTEM, OUR PRODUCTS EARN PRETTY REPUTATION AMONG OUR CLIENTS. WE HAVE SUCCESSFULLY ENTERED INTO THE INTERNATIONAL MARKET AND EXPORTED OVER 70 COUNTRIES.



Vacuum filler

HEFEI DREAM PLUS CO.,LTD

HEFEI DREAM PLUS CO.,LTD.JMX-P Series Intelligent X-ray Foreign Body Detector
The JMX-P Series Intelligent X-ray Foreign Body Detector is widely applied to detect foreign bodies and defects in various products, including bulk and packaged goods. It helps enterprises strictly control product quality, improve safety standards, effectively avoid consumer complaints and product recalls, and achieve an optimal balance between cost and efficiency.

Seven Core Highlights of the Product

1. AI-Powered Precision Recognition : Built-in AI big data model with customized exclusive recognition algorithms for different materials, greatly improving the accuracy of foreign body identification.
2. Flexible Adaptation with Multiple Solutions : Equipped with various rejection devices such as flap type, push plate type and air blow type, fully adapting to the needs of different application scenarios and also providing exclusive customized solutions according to customer requirements.
3. Intelligent and Efficient Maintenance : Features remote assistance, intelligent fault diagnosis and accurate alarm functions, facilitating quick troubleshooting and significantly improving maintenance efficiency.
4. Stable and Reliable Operation : Core components are selected from well-known domestic and international brands, with an independently developed control system to ensure long-term stable operation of the equipment.
5. Stable Conveying Without Manual Adjustment : Adopts an anti-deviation crawler transmission structure that requires no manual adjustment, ensuring smooth and stable material conveying and more reliable equipment operation.
6. Customized Solutions for Diverse Product Forms : Provides professional testing solutions for various product forms including bagged/boxed/cased, bottled, canned, bulk and unpackaged goods.
7. Hygienic Design to Prevent Secondary Contamination : Adopts a hygienic dead-corner-free design that effectively prevents water accumulation and enables rapid self-draining, fundamentally eliminating secondary contamination of tested products.



JMX-P4020

HEFEI MEYER OPTOELECTRONIC TECHNOLOGY INC.

Hefei Meyer Optoelectronic Technology INC., founded in 1993 and officially registered in 2000, Meyer Optoelectronic (A-share listed on the Shenzhen Stock Exchange in 2012, stock code: 002690) is a national key high-tech enterprise specializing in the research, development, and manufacturing of optoelectronic intelligent recognition equipment. The company is deeply focused on three main sectors: food safety, healthcare, and recycling, with its business covering more than 100 countries and regions worldwide. The primary products include color sorters, X-ray foreign object detectors, dental CBCT, mobile CT, orthopedic surgery robots, and more, striving to provide customers with digital and intelligent system solutions.



X-ray foreign object detectors

VISCOUNT TECHNOLOGY CO., LTD.



VisCount Technology Co., LTD founded with the innovative spirit of the University of Science and Technology of China is a globally leading provider of vision-based intelligent counting equipment and solutions. We leverage our proprietary core machine vision technologies to break foreign technological monopolies, providing high-precision and high-efficiency vision counting and packaging solutions to customers worldwide. After years of development, we have obtained over 60 patents, including 5 invention patents. Our products are exported to Europe, America and Southeast Asia, providing in-depth services to global industry leaders across agriculture, food, daily chemicals, electronic components, aviation, aerospace and other fields, driving industrial advancement through vision intelligence.



Counting Machine

HENAN JINNIU NEW MATERIAL CO.,LTD.



“Paper-Al-PE” Aseptic Packaging**

Our aseptic packaging is available in various sizes, including 70ml, 125ml, 200ml, 250ml, 330ml, 500ml, and 1000ml, and comes in different shapes such as brick, slim, square, leaf, prisma and pillow.

Top 10 “Paper-Al-PE” Aseptic Packaging Suppliers in China:

1. Multiple Printing Options: We offer both flexographic and gravure printing.
2. Advanced Printing Machines: 3 printing machines, performing 8-color printing at a speed of 400 meters per minute.
3. Eco-friendly Water-based Ink: Our ink produces bright colors with a beautiful, high-gloss finish.
4. Precise Production Systems: We ensure precision and stability in our final products.

Suitable For:



Paper-aluminum-plastics aseptic Packaging

HENAN UNION CODING TECH CO., LTD.



The Thermal Transfer Overprinter is an advanced printing solution designed for high-speed, high-quality coding on flexible packaging materials. Using thermal transfer ribbon technology, it delivers sharp, durable, and smudge-resistant prints, making it ideal for printing production dates, batch numbers, barcodes, QR codes, and logos.

This machine offers excellent print clarity and strong adhesion on a wide range of materials, including plastic films, foil, and laminated packaging. With its compact design and user-friendly interface, the thermal transfer coding machine is easy to operate and maintain, and can be seamlessly integrated into various packaging lines.

Widely used in the food, beverage, pharmaceutical, cosmetic, and daily chemical industries, the thermal transfer coding machine helps manufacturers improve production efficiency, ensure traceability, and enhance overall packaging quality.



Thermal Transfer Overprinter

Henan Zhongyunfu Information Technology Co., Ltd.



Adopting four motors for precise control, the printing gap is more precise, up to 0.1mm;

The print head is automatically positioned to the rubber roller position, without the need for manual adjustment of print head pressure, position, etc Built in 1.0GHz main frequency CPU, running faster and more stable, Powerful database storage capability, with a printer size of 512MB storage.

The controller has 8GB of storage and built-in editing software, which can implement changes to printed content.

Intuitive user interface for real-time monitoring of ribbon status and printing progress



TTO printer

Huai'an Haotian Automation Equipment Co., Ltd.



* Professional and precise design, designated for use by leading domestic enterprises.

* The entire machine adopts a cam continuous system, ensuring stable and durable operation.

* Tight and secure tape sealing.

* Horizontal carton storage design allows for on-demand replenishment of empty boxes.

* Equipped with safety door switch protection device.

* Features automatic warning for empty carton magazine to prompt replenishment, and tape monitoring alarm (alerts without stopping when tape is low, stops with alarm when tape is depleted).



Automatic High Speed
Carton Erector

HUALIAN MACHINERY GROUP CO., LTD.



FBK-332C one-lined sealing and stitching automatic packaging machine, fit for packing single layer Kraft paper, multi-layer Kraft paper, paper/plastic laminated bag. It could automatically finish the processes of dust-cleaning, trimming, stitching, binding the edge, cutting off, heat sealing, press closing and counting etc.



FBK-332C One-Line
Sealing and Stitching
Automatic Packaging
Machine

HUALIAN PHARMACEUTICAL MACHINERY CO., LIMITED



The machine equipment is designed with manipulator and supporting devices, which can automatically take the bag, open automatically, automatically print the production date and batch number, automatic loading and automatic sealing. Optional vacuum machine and the present machine can be connected into a unit, for vacuum packaging, from entering the bag to vacuum extraction to the completion of packaging output, automatic unmanned operation of vacuum packaging. By allocating different feeding devices, such as: liquid or paste quantitative filling system, multiple weighing system, other feeding mechanism, the liquid, paste, powder, particles, blocks, etc., or a variety of materials can be added. The machine is controlled by PLC, human-machine interface operation, and adopts a variety of detection means to monitor the machine operation. In case of abnormal situations, there will be an alarm output, in order to facilitate timely processing and avoid the waste of materials and packaging bags.



Pre-made Bag Rotary Packing Machine

Huansu Technology Co., Ltd.



It is used for rapid bacterial control cooling of high-temperature foods. By using vacuum rapid cooling technology, food can be cooled from high temperature to 10 °C in only 8-18 minutes, with uniform cooling inside and outside, quickly passing through the active period of bacterial reproduction. The technology can help improve the appearance and flavor of food, and extend the shelf life. It can replace the traditional spread-cooling workshop to help with bacteria-reducing production and reduce the costs and increase the efficiency. Protection grade is IP69K.



Fresh Food Cooler

HUATANG AUTOMATION SCIENCE&TECHNOLOGY CO.,LTD.



High efficiency: one single operation can clean many specifications and amounts of barrels for several times.
No dead ends: high pressure spray cleaning both inside and outside.
Use-friendly: cleaning, rinsing are done automatically.
Settable: cleaning procedures can be set based on different barrel body attachments and barrel



Bucket Cleaning Machine

HUNAN GENDA PRECISION GRINDING MANUFACTURING LIMITED



SBG series disc grinders can be used for fine grinding of various organic plant-based raw materials such as (roots, stems, leaves, fruits) and animal-based raw materials (skin, meat, bones).



SBG Disc Grinder

INJIANG YUNKAI MACHINERY CO., LTD



The single row gel sandwich fudge pouring machine is an automatic equipment dedicated to the production of sandwich fudge. It supports the monochrome or multi-layer sandwich structure, and can achieve precise pouring through PLC control. It is suitable for small and medium-sized production lines or pilot production. This kind of equipment is mainly used for the continuous production of gel candy (such as gelatin, pectin fudge), especially for products that need to precisely control the position and weight of the sandwich. Integrated design of machine, electricity, and gas for the entire machine.




Single row gel fudge pouring machine

Intipack (shanghai) Industrial Co., Ltd



Key advantages of injection-molded yogurt cups include high strength, heat resistance (suitable for pasteurization or hot filling), excellent sealing performance, and high production efficiency, making them compatible with automated high-speed filling lines. Evolving trends focus on lightweighting, customization, and sustainability—such as using recycled or bio-based materials to reduce carbon footprint. Beyond functional containment, these cups serve as vital tools for brand presentation, consumer experience, and environmental responsibility, playing an essential role in the modern food packaging industry.



PP injection yogurt cup

JIANGSU ERIC INTELLIGENT EQUIPMENT CO.,LTD.



The vacuum homogenization emulsification machine is a complete system that integrates functions of mixing, dispersion, homogenization, emulsification and powder suction. It is equipped with an electrical control system and can also be used in conjunction with peripheral oil and water tanks, vacuum, heating/cooling systems, etc. It is a specialized equipment for producing medicinal ointments, high-end creams, lotions, sauces, etc.




VACUUM HOMOGENIZATION EMULSIFICATION MACHINE

JIANGSU FULAIYOU INDUSTRY MANUFACTURING CO.,LTD



Food processing conveyor belt selection of high-quality high strength polyester fabric as the belt core belt body good elasticity, not easy to deform good stability product formula scientific and reasonable, in line with food hygiene standards, can be in direct contact with food, no odor, oil resistance, anti-stick and anti-slip



Food conveyor belt

JIANGSU KAIYI INTELLIGENT TECHNOLOGY CO.,LTD.



1. Designed according to industrial standards, fully enclosed for safe operation.
 2. Whole-fruit pressing ensures maximum juice yield with low peel oil content.
 3. Minimal downtime and maintenance costs.
 4. Suitable for citrus fruits of different sizes and varieties.
 5. Hygienic design for easy cleaning.
- Capable of processing all types of citrus fruits, such as oranges, grapefruits, lemons, and limes.
Total power : 3.02 kW (two heat seals, excluding vacuum pump)



Cup type of juice extractor

JIANGSU NANFANG PRECISION CO.,LTD.



Needle roller bearings include pressed steel outer ring needle roller bearings, needle roller and cage assemblies, and thrust bearings. Pressed steel outer ring needle roller bearings are needle roller bearings with thin-walled pressed steel outer rings. They are typically used in applications where the bearing housing bore cannot be used as the raceway for the needle rollers and cage assembly, and where high load capacity, very compact and economical bearing configurations are required. These bearings are installed in the bearing housing by interference fit. Since no shaft shoulders or retaining rings are needed to axially locate the bearing, this simplifies and economizes the design of the bearing housing bore. Needle roller and cage assemblies are used as positioning bearings for the eccentric shaft of RV reducers, installed at both ends of the eccentric shaft and providing support for the cycloidal gear. Through high-precision grouping and selection, they ensure the precise and repeatable positioning of the robot arm. Thrust needle roller bearings can reliably hold and guide a large number of needle rollers through the specific structure of the cage. They can provide very high rigidity in an extremely small axial space.



Needle roller bearing

JIANGSU RUNZHOU INTELLIGENT MANUFACTURING MACHINERY CO., LTD



High temperature resistance, self-lubrication, and food-grade./wear-resistant, self-lubricating and lightweight.



polyurethane (PU) roller, UPE guide rail

Jiangsu Tianyu Weiye Technology Co., Ltd.



- 1、 Our sterilizer has the characteristics of high intelligence, energy saving, continuously innovation, and leading the direction of the industry.
- 2、 Wide range of equipment selection, standard DN500-DN1500.
- 3、 Loading-unloading system, conveying system are leading the direction of the industry.
- 4、 With the introduction of Danish wired and wireless heat distribution tester, the heat distribution test can be carried out immediately during the commissioning process of the equipment to ensure the reliable performance of each equipment.




Sterilizer

JIANGSU VEIK TECHNOLOGY & MATERIALS CO., LTD.



We use imported glass fiber as the material to make plain, twill, satin or other weaves into high-grade fiberglass cloth substrate, and then fully impregnated with unique process technology, coated with high-quality PTFE resin to produce PTFE high temperature fabric with multiple thicknesses and widths.

1. Gasket for heating food, baking mat, microwave oven gasket;
2. Anti-adhesive lining, gasket, mask, etc.;
3. According to different specifications, coated cloth can be used for conveyor belts of various drying machines, adhesive tapes, sealing tapes, etc.



**PTFE Coated
Fiberglass Fabric**

Jiangsu Weijie Automation Equipment Co., Ltd.



Automatic wrapping film packaging machine, automatic height sensing, adjustable tightness of wrapping film, adjustable disc speed, adjustable up and down speed, can set single/double layer packaging, one click start, can switch between automatic/manual mode.



Winding machine

Jiangsu Tom Intelligent Equipment Co., Ltd.



GXZG-12-3 Intelligent Tracking Filling and Capping Integrated Machine
Applicable bottle type: height 80-260mm, diameter 40-95mm
Capacity: 50-1000ml ≤ 4000-7200 bottles/hour
Filling accuracy: within 200ml ± 1g; Within 300ml-500ml, ± 2g; 1000ml ± 4g



**GXZG-12-3 Intelligent
Tracking Filling and
Capping Integrated
Machine**

Jiangxi Ruifeng Intelligent Technology Co., Ltd.




Deeply rooted in the warehousing and logistics equipment sector, Jiangxi Ruifeng Intelligent Technology Co., Ltd. is a high-tech enterprise integrating R&D, production, sales and service.

We specialize in plastic pallets, and also supply a full range of supporting plastic products including boxes, baskets and buckets. All our products strictly comply with national standards and have obtained the ISO triple management system certification. We are a core unit member of the Pallet Professional Committee of China Federation of Logistics & Purchasing.

Backed by strong professional R&D capabilities and precision production equipment, our products serve numerous industries such as new energy, auto parts, food and pharmaceuticals, warehousing and logistics. We have established long-term cooperation with well-known enterprises and gained wide recognition from the market.

Guided by the philosophy of "Innovation-Driven, Pragmatic Endeavor, Efficient Empowerment", Ruifeng Intelligent looks forward to achieving win-win cooperation with partners from all sectors.



**plastic pallet; Plastic
container bin**

JIANGXI SAIMA INTELLIGENT TECHNOLOGY CO., LTD.



PRODUCTS: 1. Smooth material feeding, stable operation, low noise, no damage to raw materials, simple and intuitive operation and adjustment. 2. The equipment system has manual/automatic switching functionality and self-diagnostic functionality.

When a fault occurs, it can automatically shut down and alarm. The emergency stop button should be installed in an easily accessible location to facilitate employee operation.3. The equipment must have features such as secure sealing, good airtightness, flat and aesthetically pleasing bag shapes, high packaging efficiency, durability, low failure rate, automatic shutdown and alarm when defects occur, and a long service life. 4. The equipment can automatically display the number of packages, making it easy to calculate the machine's workload.5. The equipment must have high-level safety protection functions (safety protection devices must be installed on all hazardous areas).

6. This machine must have automatic shutdown and alarm functions. 7. The equipment can automatically alarm and diagnose faults, ensuring safe operation, and is equipped with a Chinese human-machine interface, making the equipment easy to operate, adjust, and highly automated. Easy to operate and maintain: The intermittent structure is simple, easy to operate and maintain, and has strong versatility.



**AUTOMATIC ROTARY
BAG PACKING
MACHINE (SD-B01/
B02/B03)**

JIANGYIN BAOLI MACHINERY MANUFACTURING CO., LTD.



Plough mixer keeps material onflow. Because of high speed and shapes of plough agitator, centrifugal vortex action, Material in plough mixer makes three-dimension movement and is mixed together. This type of mixer is fit for dry powder, granule, small fibre, liquid and paste with low viscosity.



**Horizontal Plough
Mixer**



Jiangyin Shuanghui Plastic Packaging Co., LTD.

Product Material

This product is made from high-quality PE (polyethylene) raw materials, possessing excellent flexibility, sealing properties, and durability. It is safe and environmentally friendly, meeting food-grade and industrial packaging requirements.

Product Features

Soft and Durable: Tensile resistant and tear-resistant, suitable for various loading needs.

Good Sealing Performance: Effectively prevents moisture, dust, and contamination.

Strong Adaptability: Low-temperature resistant and chemically resistant, suitable for different transportation and storage environments.

High Customizability: Supports customization of size, thickness, color, printing, and bag type.

Applications

Widely used in food packaging, daily necessities packaging, industrial parts, electronic products, clothing, and logistics packaging.

Customization Services

OEM/ODM services are available according to customer needs, including:

Material selection (HDPE/LDPE/mixed materials)

Thickness and weight customization

Printing up to 10 colors

Different bag types (flat bags, self-sealing bags, vest bags, etc.)

Quality Assurance

From raw material procurement to finished product shipment, strict quality inspection standards are implemented to ensure product stability and consistency.



PE plastic bag



Jiangyin Wanda Pharmaceutical & Chemical Machinery Co., LTD

Main uses: This machine is mainly used for crushing weak electrical substances and high-temperature resistant substances in the fields of chemical engineering, medicine (traditional Chinese medicine), food, spices, resin powder, coating powder, etc.

Main features: This machine adopts a wind wheel-type high-speed rotating knife. The fixed knife performs impact, shearing and grinding. Not only is the crushing effect excellent, but also a strong airflow is generated in the crushing chamber, causing the heat of the crushing chamber and the finished product to flow out through the screen together. The fineness of the crushing can be determined by replacing the screen.

Working principle: This unit utilizes the relative motion between the movable toothed disc and the fixed toothed disc to crush the materials through the impact and friction of the toothed disc as well as the impact between the materials themselves. The crushed materials automatically enter the collection bag. This machine is designed in accordance with "GMP" standards and is entirely made of stainless steel. There is no dust flying during the production process. It can also improve the utilization rate of materials and reduce enterprise costs. Currently, it has reached the international advanced level.



Universal crusher

Jinnan (Shanghai) Aluminum Products Co.,Ltd



A screw conveyor is a commonly used continuous conveying equipment, widely applied in industries such as grain, chemicals, and building materials. It pushes materials along a fixed casing through a rotating screw blade, thus realizing material conveyance. The screw conveyor features a simple structure and a small footprint, and it can be flexibly arranged in three-dimensional space to adapt to different production environments. Additionally, it boasts advantages such as high conveying efficiency, low energy consumption, and easy maintenance. During the material conveying process, it can effectively prevent material blockage and leakage, ensuring production continuity and stability. With the continuous development of technology, screw conveyors are constantly being optimized in design and performance to meet the needs of different industries.



Screw conveyor

JOHNSON SMART TECHNOLOGY (JIAXING) CO., LTD



Our flexible robotic units can be applied to various processes such as pick and place, handling, boxing, cartoning, bagging, palletizing, and can seamlessly adapt to your individual needs. With modular systems, precise sensor technology, and robust design, they optimize production processes, reduce costs, and free your team from repetitive tasks. Advantages of Flexible Robotic Units:

Easy Integration: Our robotic units can be easily integrated into existing production lines without large-scale modifications.

Individual Adaptability: Our robotic units can be precisely customized to your needs—from component delivery to complex assembly processes.

Modular and Scalable: Thanks to our carefully designed modular systems, our production units can be flexibly expanded and quickly adapted to changing production demands, meeting personalized process requirements.

Versatile Applications: Our flexible robotic units cover a variety of processes, including: bonding, assembly, screwing, pressing, welding, joining, quality inspection, and more.

Flexible Adjustment Based on Order Size and Batch Size—Quickly adapt to component changes.



Flexible Robot Manufacturing Cell

JOIN AUTOMATION MECHANICAL TECHNOLOGY CO., LTD.



working principle

The new JB-G1-1N automatic ultra-fine powder packaging all-in-one machine can automatically complete bag loading, metering, degassing and filling, bag opening finishing, exhaust and other tasks.



Automatic ultra-fine powder packaging machine



KAIDA GROUP

Fujian Kaida Group is one of the world's leading flexible packaging companies. It was founded in 1999 and is headquartered in Jinjiang, Fujian, the capital of Chinese brands. Its business involves flexible packaging (food, daily chemicals, electronics, medical, pharmaceuticals, etc.), packaging film materials, injection molding, blister and related mold manufacturing, application and technical services of degradable and recyclable materials, PCR high-functional resin production and packaging material trade, etc.

With innovation as the engine, the group rationally allocates senior technical and R&D talents and has won many innovation awards. It has passed BRCGS, ISO22000, ISO15378, ISO13485 quality certification, has a reliable quality system, and has won praise from customers and the industry.

Based on flexible packaging, the group further invests in medical and health materials, recyclable and degradable packaging to improve the terminal consumer experience of packaging used in daily life now and in the future. The group takes "live up to the trust" as its service concept, walks towards green and leads development.



Functional high barrier single material recyclable snack packaging

KAIFU YANTAI FOOD MACHINERY CO.,LTD.



Calf pak filling machine utilizes quadruple sterilization technology (H2O2 treatment of package material, sterile air positive pressure, H2O2 atomization, UV lamp sterilization), ranges all series of 125ml, 150ml, 200ml, 250ml, 330ml, 500ml 1L, 2L, includes slim, standard brick, diamond shape.

Calf pak filling machine can completely fulfill aseptic filling of dairy, milk, plant-based milk, fruit/vegetable juice, sauce, thin cream, tea, liquor, yogurt, egg liquid etc.

Quadruple Sterilization Technology 24-hour running without failure
Fully automated, PLC control



ASEPTIC CARTON FILLING MACHINE

KING PACK MACHINERY CO.,LTD.



The King Pack Tube Filling and Sealing Machine is a high-performance, automated solution designed for processing plastic, laminate, and aluminum tubes. It is widely utilized in the pharmaceutical, personal care, and food industries for the precise packaging of gels, creams, and ointments. This equipment integrates tube feeding, registration, precision filling, sealing, trimming, and discharging into one seamless operation. Engineered in strict compliance with international hygiene standards, all contact parts are crafted from premium stainless steel. Featuring a high-precision cam indexing system and an intuitive PLC touchscreen, King Pack machines offer exceptional stability and rapid changeover capabilities. By maximizing dosing accuracy and seal integrity, it helps manufacturers achieve superior production efficiency.



Tube Filling Machine

KUNSHAN BOZN PACKAGING EQUIPMENT CO., LTD.



The double-shaft paddle mixer involves the fields of transmission, fluid mechanics, material science, automation technology, and manufacturing technology. The equipment can quickly complete the mixing of powder or small particles, and can also be used for mixing and drying in a vacuum environment. It can also be used as cooling equipment and reaction equipment, and is widely used in food, medicine, grain, chemical and other industries. Especially when mixing materials with significant differences in properties such as density and particle size, no segregation occurs. The precision is high, the efficiency is high, and the energy consumption per unit product is low, making it environmentally friendly and energy-saving. Multiple processes are gentle, without disrupting the original physical state of the materials. It operates under sealed conditions, ensuring smooth operation, no dust leakage during mixing, and no environmental pollution. (Pull-out type) Side-pull-out structure allows for easy removal of the blades and side door to the outside of the mixer with one button, facilitating cleaning. The design features a sanitary arc/angle transition and a suspended base installation, aiming to eliminate all potential hygiene dead zones.



pull-out dual shaft paddle mixer

Kunshan BOZN Packing Machinery Co.,Ltd



It's suitable for packing the products like jelly, juice, soybean milk, beverage, pet food, laundry detergent, shampoo and so on.



Spouted pouch

KUNSHAN KINGLAI HYGIENIC MATERIALS CO., LTD



KBFV Butterfly Valve KBFV is a hygienic on /off valve that can be used in automated or manual systems. Due to the large opening areas, the resistance to fluid is small, and the treatment for the products with medium and low viscosity is relatively gentle, making it the main solution of modern processing technology. The valve is used in food, dairy and brewing systems as well as biopharmaceutical applications.



Sanitary butterfly valves

Kunshan Quanlifa Robot Technology Co.,Ltd.



Product material: Aluminum alloy cylinder body, suction cup, silicone
Vacuum degree: 0.8-0.9Mpa
Supply air pressure: 6kg, continuously stable
Product advantages: Built-in vacuum generator. It can be used immediately after connecting to the gas source. Each suction cup has its own gas path. When one suction cup does not touch the object, the other suction cups can still firmly hold the workpiece when they come into contact with it.
Application scope: Lightweight hollowed-out porous workpieces, special suction cups for PCB circuit boards
Design highlights: Equipped with multiple suction cups, each with its own air path, it can prevent suction cups that have not touched the workpiece or suddenly detached from it from affecting other suction cups.



PCB circuit board integrated vacuum suction device

Kunshan Tsubaki Machinery Co., Ltd



Tsubaki, in the packaging machinery industry for over 20 years, specializes in the design and manufacture of bag forming set and other packaging machinery accessories. Leveraging advanced global technologies, and continuous improvement in our production processes, focuses on optimizing our supply chain and customer service to deliver fast, efficient, and reliable support.



Bag Forming Set

KUNSHAN YUXINZHAN AUTOMATION TECHNOLOGY CO., LTD.



Kunshan Yuxinzhan Automation Technology Co., Ltd. is a professional enterprise integrating independent research and development, production and sales of back-end automated packaging equipment. It has its own brand "Yuxinzhan": high-speed unboxing machine; vertical unboxing machine (S servo). Semi-automatic cover sealing machine, semi-automatic double column folding cover sealing machine; semi-automatic angle edge machine (I-shaped seal), semi-automatic box sealing machine (left and right) (up and down), fully automatic box sealing machine; upper and lower drive side box sealing machine; Automatic cover sealing machine; fully automatic angle edge machine (I-shaped seal); fully automatic packaging machine; can meet customer production packaging needs, plan, design and manufacture automated packaging assembly lines



Vertical unboxing machine

KUNSHANANHENG



ACW-0.2 classic grain testing scale is our target market for pharmaceutical, food, such as developed high speed of high precision weighing products, the product with the dynamic weight of high speed reading mode detection production online product weight, determine whether the product weight is qualified, and back the weighing data, suitable for all kinds of small products weight inspection and grain detection.



High speed and high precision dynamic check scale

LANGFANG SUPERB MACHINER EQUIPMENT CO., LTD



Cold brewing of coffee is carried out under the condition of low temperature and positive pressure. Through processes such as soaking, spraying, elution, and mixing and stirring, the polysaccharides, caffeine, and flavor components in the coffee are fully extracted.

Advantages of low-temperature extraction: The oil is not easily dissolved out, and it has a full-bodied taste and good flavor.

Features of this machine: The ratio of water to materials is added constantly, and the control is simple; it adopts PLC intelligent control, with a high degree of automation, and the entire extraction process can be completed with one click; it is convenient to clean and disinfect without dead corners, and the hygiene is easy to control; it avoids the reaction of heat-sensitive substances at high temperatures, and is suitable for the extraction of components such as anthocyanins, vitamins, and flavonoids; multi-temperature section extraction can be achieved.



Cold brew coffee machine

LEAD TECH(ZHUHAI)ELECTRONIC CO., LTD.



i9 is our latest model with a stable ink supply system, durable and easy to replace ink cores, automatic adjustment function without the need for manual ink parameter adjustment, quick start, multiple languages, and a new generation print head. Injection molding technology that prevents ink leakage automatically cleans, ensuring longer operation.



i9 Continuous Inkjet Printer

LEUZE SENSOR TECHNOLOGY (SHENZHEN) CO., LTD



The new compact safety laser scanner RSL 200 measures just 80mm×80mm×86mm in size, with a detection range of up to 3 m and a scanning angle of 275° . It has passed the rigorous testing and certification by TÜV SÜD in Germany, achieving safety technical parameters of Type 3, PL d, and SIL 2. It provides safety protection, as well as positioning and navigation solutions for AGVs and AMRs.



safety laser scanner RSL 200

Lezhou



It is a type of sliding bearing centered on spherical contact. The inner wall of the outer ring or the outer wall of the inner ring adopts a spherical design, enabling a certain degree of self-aligning function at a certain angle.



Spherical sliding bearing



LIANKE INTELLIGENCE

Linke Intelligent Stretch Film Vacuum Packaging Machine Case Display: This fully automated CNC vacuum packaging equipment integrates film thermoforming, vacuum sealing, intelligent coding, and automatic cutting. Slices can be placed in molds adjustable to customer-specific packaging sizes, with optional automatic feeding. Equipped with a high-performance industrial computer system for intuitive operation, it enables intelligent continuous packaging, boosting production efficiency, cutting costs, enhancing product quality and brand image, and providing strong support for enterprise management.



Stretch Film Vacuum Packaging Machine



Little Buffalo Technology (Ningbo) Co.,LTD

Flexible guardrails are a type of safety barrier commonly used in factory workshops or around buildings. It is made of polymer materials and has good flexibility and elasticity, which can effectively absorb collision forces and reduce injuries caused by accidents.



Flexible crash barrier

LONG QIANG INTELLIGENT EQUIPMENT CO., LTD.



Longqiang Enterprise undertakes a complete set of production lines for dairy products, beverages, fruit juice, water treatment, and other products both domestically and internationally. Main products: a complete production line for fresh milk, fruit milk, yogurt, soy milk, liquid milk, student milk, AD calcium milk, ice cream, wine, and various fruit juice and tea beverages. Our company also cooperates with universities and research institutions to provide one-stop services, including process technology, assembly line design, equipment installation guidance and debugging.



Dairy production line



骏飞利方

MA'ANSHAN JUNFEI MACHINERY TECHNOLOGY CO., LTD.

Gas consumption: $\geq 0.4 \text{ m}^3/\text{min}$ (compressed air provided by the customer)



MCLEAN (CHANGZHOU) METAL PRODUCTS CO.,LTD



AP pickled pipes with a grayish-white surface after solution annealing are commonly used for industrial gases. MP mechanically polished pipes are made by polishing the inner and outer surfaces of industrial pipes and are also known as sanitary pipes, which are generally used for fluids and common gases.

BA bright annealed pipes are annealed in pure hydrogen, featuring good surface roughness and high purity, and are suitable for the transportation of 99.999% high-purity gases.

EP electropolished pipes undergo precision cleaning and dust-free packaging, and are suitable for the transportation of ultra-high-purity and highly corrosive special gases with a purity of 99.99999%.



Pipe & Tubes

METTLER-TOLEDO TECHNOLOGIES (CHINA) CO., LTD.



Next generation industrial metal detector offers a step-change in performance and very high sensitivity. Suitable for dry or deep frozen products inspection.

Better Brand Protection

Up to 25% better spherical sensitivity performance in dry applications; higher tuned frequency for extra flexibility and performance.

Designed for Efficiency

Automation of routine tasks increases efficiency. Enhanced stability for reduced false rejects. Icon-driven user interface simplifies operation.

Reduced Cost of Ownership

Access to higher level due diligence features for compliance with strict retailer requirements. Future-proof with expandable I/O and modular upgrades.



Metal Detector M33R

MSTAR TECHNOLOGIES, INC.



HCvisionSystem includes comprehensive intelligent high-speed machine vision system, machine vision underlying algorithm libraries, intelligent software, smart cameras, industrial cameras, infrared cameras, image processors, etc. In the automated production, it can complete a variety of visual inspection tasks such as target location, quality defect inspection, dimension measurement, workpiece counting, recognition and alignment assembly. Equipped with supporting hardware including vision processor, industrial camera, light, lens and accessories, it provides customers with high-precision and high-stability machine vision solutions.



Comprehensive intelligent high-speed machine vision platform

NAICO CLEANING TECHNOLOGY (SHANGHAI) CO., LTD.



Naico provides a comprehensive range of professional vacuum cleaner products that can meet all demanding cleaning needs. Our NT200H series vacuum cleaners are designed specifically for cleaning the interior and exterior of processing machines. This series is an ideal choice for general workplace cleaning. This series meets GMP requirements, is easy to clean and disinfect, and has a smooth structure, which can prevent the accumulation of dust and other health risks. This device can be equipped with special filters for recycling extremely fine or toxic powders, making it the preferred solution for safe cleaning and sealing in the pharmaceutical/food industry.



vacuum cleaner

NANJING ANNAI MACHINERY CO., LTD.



1. Precise frying control

Continuous oil circulation between the fryer, filter and heat exchanger provides precise control of temperature and rapid adjustment to product load changes.

2. Superior oil quality

Low oil volume and rapid oil turnover assure fresh product with a long shelf life. Optimal oil level is automatically maintained.

3. Easy cleaning

Cleaning solution follows the same path as oil for thorough sanitation.

Clean-in-place spray nozzles in the hood and exhaust stack clean all areas above the oil path.



Potato Chips Fryer

Nanjing Mojing Precision Technology Co., Ltd.



The non-fried rice crust machine is a specialized food processing equipment for producing non-fried rice crust. It abandons the traditional frying process and adopts advanced baking technology for rice crust production.

This equipment boasts remarkable advantages:


Health & Eco-friendliness: It drastically reduces oil content in the final product, aligning with the trend of healthy eating. Meanwhile, it cuts down oil consumption and discharge, making it more environmentally friendly.

Stable Quality: Precise control over temperature, humidity and processing time ensures consistent crispness, rich aroma and authentic flavor of every batch of rice crust.

Easy Operation: The user-friendly interface allows operators to master the equipment after simple training, with high automation minimizing manual hassle and boosting production stability.

Multi-functionality: It can adjust flavors and shapes to meet diverse market demands, realizing one-machine multi-purpose use.

This efficient and eco-friendly solution helps enterprises produce high-quality non-fried rice crust and enhance market competitiveness.



Non-fried Rice Crust Machine

Nanjing Yangzi Grain and Oil Food Processing Machinery Incorporation Limited



It was rolled out into the market in 2002. We are the earliest company to adopt vacuum dough mixing technology to produce flour products. And we also applied for "Utility-type patent" ahead of others in mainland China.



VACUUM DOUGH MIXING EQUIPMENT

NANTONG HENGLI PACKING TECHNOLOGY CO.,LTD.



The equi Ability to bottle and jar naked candies/pillow pack candies of different shapes, sizes and textures.

- The same bottle shape is mixed and counted according to different products.
 - Precise measurement: Equipped with a precise measurement system to ensure consistent quantity and weight of gummies in each bottle
 - Versatility: Capable of accommodating bottles with varying dimensions and specifications, adapting to a wide range of packaging requirements
 - High-speed production: Able to bottle at a higher speed, improving production capacity and production efficiency.
- ment is suitable for the mixed packaging of various kinds of food materials such as nuts and dried fruit after electronic automatic counting.
- Able to carry out mixed packaging of various varieties of nuts to meet the diverse needs of customers
 - Accurate counting, automatic identification by photoelectric sensor to ensure filling accuracy
 - Realize separate measurement of dry and wet fruit, effectively solve the problem of dry and wet separation
 - Sealed and dust-proof design, waterproof and moisture-proof, equipment and materials meet the health standards of food processing industry



Multi-variety gift box (package) cartoning machine

NANTONG WEALTH MACHINERY TECHNICAL CO.,LTD



Using PLC computer control technology, the packaging parameters are input through the man-machine interface. The main machine runs, and the sugar sorting tray is fully controlled, so that the sorting is even and reliable, and the empty package rate is low.



HIGH SPEED LOLLIPOP PACKING MACHINE

NINGBO AIRFIT PNEUMATIC & HYDRAULIC CO., LTD.



One-Touch tube fittings are used in pneumatics piping. The tube fittings come in a wide variety of models to meet all your needs. Even after installation, the direction of the tube can be changed freely. Nickel-Plated metal body ensures Anti-Corrosion and Anti-Contamination. All R and NPT threads are Pre-Coated sealant. All parallel threads are with standard O-Ring seals.



One-Touch tube fittings

NINGBO BONVE PUMPS CO.,LTD



The Bonve convex wheel double rotor pump is designed by Bonve Company to explore over 3000 fluids in various industries, especially suitable for efficient transportation of fluids with high viscosity, high solid content, and strong corrosiveness. The Bonve convex wheel dual rotor pump adopts two synchronous rotors, which are transmitted by a pair of synchronous gears inside the box. The rotors rotate synchronously in the opposite direction under the drive of the main and secondary shafts, causing changes in the pump's volume and thus forming a high vacuum degree and discharge pressure, effectively conveying the medium. There is a certain gap between the rotor and the pump body, with no friction coefficient and a long service life. It does not damage the composition of the conveyed medium and does not undergo any physical or chemical reactions.

*During the processing of starch sugar, there are processes such as liquefaction spraying, flash evaporation discharge, and OC injection discharge. Bonve rotary pumps have developed different types of rotary pumps for different processes of starch sugar to meet transportation needs.



Starch Syrup Delivery Pump

NINGBO DURREX PUMPS CO.,LTD



Twin-rotor lobe pump is one of positive displacement pumps, developed after decades of research and design, the manufacturing technique and accuracy has come up to world advanced level.



Sanitary lobe pump

Ningbo JHM Machinery Co.,Ltd.



Designed for completely aseptic liquid distribution, these pumps isolate liquids completely from the atmosphere to ensure aseptic conditions. Distributing mediums such as sterilized water and steam, these models are suited to aseptic production lines of products requiring long-term preservation such as dairy products and medications.



AMXN - Series Sterile Rotary Piston Pump

NINGBO PNEUBIG PNEUMATIC CO.,LTD



Solenoid valve mainly control the cylinder and actuator.



Solenoid valve

NINGBO QUANJIA PNEUMATIC COMPONENTS MANUFACTURING CO., LTD.



The pneumatic angle seat valve made of stainless steel is mainly used to control the opening and closing of neutral media such as water, air, and oil. It is widely used in automation equipment and engineering, featuring a compact size, high sensitivity, and being 30% more economical than ball valves.



Angel Set Valve

NINGBO WANHUI INTELLIGENT TECHNOLOGY CO., LTD.

Nakimoto x CedarPEX
The Ultimate Strapping Solution

V20 uses integrated main board and belt tunnel, which greatly improves the durability and rigidity. 90% of the components are produced independently in house to ensure the quality. V20 uses three high-efficiency brushless motors and one servo motor to improve efficiency and save energy consume up to 20%. It adopts imported chip, ARM system control and capacitive touch screen to be more user friendly. Temperature, tension, speed and cooling time can be adjusted. Automatic threading technology and secondary belt feeding function are adopted, and the belt is fed by clutch, having both speed and stability at the same time. Using ultra-thin packing belt, the packing speed is up to 65 times per minute, and the failure rate is less than 3 in 1000.



V20-650X500 fully automatic strapping machine

Ningbo Zhuhong Nano Technology Co., Ltd.



Zhuhongyuan nano-bubble food cleaning machine is a new generation of food cleaning equipment that integrates international advanced nano-bubble technology and high-efficiency active oxygen system. Its core advantage is to generate live oxygen soaked in water with a diameter of only 50-200 nanometers, which can clean pesticide residues in tiny gaps that cannot be reached by traditional processes and methods. At the same time, the nano-bubbles stay in the water for a long time, completely 100% physical reaction, greatly improving the dissolution efficiency of active oxygen, and realizing the dual effect of "cleaning pesticide residues + disinfection and sterilization". The equipment adopts an integrated design, integrated water inlet filtration, active oxygen generation, nano-bubble generation and intelligent control system, with simple operation and small footprint. When cleaning, active oxygen nano-bubbles can quickly decompose pesticide residues, remove oil stains, and kill bacteria and viruses. After authoritative testing, the killing rate of Escherichia coli and Staphylococcus aureus reaches 99.9%, and the comprehensive pesticide residue removal rate exceeds 95%. It can be widely used in fruit and vegetable meat cleaning, food processing, chain catering, crop soil improvement, medical appliance cleaning and other fields. It can not only meet the needs of industrial-grade batch cleaning, but also adapt to commercial scenarios. Compared with traditional cleaning methods, it saves more than 60% water, reduces energy consumption by 30%, and has both efficient cleaning and green environmental protection characteristics. It provides a new solution for the cost reduction and efficiency increase of enterprises in the food processing field.



Zhuhong nano bubble food cleaning integrated equipment

PCM (SUZHOU) CO., LTD.



The PCM EASYFEED progressive cavity pump (food grade version) with Moineau™ technology is ideal for transferring highly viscous, heterogeneous with or without particles, pasty or even sticky fluids.

This pump is specially adapted to the meat and the fruit & vegetable markets. It has been designed in compliance with food recommendations and requirements to avoid any retention areas and to facilitate cleaning.

**PCM EASYFEED RANGE BENEFITS
VERSATILITY AND ROBUSTNESS**

- Transfer of various products: heterogeneous or not, fluid or highly viscous, with or without particles, pasty, sticky, fatty...
- For viscosities up to 80 000cp and dryness levels of 30%
- Small pump footprint and easy to integrate

DESIGN ENSURING FOOD CONTACT SUITABILITY

- Design avoiding any retention areas
- Parts in contact with the product are food grade certified (seals, elastomers, sheaths...)
- 316L stainless steel parts: external shotpeening, internal polishing for a roughness in line with food requirements

SIMPLIFIED MAINTENANCE

- Pump disassembly with clamp collars for immediate access to wear parts and easy clean out of place
- EcoMoineau™ patented rotor coupling system with 3 screws



PCM EASYFEED PUMP

Pineb Automation Technology Zhejiang Co., Ltd




Pineb Automation Technology Zhejiang Co., Ltd. is a technology-based enterprise that integrates research and development, production, and sales of vacuum products, boasting leading global vacuum and automation technologies. The company fully implements information management, accurately and rapidly providing product design and processes based on customer needs, achieving cost reduction and improved production efficiency.

With innovative technologies, excellent solutions, and unwavering support for the development of automation, we are committed to providing customers with safe, reliable, efficient, economical, and environmentally friendly products! Pinebo always adheres to the people-oriented philosophy in developing the enterprise, sets high standards and strict requirements for its development direction, aims to become a leader in vacuum technology, embraces the envisioned future, and sincerely works with customers to achieve win-win results and jointly commit to sustainable development.



Miniature multi-stage vacuum generator

PLANAR MOTOR INC.



A Planar Motor System is composed of one or more XBots (movers) and a stationary surface made up of modular Flyways (stators). Each XBot is independently controlled and suspended with the ability to operate 6 degrees-of-freedom. The Planar Motor System redefines intelligent production lines for smart manufacturing, with unprecedented flexibility, reliability, agility, and efficiency to meet your dynamic market needs.



Planar Motor

PMA Pacific Machinery Company Limited



Application:

The product is suitable for automatic surface polishing, weld grinding, corner rounding, etc. of stainless steel enclosure of food and pharma equipment!

Key Features:

The three-axis servo manipulator is used for automatic position adjustment of special-shaped sheet metal workpieces and can work in coordination with the automatic grinding tool;

The flexible grinding control system combined with the robot algorithm realizes the interpolation control of each axis, and can realize continuous automatic multi-level grinding of multiple surfaces of shell-shaped workpieces in one clamping;

It can be equipped with a visual measurement system to automatically measure the dimensions of the workpiece and automatically generate the grinding program.

Main parameters:

Number of sanding belts: 2, 6360mm*120mm, one for grinding and one for polishing

Sanding belt main motor: variable frequency AC motor, power 4KW

Maximum width of workbench grinding: 1680mm×1000mm

Maximum grinding height: 1200mm



Full automatic sanding belt grinding machine

PRECISE MACHINERY GROUP CO., LTD.



High speed brick aseptic filling machine series is a paper-based soft packaging aseptic high-speed filling production line developed by our company, which takes full advantage of our own technological advantages, learns advanced technological principles and fully combines with the actual needs of the market. It can produce packaging of various specifications between 125 and 1000ML. It is suitable for pure milk, yogurt, fruit juice, protein beverage, tea beverage, etc.



High speed brick aseptic filling machine

QINGDAO BAINA PACKAGING CO., LTD.



Qingdao Baina Packaging Co., Ltd. adheres to the principle of "quality is life, reputation is the foundation," earning the respect and support of all sectors of society. It operates multiple printing equipment, including a German Heidelberg four-color offset printing machine, a Japanese Komori four-color offset printing machine, a Japanese Hamada six-color offset printing machine, a German Heidelberg 1+1 printing machine, and a Hamada NP47 coding form and document printing machine. Paper cutting machines, laminating machines, folding machines, binding machines, fully automatic laminators, fully automatic die-cutting machines, fine mounting production lines, and other supporting post-processing equipment, as well as a comprehensive computer design and plate-making system. It has formed a company that provides a one-stop production service from design, plate-making, printing, to post-processing. Advanced printing equipment and a comprehensive management system provide a strong foundation for our company to produce high-quality products. Providing high-quality, convenient, and efficient comprehensive printing and packaging solutions for our customers.



Corrugated Gift Box

QINGDAO BEITE MECHANICAL TECHNOLOGY CO.,LTD



This digital automatic packing and filling machine, which is newly style auto-weigher an auto-packer, and widely applied in packing powder materials.A powerful function of digital drive, self-diagnostic display system and Versatility. E.g. to change the products/ pouch size/pouch weight, you just need to choose relevant item on the large color touch screen. The device will automatically make relevant adjustment and detect. On the fault in production, the machine will provide an automatic warning and display the reason in the touch screen, then low down the maintenance difficulty. The machine can also take the self-detection, truly realize the feature of "no bag - no filling - no seal", improve the packaging yield.



AUTOMATIC POWDER PACKAGING MACHINE

QINGDAO DONGPINGJUNCHUAN INDUSTRY AUTOMATION EQUIPMENT CO., LTD.



1. the appearance design is reasonable, beautiful, high efficiency, energy saving, environmental protection, packaging speed according to the product.

Its core power cam is made of materials imported from Japan and is surface and wear-resistant. The cam is easy to maintain and clean, and the bag vacuum packaging machine adopts advanced transmission technology, with the characteristics of high efficiency, stability and energy saving.

2. All parts of the equipment in accordance with the corresponding national standards should be equipped with imported electrical components, all parts in contact with food or packaging are food grade 304 stainless steel or 316 stainless steel, as well as other materials that meet the needs of food hygiene processing, to ensure the hygiene and safety of food.

3. Adopt advanced PLC and POD electrical control system and mechanical transmission system to realize automatic bag taking, automatic metering, automatic loading, oil vacuum, automatic sealing and automatic unloading.

4. The vacuum gas closing device of the equipment adopts the artificial synthetic material jointly developed by our company and Germany, which can achieve zero friction and zero wear in the vacuum packaging process.

5. The equipment has its own lubrication system, equipped with a lubricating oil tank. The system can recover and filter the excess oil to realize recycling and prolong the service life of the equipment. Bag-type vacuum packaging machine is an efficient and energy-saving packaging equipment. It has vacuum, shock-proof, moisture-proof, penetration and other work ability.

Qingdao Dongping Junchuan industrial automation equipment is suitable for food, medicine, agricultural products, chemical products, machinery parts and other industries packaging.



Give the bag type vacuum packing machine

Qingdao Huishi Transmission Equipment Co., Ltd.



Synchronous pulleys are the core components of the transmission system. When used in conjunction with synchronous belts, they achieve precise power transmission and synchronous movement. Made of high-strength materials, it is suitable for various scenarios such as industrial automation, machine tools, robots, food processing equipment, packaging equipment, etc. The materials include carbon steel, aluminum alloy, cast iron, stainless steel, nylon, etc.




Synchronous pulley

QINGDAO QUANTONG PLASTICS PRINTING CO., LTD.



tube bag, used in yogurt, fruity juice, ice-cream stick, jelly and so on liquid food packing, it also can be used for liquid products packing such as cream ethyl alcohol. This kind of packing bags produced by Quantong company has the best market share both in China and international market.



Tube Bag

QINGDAO YILONG PACKAGING MACHINERY CO., LTD



YL- (6-8) XZ intermittent rotary spout bag filling and capping machine is an automatic filling equipment developed specifically for suction bags. It can customize the number of 6-8 filling heads according to customer production and needs. The body is made of food grade 304 stainless steel material and adopts a pure mechanical structure, which is more stable in mechanical transmission compared to most pneumatic lifting equipment on the market. This device can achieve automatic bag hanging, automatic quantitative filling, automatic capping, automatic cap hanging, automatic cap rotation, and automatic output.



YL- (6-8) XZ intermittent rotary spout bag filling and capping machine

QINGDAO YINGZHICAI PACKAGING CO.,LTD



500g stand up pouch with spout is made of PET/AL/PE food grade material. It has good light-proof and high barrier of moisture, superior puncture resistance. It is widely used for ketchup and sauce. This customized spout pouch bag has elegant appearance and excellent shelf display effect, which makes it looks fashionable and attractive. The ketchup packaging bag has the nozzle on the corner for convenient daily use, and it can be resealed to keep fresh. You may have your own design, style and material request. Design artwork format should be AI, CDR or PDF for cylinder making.



Sauce spouted pouch

QINGDAO ZHANGZHENG MACHINERY CO.,LTD



Qingdao Zhangzheng Machinery Equipment Co., Ltd. is a specialized company primarily engaged in manufacturing packaging equipment and ancillary equipment for production lines. Since its inception, the company has been dedicated to promoting and servicing marking machines, laser machines, marking defect detection machines, robots, anti-counterfeiting software, and labeling systems. “Integrity, innovation, professionalism, quality” are our service principles, while “state-of-the-art technology, top-quality products, people-centered approach, satisfying service” are our business philosophy. Currently, the company serves nearly 10,000 marking machines.




ZZ1000 小字符喷码机
Continuous ink jet printer

QINGDAO ZHONGTAI INTELLIGENT EQUIPMENT CO., LTD



According to the sterilization method, the sterilization pot is divided into three types: steam sterilization, spray sterilization pot and water bath sterilization. Sterilize products to extend the shelf life of food. Mainly suitable for canned food (such as canned meat, poultry, fish, eggs, vegetables, etc.), protein drinks (such as milk, soy milk, almond, coconut milk, peanut milk), etc., especially suitable for soft canned food (such as: Ham sausage, retort and poached chicken, grilled chicken, pure milk, etc.). It can be used for the sterilization of food packaged in glass bottles, tinplate cans, PP bottles, HDPE bottles, aluminum foil bags, transparent bags, vacuum bags, high-temperature cooking bags, etc.



Canned and beverage sterilization line

QINGZHOU PENGCHENG PACKAGING EQUIPMENT CO.,LTD



This is a fully automatic integrated bottle rinsing, Flowmeter / Weighing / Intelligent type filling and capping machine, driven by an asynchronous reducer encoder synchronization system to combine the three functions. Equipped with imported hardware, high-end intelligent software, CNC precision processing and strictly inspected components, it integrates intelligent manufacturing, leading the liquid packaging machinery field. Key advantages: 1. Clamp-type bottle flipping rinsing + ion air dust removal for container hygiene; 2. Multi-channel cannula nozzle rinsing for multi-station adaptation; 3. Treated cleaning fluid/compressed air for thorough cleaning; 4. Dead-corner-free filling cylinder loop pipe with practical cylinder sealing; 5. Rotating fluid/gas supply with online liquid level control; 6. Double-stroke cylinder-controlled valve to prevent dripping; 7. Filtered valve nozzle for gentle filling; 8. Full positioning + imported HBM sensor for precise filling; 9. Cap sorting/dusting for accurate capping; 10. Multi-cap-picking methods for various caps; 11. Quick-change star wheel guide for easy production switch; 12. Synchronized encoder linkage & program control for durable, efficient performance.



Fully automatic bottle washing, filling, capping combined machine

QUANZHOU MINANHONGMACHINERY EQUIPMENT CO., LTD



The Small VFFS (Vertical Form Fill Seal) Packaging Machine is a compact, all-in-one solution for forming, filling, sealing, and cutting bags. It handles granules, powders, liquids, and pastes with fast, precise, and neat packaging. Equipped with PLC control and intelligent temperature management, it is easy to operate and maintain. Customizable bag sizes and styles make it ideal for food, pharmaceutical, chemical, and daily product industries, helping small and medium businesses boost efficiency and reduce labor costs.



Small VFFS Packaging Machine

QUINTUS TECHNOLOGIES AB



High Pressure Processing – QIF 150L, the compact HPP press with scalable production. QIF 150L is designed for entry level producers — offering reliable, efficient in-house processing in a compact footprint. You can choose different numbers of intensifiers to meet different production requirements. Maximum capacity up to over 1 ton per hour. As the inventor of the wire-wound pressure vessel, we set the industry benchmark for safety and reliability. The pre-stressed, high-tensile design keeps the vessel in compression even at full pressure, preventing cracks and ensuring long-term durability. Through our HPP Application Centers, we provide support with product testing, packaging, shelf-life studies, and regulatory guidance. This can help you launch safe, high-quality products more quickly. We offer the Quintus® Care Program which provides tailored service plans that maximize uptime.



150L HPP press

RUIAN HUADONG PACKING MACHINERY CO.,LTD.



This machine is a pillow-type packaging machine capable of automatically completing the processes of bagging, wrapping, sealing, and cutting for cylindrical film rolls. It is suitable for continuous packaging of single or multiple items with fixed shapes. For different packaging requirements of products, the longitudinal sealing can achieve either bottom-edge sealing or edge-cutting sealing.



FS-590 Fully Automatic High Speed Pillow Hot Shrink Packaging Machine

RUIAN TONGDA MACHINE MANUFACTURING CO., LTD



filling and sealing machine



Solid filling and sealing machine.\
Liquid filling and sealing machine\
Filling and Vacuum Sealing Machine

SC SHANGHAI NEW MATERIAL TECH. CO.,LTD.



Our company mainly produces custom printing roll film, food packaging bags, and co-extruded film for packaging various foods, such as coffee, snacks, dog food, sausages, and meat.



Printed film roll, food packaging bag



Shandong Chenxin Automation Machinery Co., Ltd

pear peeler and corer is a commercial food processing equipment, which integrates the functions of peeling, coring and opening petals. It is suitable for large-scale processing of fruits such as apples and pears, and is commonly used in the production of preserves, fruit juice, dried fruit or canned food.



**Apple (Pear)
Automatic Peeling,
Pitting and Splitting
Machine**



Shandong Haoyun Aluminum-Plastic Packaging CO.,Ltd.

Retort bag, suitable for ready to eat meal, drinks, including aluminum foil material and transparent.



Retort bag



SHANDONG KANGBEITE FOOD PACKAGING MACHINERY CO., LTD

The fully automatic stretch film vacuum packaging machine reduces labor intensity, saves manpower, and saves enterprise costs. The stretch film vacuum packaging machine, due to its high degree of automation, does not require manual bagging and lid placement like traditional vacuum machines. It only requires people to place food on the tray next to the machine, resulting in high efficiency and saving manpower and labor intensity.



**Fully automatic
stretch film vacuum
packaging machine**



SHANDONG LONGZE MACHINERY CO.,LTD

Used for stir-frying hot pot base, sauces, flour, high-viscosity materials, Chinese medicinal materials, as well as stir-frying dishes and fried rice in the catering industry.



**Multi-head planetary
stirring wok**

Shandong Pengzheng Machinery Co., Ltd



Automatic thermoforming vacuum packing machine model 420 is very popular in current packing market at home and abroad.

This packing machine is 3000 mm in length, 1050 mm in width and 1850 mm in height and it works 5-8 cycle per minute. We have many different models such as model 320, 350, 420, 520, 680 and 760 etc. You can make a choice according to your requirements. Professional customization is available.

Main beam in stainless steel 304. Fine texture, high strength, strong anti-deformation, smooth surface, self-contained oxide film, moisture-resistant and corrosion-resistant etc.

It is controlled by PLC from thermoforming, vacuum, sealing to cutting automatically. Vacuum environment keeps foods fresh and extend shelf life of the foods. Great labor saving and high efficiency.

Single - side stretching, single - side thermoforming, single - side printing.

Finished products are exquisite. We also have double - side thermoforming vacuum packing machines. Double - side stretching, double - side thermoforming, double - side printing. Finished products are gorgeous.

Finished products can be cut in different shape such as square, round, round corner etc.

Molds in 6061 aviation aluminum and the packing machine can be equipped with multiple molds.

Equipped with Siemens motor and electrical components, Busch pump, TYC chains and AirTAC or SMC Cylinder, with innovative technology, machine quality is guaranteed.

The packing machine can be used widely in foods such as sausages, beef steak, cheese, and eggs etc, medical products, pharmaceutical products, industrial and consumer products etc.



Thermoforming vacuum packing machine

SHANDONG XIAOKANG MACHINERY CO., LTD.



1 .Precise photo electricity tracking, it can choose color cover film (or transparent film) for packaging, reduce cost and improve product grade.

2.The combined mold is easy to replace, one machine can be used for multiple purposes, and the mold has a cooling system.

3.Optional function automatic printing system, Hot stamp, printing, ink-jet printing or laser marking.


4.The machine can be filled with nitrogen or mixed gas for packaging according to the product packaging requirements.

5.Equipped with world-class original German BUSCH vacuum pump, which has high vacuum degree, stable quality, durability and reliability.

6.Using the original European imported (large camping force) wide open chain, suitable for variable thicknesses of flexible film, rigid film and semi-rigid film molding.

7. Equipped with a scrap recycling system to maintain environmental hygiene.

8. Adopt advanced cross-cutting and longitudinal cutting systems, computer knives, and imported blades.



Automatic Thermoforming Vacuum Packaging Machine

SHANDONG XINFENG INTELLIGENT TECHNOLOGY CO., LTD.



The Machine Features:

- Convenient、high efficacy ; More cleaning with edge material recycling;
- Precise transmission、Fast vacuum speed;
- High ultimate pressure、Low noise;
- High device performance、A longer lifetime;
- Safety、low failure rate.



**AUTOMATIC STRETCH
FILM VACUUM
PACKAGING MACHINE**

SHANDONG XINGPAIKE AUTOMATION EQUIPMENT.CO., LTD.



The fully automatic winding and packing integrated machine is an efficient packaging device that combines the functions of winding and packing. It can automatically complete the operations of wrapping the goods with stretch film and strapping them with packing belts. It can accurately control parameters such as the number of winding circles and packing positions according to the size, shape and packaging requirements of the goods, adapting to different packaging needs. It is widely used in logistics, warehousing, chemical, food and other industries. It can improve packaging efficiency, reduce labor intensity and enhance packaging standardization and stability.



**Fully Automatic
Winding and Packing
Integrated Machine**

SHANDONG XINKAILI FOOG MACHINERY CO., LTD



The bus sanitization line is a specialized production line equipment for food processing, suitable for various products' sanitization needs. The equipment employs a low-temperature pasteurization process, precisely controlling the temperature at 60-85°C , balancing sanitization effectiveness with the original flavor and nutritional content of the food. The entire machine consists of four major modules: material feeding conveyance, constant-temperature sanitization, rapid cooling, and material output sorting. It operates stably and is easy to operate, with the ability to adjust the speed flexibly based on production capacity. This equipment effectively eliminates harmful microorganisms in food, thereby extending its shelf life.



Pasteurization line

SHANDONG YOUYUE INTELLIGENT EQUIPMENT TECHNOLOGY CO.,LTD.



Integrated design, light and flexible, small footprint; Setting new tasks for workstation deployment is simple and efficient. Visual programming is simple and efficient, and can be easily manipulated by ordinary employees without being proficient in programming languages.

Multiple functional scenarios can be switched quickly, and flexible production can be achieved by man-machine collaboration, dual-machine collaboration, multi-machine collaboration, etc. Industrial grade force sensor with high reliability and safety; Supports level 10 collision detection and sensor safety detection.

Widely used in food, medicine, 3C, daily chemical, e-commerce and other industries.



**Collaborative
Palletising Robot**

SHANDONG SINOLION MACHINERY CORP., LTD.

Sinolion

Sinolion Machinery is a high-tech enterprise and has been specialized in providing automatic packaging system since 2006. We provide intelligent packaging automation solution and intralogistics solution. The headquarter of Sinolion is located in Jinan city, China. The factory takes an area of 30,000M², with 230 employees, including more than 70 professional R & D engineers. Sinolion provides one-stop solution from project consultation, design and development, production, implementary till after-sales service. Our packaging and intralogistics solution is widely used in different industries including food and beverage, paper/non-woven rolls handling, fiber glass roll packaging, chemical industry and construction material etc.



Stretch Hood Wrapper

Shanghai Baixin Material Co., Ltd



Thermoforming film is widely used in food packaging: steak, sausages, cheese, with good tensile property, better extending the shelf life of food. The product size can be customized according to customer needs, and the addition of high barrier materials ensures the best oxygen and water permeability of food. It is transparent, red, black, white, orange, with multiple colors to choose from, and can withstand low temperatures of minus 30 degrees Celsius, with a maximum cooking temperature of 121 degrees Celsius.



Thermoforming film

SHANGHAI BEYOND MACHINERY CO.,LTD.

Beyond

direct heating sterilizer rapidly heats the product by directly mixing it with steam, followed by rapid cooling through flash evaporation after the holding period. This significantly reduces the heating time for product, comparable to pasteurization in preserving active nutrients and flavor substances. The ultra-high temperature used in direct heating greatly enhances sterilization efficiency and significantly extends the shelf life of dairy products. This benefits dairy companies by allowing them to expand their sales radius and increase market share. Direct Heating Sterilizer is applicable to low-temperature fresh milk, soy milk, heat-sensitive products and certain products that are not compatible with traditional sterilization methods. Combining direct injection and infusion sterilization methods into one system enables a more flexible production mode, allowing for the switching of different processing techniques according to production needs to meet diverse heat treatment requirements.



Direct injection sterilization machine

SHANGHAI CHASE INDUSTRIAL CO., LTD.

Chase Industrial 成海实业

Turnkey project: raw fruit and vegetable juice and pulp, juice concentrate, fruit wine and enzyme, the whole line process on demand.
 High precision operation: sterilization temperature fluctuation less than 1 degrees, flowmeter filling error $\leq 0.5\%$.
 Intelligent operation: PLC program control system, visualization operation interface, automatic data recording, monitoring and tracing at any time.
 low energy consumption of equipment: automatic replacement of circulating water system sewage, independent heat recovery system, recovery of more than 80% of heat energy.
 Compatible production line: different materials combined production, a set of equipment for multiple processing, which reduces cost investment.
 Self-cleaning system: CIP/SIP automatic cleaning and disinfection, production pipeline hygiene with least dead ends.
 High quality accessories: Spirax Sarco steam valve set, Siemens control system, ABB motor, E+H flow meter, etc.



Fruit & Vegetable Processing Equipment

SHANGHAI DAHE PACKAGING MACHINERY CO.,LTD.



This series machine is a new-designed that we make it on placing the old Turnplate Feeding on one side. Dual auger filling within one line main-assist fillers and the originated Feeding system can keep the high-precision and take off the firing cleaning of the turntable. It can do the accurate weighing & filling work, and also could combined with other machines to buildup a whole can-packing production line. This machine could be used in filling milk powder, albumen powder, condiment, dextrose, rice flour, cocoa powder, solid drink, and so on.



Automatic filling machine

SHANGHAI DEMAC CODING TECHNOLOGY CO., LTD.



T30/T50 Thermal transfer overprinter adopts the world's leading thermal transfer technology, with the characteristics of high resolution, high speed and high frequency, wide printing area, simple operation easy to use. It perfectly realizes the accurate printing on flexible packaging film, supports real-time, date, text character, graphic, barcode and other printing contents, and supports variable content printing, Widely used in food, medicine, dairy, daily chemical etc. industries.



Thermal Transfer Overprinter

SHANGHAI DINGLI NEEDLE DETECTOR INSPECTION INSTRUMENT CO., LTD.



The fully automatic digital metal detection system can identify various magnetic and non-magnetic metals such as iron, stainless steel, and aluminum. It is capable of detecting even minute metal contaminants embedded in products. This system is widely used in industries such as food, pharmaceuticals, medical, cosmetics, toys, textiles, rubber and plastics, and packaging. The entire machine is certified with the European Union CE certification.



Metal detector

SHANGHAI DONGPANG MOTOR CO., LTD.



Our company has always focused on the development of gear reduction components and gear reduction motor products. Our offerings include small gear reduction asynchronous motors (AC), micro gear reduction asynchronous motors (AC), micro gear reduction asynchronous motors (AC), precision planetary reducers, four major series of reducers, and worm gear reducers. We have developed and mass-produced over 2,000 product variants.



Precision Planetary Reducer

SHANGHAI DOOKOO ELECTRONIC TECHNOLOGY CO., LTD.



Products exhibit different gray levels on X-ray images due to varying X-ray absorption rates of different materials, enabling the detection of foreign objects such as metal, glass, ceramics, and stones. The new generation of AI X-ray foreign object detection technology combines X-ray absorption rates (CT values) with convolutional neural network (CNN) morphological analysis algorithms and AI large model learning applications, greatly improving the accuracy of foreign object detection and removal in food and pharmaceuticals.



X RAY VISION INSPECTION SYSTEM

SHANGHAI EASYREAL MACHINERY CO., LTD.



Description:

The aseptic filling machine is connected with the Sterilizer directly; it will fill the products into aseptic bags after sterilizing. The product will be sterilized and cooled to the ambient temperature, then be conveyed to the aseptic filler by the connecting tubes. The product will never be exposed in the air during the process and will be filled into the aseptic bags in the filling chamber of the filler that is protected by the steam. So, the whole process will be made in a closed and safety aseptic system.



Aseptic bag filler

Process:

1. The aseptic filler is composed of independent Siemens control system, filling head (single head and double heads for choice, depend on the capacity), inspection window and lifting platform, and metering system (flow meter or electric weighing sensor, depend on the material and volume of aseptic bags).
2. PLC automatic control, touch screen to do parameter setting, the lifting platform can lift automatically during the filling to avoid the second pollution caused by the lifting of filling head.
3. When it reaches the setting volume, filling machine can seal the lid automatically then the lifting platform rotary to prepare the next barrel.

SHANGHAI ENVILLERE TECHNOLOGY CO., LTD.



External circumferential piston pump has been designed for use in sanitary and industrial applications. Its efficient design can ensure that it can be used for low viscosity and high viscosity fluids, high pressure conditions and low shear conditions.



External Circumferential Piston Pumps

SHANGHAI FREDDIE AUTOMATION EQUIPMENT CO., LTD.



Shanghai FREDDIE is dedicated to high-tech fields such as industrial automation, vacuum handling, robotic arms for material handling, and pneumatic workholding equipment. The company has independently developed products including gantry robotic arms, vacuum tube lifter, glass electric lifter, and vacuum lifting machines. Its equipment is widely recognized across multiple industries and provides packaging and logistics automation solutions to help customers reduce costs and improve efficiency. The company has passed ISO9001 certification, and its products have obtained EU CE certification.



Vacuum Lifter

SHANGHAI GREPACK PACKING MACHINERY CO., LTD.



This series of horizontal bag packaging machines is a fully automatic premade bag packaging machine, suitable for users with multiple bag specifications, large packaging capacity, and small product batches. It can meet the requirements of commonly used three sided and four sided sealing, and can achieve packaging of special bag types such as hanging hole bags, self standing bags, and shaped bags. Suitable for packaging various materials such as powders, particles, liquids, pastes, solids, etc. Switching bag types is simple and fast; Replacing different measuring devices can meet the packaging requirements of different products.



Pre-made Pouch Packaging Machine



SHANGHAI GUANTOU ELECTRIC CO.,LTD.

Thread specification: Metric (EN50262), compliant with EU standards. Short threads are suitable for connecting to thin machine plate outlet holes or equipment with corresponding internal (tapped) outlet holes, while long threads are suitable for connecting to thick machine plate outlet holes

AI image recognition
Product Material: Parts A, C, E, and F are made of UL-certified nylon PA66 (fire resistance rating UL 94V-2),

Portions B and D are made of standard EPDM outdoor weather-resistant rubber, and customers may also specify the use of NBR mechanical oil-resistant rubber (customized rubber for other purposes is acceptable)
Product Features: The precision and aesthetic exterior design, along with the specially designed A-type clamping ring and clamp jaws, combined with a high-torque anti-loosening fastening nut mechanism, ensures superior wire fixation resistance to tension forces

Strong, with perfect airtightness, and capable of continuous submersion up to 50 meters. All products have passed a 1,000-hour UV weather resistance test without compromising waterproofing or tensile strength. The product is resistant to Corrosion resistance properties such as acid and alkali resistance, chemical resistance, and general solvent resistance. The comprehensive product dimensions can be widely applied in machinery, automation, electrical, power supply, networking, and connectivity

The outlets for various equipment such as electrical appliances, telecommunications or communication devices, lighting, monitors, audiovisual systems, digital displays, traffic signals, detection and measurement instruments, etc., provide sealed and waterproof connections with fixed

Determine the optimal technology and superior equipment for tensile resistance. Operating temperature: -40 °C to 100 °C . (Product specifications, safety certification, and RoHS declaration can be requested upon purchase.)



AVC SUPER CABLE
GLANDS

SHANGHAI HANSHU MACHINERY TECHNOLOGY CO., LTD.



Shanghai Hanshu Machinery Technology Co., Ltd. is a professional enterprise which designs, manufactures and sells powder packaging machinery and undertakes complete projects. After years of production experience, relying on the continuous exploration, research and application of advanced technology, the company has begun to take shape, with nearly 50 employees, and has a team of professional and technical personnel, engineers, and sales and after-sales service personnel.

Our products have been widely used in milk powder, food, health products, condiments, food ingredients, pharmaceuticals, beverages, chemicals, cosmetics and office supplies and other fields. Our products are all over the country. Depending on advanced engineering design concepts, rich practical experience, mature technology and innovative staff, our company can provide followers according to the actual needs of

customers. Case design, production development, installation and commissioning, technical training to after-sales service package process. In recent years, our company has provided milk powder, protein powder and chicken powder canned and bagged production lines for many domestic dairy, health care products and condiments enterprises, and has won numerous praises, forming a good reputation.

"Quality casting brilliant, integrity leading to success," all the employees of Hanshu Machinery will take this as their belief, and better cooperate with various industries and fields.

Because of its speciality, Hanshu

Machinery is willing to work hand in hand with friends at home and abroad in the pursuit of excellence, and create brilliance together!



Linear Filler

Shanghai HongXu Packaging Machinery Co., Ltd.



The integrated control system combines PLC and touchscreen technology with variable frequency speed regulation. Featuring mechanical gripper bottles and flip-type operation, it utilizes pressure control devices to operate high-pressure water pumps for bottle rinsing, with customizable air-blowing bottle cleaning capabilities. The quick-change screw dial design enables rapid mold replacement for various bottle types. Safety features include overload protection, fiber-optic automatic detection, and automatic stoppage alarms for inverted or stuck bottles. The system displays real-time alerts for empty/short bottle stacks and delayed shutdowns, allowing quick troubleshooting through screen notifications.

Production capacity: 7,000-10,000 bottles per hour Total power: 2 kW (220V)
Bottle height range: 90-230mm Dimensions: 1700*1500*2100mm



30-head flip-type
bottle washer

Shanghai Huacheng packing Machinery Co., Ltd.

Huapack
上海华星

Boasting multiple advantages including high efficiency, intelligence, flexibility and reliability, the 240S Horizontal Roll Film Packaging Machine has become an ideal choice for modern enterprises to improve packaging efficiency, reduce costs and ensure product quality.

It automatically completes the processes of roll film feeding, bag forming, filling and sealing, minimizing manual intervention and packaging material waste, thus achieving cost reduction and efficiency improvement.

Compatible with various materials such as granules, powders and liquids, and adaptable to different bag types, it flexibly meets diversified production needs and realizes efficient, high-speed and high-quality automated packaging. In a word, the 240S Horizontal Roll Film Packaging Machine is an economically viable option for packaging operations.



240S Horizontal Roll
Film Stand-up Pouch
Packaging Machine

SHANGHAI HUAQI INDUSTRIAL CO.,LTD



By electromagnetic induction, the aluminum foil material is sealed at the bottle mouth to ensure that there is no leakage of the contents (such as food, medicine, daily chemical products, etc.) The sealing gasket has different opening methods to ensure that end consumers can easily open the bottle mouth.



Electromagnetic
induction sealing
gasket

SHANGHAI HUIYI MACHINERY CO., LTD

HUIYI 辉懿

The shell-and-tube heat exchanger of Shanghai Huiyi Machinery is one of its core products, targeting scenarios in the food & beverage and biopharmaceutical industries. Made of imported core stainless steel materials from Europe and manufactured with introduced Danish design and processing technologies, this equipment meets the heat exchange needs of materials like fruit juice and liquid medicine, complying with industry hygiene and sterility standards. It is equipped with mobile casters for easy operation, and relies on the company's patents and ISO 9001 and other system certifications to ensure product quality and industry compliance.



spiral-wound heat
exchangers

SHANGHAI INGRAM MICRO PACKAGING TECHNOLOGY., LTD.



The special-shaped bag series is a specialized equipment designed for special-shaped bags, especially suitable for high-speed packaging of portable fruit juice and enzyme beverages. According to the requirements, different film cutting molds can be installed to produce filling of irregular flat bags, irregular self-supporting bags, or irregular prefabricated bags. According to different equipment models, two to four feeding stations can be equipped, and multiple bags can be generated simultaneously in each operating cycle. The maximum speed can reach 240 bags per minute. Optional servo motor pump or flow meter metering method, capable of accommodating up to 92 °C high-temperature material filling.



HMK All electric irregular stand-up pouch packaging machine

SHANGHAI ISHIDA ELECTRONIC SCALES CO., LTD.



Multi-head weigher is well-known to speed up the packaging process, cut Labor cost and reduce product giveaway. ISHIDA manufactures the latest models from the world's best-resourced, leading brand of MHW is the surest route to maximizing these benefits-and gaining a new level of competitive advantage.



Multi-head Weigher

SHANGHAI JIUCHENG PACKAGING CO., LTD.



With development of 18 years ,Shanghai Jiucheng Packaging Co.,Ltd has been a polymer composite new materials of high-tech enterprises. As the quality benchmarking enterprise ,Jiucheng Packaging Co.,Ltd has obtained the qualification of the international packaging market. Now We offer a complete packaging solution both for soft packaging and hard packaging .not only the cosmetic field but the whole packaging industry.



Food pouches

SHANGHAI JOTO ENTERPRISE CO.,LTD



Suitable for packaging aquatic products
The most suitable decorative drawstring packaging for pickles and other products. After heat-sealing the bag opening, it is bundled into a decorative drawstring shape using plastic staples. This enhances the product's appearance and value, conveying a sense of reassurance to consumers.
The packaging aligns with the "soft impression" suitable for food products. Compared to metal staples, it creates a "soft and clean" impression. Additionally, in the final packaged state of the product, metal detectors can be used to determine whether foreign objects have been mixed in. It enables continuous operation for 8,000 cycles (1 roll). Key components are made of stainless steel, making it a durable machine that is waterproof and moisture-resistant. Built-in automatic cutting for two standard lengths of bag openings.



PNEUMATIC BUNDLING MACHINE HR-AV2/P

SHANGHAI JOY LIGHT INDUSTRY MACHINERY CO.,LTD



Equipment Description:

The equipment adopts double-layer casing pipe type circulation structure, with steam, hot water, and cold water as the heat exchange medium, and is optimized on the basis of the original process, adding the function of heat energy regeneration and utilization, so as to save energy consumption cost to the maximum extent for users and improve market competitive advantage; arc transition of machining bumps inside the pipe, CIP cleaning is smooth without dead angle, and the flow rate of cleaning fluid in the pipeline is more than 1.5m/s. Application fields:

It is applicable to the sterilization of comprehensive products with fruit pulp and fruit particles, including all kinds of fruit and vegetable clear juice, puree, concentrated juice, syrup, and navel orange, popping boba, crystal ball, coconut fiber fruit, etc.(Particle diameter≤12mm; Particulate content≤60%)



Multifunctional tube-in-tube sterilizer

SHANGHAI KONGYOU INFORMATION TECHNOLOGY CO., LTD.



Konyou CVS vision controller, integrating visual inspection and automatic control, is a standard software for decoding and appearance inspection applications, which is simple, efficient and stable, and can achieve precise positioning, OCR code reading recognition, presence or absence judgment, appearance detection, liquid level detection, etc., which can be used for visual applications in various industrial scenarios. The industry's exclusive hardware queue function ensures 100% accurate rejection of defects in high-speed scenarios.

At the same time, it is a product that applies high-speed, real-time, and complex process scenarios for one thing and one code, and diversified control needs. After years of practical tests in many projects, it has the characteristics of short response time, fast processing and control signal, safe and stable operation, etc., which can meet various high-real-time application scenarios of enterprises. The unique precision filtering and information and communication technology can ensure the signal and data processing needs in a high-speed, real-time, and accurate environment under harsh conditions such as docking with PLC or signal jitter.



Kongyou CVS Vision Controller

SHANGHAI LEMEIDE INTELLIGENT EQUIPMENT CO.,LTD



The fully automatic BIB filling machine can automatically separate and output continuous aseptic bags after filling in its own clean/sterile room, realize automatic filling, improve production efficiency and reduce labor intensity.

The aseptic filling machine consists of an aseptic filling system, a weight measurement system, a SIP self-sterilization system, a temperature control system, a human-machine interface and a PLC control system, a roller conveyor system and an operating platform. At room temperature, the sterilized product is placed in a self-contained aseptic room isolated from the outside world, and the robot automatically completes the opening, filling, and capping actions, so there is no pollution, achieving the purpose of aseptic filling.

It is suitable for aseptic filling of viscous or particulate fluid industries such as fruit juice, concentrated juice, jam, aseptic filling, beverage puree, syrup, dairy products, pharmaceuticals or other concentrated products. It is widely used in aseptic packaging of fluid foods such as juice, jam, high-protein beverages and condiments.



Fully automatic BIB aseptic filling machine

SHANGHAI LWT INTELLIGENT TECHNOLOGY CO.,LTD



LWT provides you with a complete set of canned food production line equipment (canned fruit, canned meat, canned fish, canned beans, canned corn, etc.), as well as filling production lines (applicable to various sauces, beverages, oils, daily chemicals, etc.), Pre-make food production line, clean vegetable processing equipment and packaging production line equipment, providing you with customized services and whole-plant planning and design.



Canned Production Line

SHANGHAI MUCCI MACHINERY EQUIPMENT CO., LTD.



Shanghai Mucci Machinery Equipment Co., Ltd., located in Songjiang District, Shanghai, is a powder particle equipment production enterprise that integrates design and research and development, manufacturing, sales, installation and commissioning, and services. It has mature and rich experience in solid and bulk integrated processing solutions, equipment research and development, and production. Its products mainly serve industries such as petrochemicals, chemical fibers, plastic resins, metallurgy, pharmaceuticals, food environmental protection, and coal gasification.



Automatic Bag Unpacking Machine

SHANGHAI NILANG INFORMATION TECHNOLOGY CO., LTD.



1. The T series supports barcode label printing and application from 20mm to A4 size, with multiple installation options and expandable labeling length, meeting most application scenarios.
2. The B100 air-blowing labeling is suitable for printing and applying labels on fragile products such as bread and vegetables.
3. The F series, W series, C series, P series and other labeling methods meet diverse printing and labeling needs.
4. All products in the series can be connected to weighing instruments for real-time printing of price and weight labels, and can be linked to ERP, MES, WMS and other systems.



T100 Label print applicator

SHANGHAI OUSI TECHNOLOGY CO.,LTD



For the secondary high-temperature sterilization of products packaged in HDPE/PP bottles, OUSI revolutionized the traditional batch sterilization process, and developed a continuous sterilizer specially for HDPE/PP bottles.



Continuous Sterilizer for HDPE & PP Bottles

SHANGHAI PUDI PACKAGING MATERIALS CO., LTD.



Nano manual stretch film, nano machine stretch film, colored stretch film, breathable stretch film, pre-stretched stretch film, printed stretch film, etc. Mainly used in logistics warehousing, factory pallet packaging, moving and other scenarios.



STRETCH FILM

SHANGHAI ROCKY ADHESIVES CO., LTD.



Main applications in food packaging: Hot Melt Adhesive for Carton Closing and Box Sealing, hotmelt adhesive for straw attachment, hotmelt adhesive for mineral water bottle labeling, hotmelt adhesive for beverage box cap, food-grade paper cup sealing glue, adhesive for Food-grade paper straw making, adhesive for courier bag seaming, adhesive for paper bag making, Adhesive for box laminating, etc



Hotmelt Adhesive,
Water Based Adhesive

SHANGHAI RUIJINHONG PACKING MACHINERY CO.,LTD.



1. PLC and HMI controller, servo motor film driving system, easy to operate and maintain.
2. Advanced photoelectric tracking system to ensure the cutting position accuracy.
3. Separate circuit boards for power control and pneumatic control, low noise, good rigidity and much more stable for machine working
4. The machine can be equipped with dosing system (multi-head weigher, auger filler, etc) and convey system according to the product's property, finish the procedure of measuring, filling, bagging, gas flushing (exhausting), sealing, cutting and counting automatically.
5. Have error indicating system, helping handle the trouble immediately.



RL420K High Speed
Vertical Packaging
Machine

SHANGHAI SANYU ELECTRIC CO.,LTD.

OSHIMA

Shanghai Sanyu Electric Appliance Co., Ltd. is an enterprise integrating the research and development, manufacturing, sales and service of clothing needle inspection, cloth inspection, clothing finishing equipment and metal testing equipment. Over the years, the company strictly in accordance with the modern enterprise mode for management and production and marketing. The product has passed the test of Shanghai Jinshan District measurement and quality inspection institute



Metal detection
machine

SHANGHAI SHOUSONG PACKAGING MACHINERY CO., LTD.



STB Series Automatic Sleeve Labeling Machine features an innovative structure and an elegant appearance. Its new mechanical transmission system allows for easier maintenance, while the constant-state label feeding mechanism ensures more stable operation, effectively extending the service life of the label feeding drive mechanism. The cutter head group adopts a modular design; the label cutting mechanism is simpler than traditional transmission mechanisms, delivering perfectly flat label cuts. The imported blades from Japan boast a longer service life than ordinary ones. The newly designed positioning leather mechanism can be adjusted freely in height and front-rear position. The control system is composed of world-renowned brands such as Siemens, Mitsubishi, Panasonic, SICK, and Keyence. The integration of intelligent control concepts and optimized mechanical structures ensures more stable and efficient operation. This model is equipped with a new energy-saving steam shrinking oven, where the steam nozzles can be adjusted at multiple angles according to different bottle shapes. It achieves an ideal shrink effect for product packaging, saves more steam energy consumption, and is suitable for a wide range of bottle specifications.



AUTOMATIC SLEEVE
LABELING MACHINE

SHANGHAI SIYUAN PACKING MACHINERY CO., LTD.



Suitable for granular products, such as seasoning, monosodium, silica gel, sugar, tea, coffee, pepper, seeds, soft drink powder, etc.

Features:

Quality OMRON PLC and 7" colorful touch screen control whole machine

Bag-making, measuring, filling, sealing, cutting and counting are finished automatically

Bag length controlled by PLC or photo mark, easily and time saving.

The temperature is controlled by PID independent, more suitable for different package material.

The Driving system is simple and reliable, and maintenance is easy.

Package material, all laminated film are available, such as:

PET/PE, Paper/PE, PET/AL/PE, OPP/PE, PET/APET/PE, BOPP/PE etc.



Granule packing machine

SHANGHAI SOONTRUE MACHINERY EQUIPMENT CO., LTD.



Soontrue Machinery Founded in 1993

The pioneer of the first generation of independent research and develop, manufacture packaging machinery and food machinery in China.

The benchmarking brand of Chinese packaging automation industry, Chinese high-tech enterprises, Shanghai famous trademark.



SHANGHAI TERAOKA ELECTRONIC CO., LTD.



Teraoka, founded in Tokyo, Japan in 1925, operates a service network spanning over 150 countries and regions worldwide. We provide internationally advanced solutions for commercial weighing systems, POS cash registers, automated packaging, retail products, and other industry-specific applications. For over a century since its establishment, Teraoka has consistently adhered to the service philosophy of "helping customers achieve green growth." By leveraging a diverse range of products and solutions, we adopt an innovative "hardware + software + digital services" model to support customers in addressing digital challenges across the retail, food industry, logistics, and catering sectors.



Flowline Weighing-Packaging-Labeling Integrated System

SHANGHAI UGEEPACK DESICCANT CO., LTD.



SHANGHAI UGEEPACK DESICCANT FACTORY was established in 1998, focusing on the research and development of desiccant products, integrating product production and sales comprehensive enterprise. Committed to electronics, medicine, food, biotechnology, hardware, machinery, auto parts, container Customers in the field of container marine transportation provide high-quality desiccant products and advanced moisture-proof application solutions. With the purpose of excellent quality and humanized service, UGEEPACK brings customers the best moisture-proof experience.



SILICA GEL DESICCANT

SHANGHAI XINGUDE MACHINERY MANUFACTURING CO., LTD



The product is a full servo driven cartoning machine specially designed for medicine, food, daily chemical and other industries, which provides the characteristics of convenient setting, easy adjustment, stability and reliability; Suitable for bagged, bottled, stacked and other materials, and realize automatic synchronization; Balcony design, easy to clean and adjust; The servo control intermittent action is designed for the traceability requirements of product packaging to ensure that cartons, materials and codes can be matched accurately.

The whole machine structure and industrial control system are more convenient for the on-line detection and control of the production process in the food and pharmaceutical industry. The box detection and manual detection functions can be selected, and the installation is flexible and convenient.

Within the specification range that the equipment meets the processing, it is not necessary to replace specification parts to replace boxes with different specifications. It is fast and convenient and can be adjusted automatically.

Integrated application and control of servo system to ensure efficient operation of equipment; At the same time, the structure is more streamlined, the mechanical transmission is as few as possible, the composition of vulnerable parts of the equipment is greatly reduced, the equipment is easy to maintain, there are fewer faults, and the operation and maintenance cost is lower.



Gdz-130b full servo automatic cartoning machine

SHANGHAI XINYUE PACKING MACHINERY CO., LTD



Shanghai Xinyue Packaging Machinery Co., Ltd. is an established enterprise integrating consulting, R&D, production, sales and after-sales service. The company has a team of multiple technical engineers and management personnel, with complete hardware facilities and strong technical strength. Each product undergoes strict debugging before leaving the factory. The company has obtained ISO9001:2015 quality management system certification and EU CE certification. Its products are deeply trusted and praised by a wide range of users.

Product Projects: The packaging machines produced by our company include tea packaging machines, tea bag packaging machines, powder packaging machines, granule packaging machines, powder agent packaging machines, liquid packaging machines, triangular tea packaging machines, and food packaging machines. These products are widely used in the tea, food, pharmaceutical and chemical industries, sold in more than twenty provinces and regions across China, and exported to Europe, America and Southeast Asia.

After-Sales Guarantee: For equipment sold domestically, our company provides free on-site installation and debugging, and trains customer operators. We offer a one-year warranty with lifetime service. Our company advocates the business philosophy of 'customer first and integrity-based win-win'. Your satisfaction is our reward. Welcome new and old customers to come for consultation and negotiation at any time by visiting or calling.



All-Servo Back-Sealing Powder Multi-Column Packaging Machine

SHANGHAI YAMATO SCALE CO., LTD.

Yamato Alpha Advance Dataweigher
Speed \geq 140BPM, accuracy 0.1g. 10.4 inch color touch operation panel, weighing unit with gravity shocking protection and easy maintenance and low cost.



**Yamato Alpha
Advance Dataweigher**

SHANGHAI YANJIE TECHNOLOGY CO., LTD.

L8000 series Label Print and Apply Machine
1. Proprietary label tension and movement control
2. Multiple label dispensing mode
3. Embedded label image software
4. Integrated design



**L8000 series Label
Print and Apply
Machine**

SHANGHAI YI LV PACKING MATERIAL CO.,LTD

Product features: good high-speed packaging performance, good low-temperature hot sealing performance, good smooth performance, good optical performance, high gloss, low fog, smooth and beautiful packaging effect.



BOPP smoke film

SHANGHAI YIZE INTELLIGENT TECHNOLOGY CO., LTD

A completely new approach to oral liquid bottle packaging, with a daily production capacity of 500,000 bottles. Suitable for upright or horizontal bottle placement, with precise bottle and label positioning. Handles 10ml, 20ml, 30ml, and 50ml bottles – all with one machine!



**Bottled automatic
palletizing workstation**

Shanghai Yuanan Fluid Equipment Technology Co., Ltd.



Shanghai Yuanan is familiar with different requirements of various industries based on 20 years of technical experience; we gradually improve practical techniques, create and research new technology combined with industrial requirements so as to improve product practicability and reliability, which obtain customers' support and recognition. We cooperate with the well-known international brand for the production of key accessories (for example, we perform in-depth cooperation with AVK for the rubber sealing ring, and cooperate with DAIKIN for PTFE production), which solves the problems that the domestic sealing can't bear rigorous working conditions; meanwhile, we comprehensively guarantee that each valve is with safe, reliable and stable performance based on precise CNC equipment, high-quality stainless steel raw materials and perfect production process management system; all of the products are produced according to the hygienic standard of ISO, DIN, ASME-BPE, SMS and 3A. The products with the same type can completely replace the imported ones, such as butterfly valve, diaphragm valve, single-seat valve, single-seat external cleaning anti-mixing valve and double-seat self-cleaning anti-mixing valve. Yuanan has almost 0.2 million of valves that are applied for various industries!



Hygiene valves

SHANTOU DANENG LIGHT INDUSTRY MACHINERY CO., LTD.



The model is suitable for filling and screw capping of viscous sauces in stand-up pouches. A number of patented designs ensure that the filling quantity is accurate, the nozzle does not drip, the spout without material and water remain on it.

Machine detect no bag no filling, no cap no capping.. Finished products and defective products are output separately. , Can be connected to CIP cleaning, 100-level laminar flow hood. Online bag storage, laser printing.

Machine use Siemens S7-1500 series PLC, 12-inch large screen; SEW gearbox; E+H liquid level gauge; German Festo pneumatic components; electric cabinet air conditioner; remote maintenance.
g size : W: 80-240 mm;L: 150-370 mm



CXZ-GD-7D of stand-up pouch filling and capping machine

Shantou Dongfa Printing Co.,Ltd.



Suitable for food packaging, daily chemical packaging, cat and dog food packaging, etc.



standing pouch, spout pouch, zipper pouch, flat bottom pouch, roll film

SHANTOU HUAXING MACHINERY FACTORY CO., LTD.



HX Extrusion Systems Production Line of Snack Pellets can be used with a very wide range of raw materials such as potato starch, potato powder, tapioca, wheat flour, etc. This production line is consist essentially of several machines in different functions as a completed production line in actual operation. The main machine of this production line is the JY-Pellet Extruder which is with 2 dimensions for small or big scales of extrusion processing as customers' selection. We could also re-adjust the design and function for customers if necessary.



**Extrusion Systems
Production Line of
Snack Pellets**

SHAOXING CSHBELT CO.,LTD.



Substrate is timing belt.
40 Shore A to 45 Shore A red natural rubber coatings.
All coatings are produced truly endless without joint and glue.
Engineered vacuum holes and slots available.



**Pulling Down Timing
Belts**

SHENZHEN ATK PRECISION COMPONENTS CO., LTD.



Shenzhen ATK Precision Components Co., Ltd. was founded in September 2012 and is a professional service provider specializing in the supply of high-quality hardware and plastic accessories and integrated solutions. The company deeply integrates global premium industrial resources, establishing in-depth strategic partnerships with leading international brands such as Germany's Bansbach and KIPP. This has enabled the establishment of a core product matrix covering multiple categories and specifications, providing customers across various industries with precisely matched precision component support and technical services.



**Levelling feet in
Hygienic DESIGN**

SHENZHEN TONGDE NEW MATERIALS TECHNOLOGY CO.,LTD.



Good adhesion to various papers andPE, PP and OPP films.Good fluidity, fastcuring and superior weather resis-tance.



**SEALING HOT MELT
ADHESIVE**

SHENZHEN WAYWA MACHINERY CO.,LTD.



- 1.All six faces are smooth without wrinkles.
- 2.All 12 edges are smooth without wrinkles.
- 3.Three long sealings are straight, smooth without stabbing or scratch touch feeling.
- 4.Sealing line just locates within +/- 2 mm tolerance to the middle of box.
- 5.Four corner cutting lines go along the edges of box height.
- 6.Packaging pass yield rate is 97%-99.5% (the nonconformities caused by the boxes themselves, such as broken packaging by stabbing or sharp box corner, or wrinkles caused by deformation of corners, are not calculated in this rate).
- 7.Quick model changeover, 15 minutes/changeover (The time needed by model changeover depends on size differences between boxes. Smaller differences between sizes causes less changeover time).



Automatic Heat Shrink Film Corner & Edge Sealing & Cutting Machine

Shijiazhuang Helper Food Machinery Co., Ltd.



Helper Machinery medium noodle production line adhering to the process and production of fullyautomatic implementation concept,from raw materials to finished products follow the principle of first-infirst-out standardization, to maximize the quality of product standardization.Vacuum mixing, continuousrolling, constant temperature wet noodles and other processes to ensure the standardization of noodletechnology based on high quality.



FULL AUTOMATIC FRESH NOODLE PROCESS LINE

SHUNWEI POWDER MACHINERY (HANGZHOU) CO., LTD.



Industrial check screening equipment, also known as safety screeners or quality control sieves, protect the quality of your powder or liquid products by removing oversize contamination. Our units are designed to increase your productivity, protect your operators and minimize maintenance costs. They are also very small and can be fitted into existing production lines. We offer a range of options to suit your screening requirements and can customize our products to suit your application and installation perfectly.



Check screener Compact Series

Sichuan Qichuan Technology Co., Ltd.



Sichuan Qichuan Technology Co., Ltd. is a Taiwan-funded enterprise affiliated with Chuan Chyi industrial Co.. Ltd. Founded in 1998, the parent company is an international industrial firm that provides textile solutions for industries such as food, pharmaceuticals, catering, electronics and chips. The company's flagship brand CleanPanda is committed to delivering safer, more comfortable and smarter food-grade workwear. As the first line of defense for safe production, CleanPanda minimizes contamination risks through multiple design features and focuses on solving the problem of foreign object contamination for customers.



CleanPanda

SKYAT LIMITED



Smart Shrink Wrapping Machine is used for the outer film of various product packaging boxes and anti-counterfeiting outer film packaging. (Smart Shrink Wrapping Machine) is a comprehensive laminating machine for various types of color boxes, with no dead corners or creases in 360degrees. Package efficiency of 650-1200 pieces/hour to improve efficiency and reduce costs. Ensure product packaging quality, with a yield rate of 99%, ensuring excellent and accurate cutting lines of packaging film.



Smart Shrink Wrapping Machine

SMART WASP INTELLIGENT TECHNOLOGY (SUZHOU) CO.,LTD



Save space
3 operational modes: single strapping, single wrapping, strapping & wrapping
Fully automatic mechanical clamping & cutting film



MK900 Pro Intelligent Fully Automatic Moving Strapping & M Type Wrapping Machine

SMART WEIGH PACKAGING MACHINERY CO., LTD



1. Application:
It is mainly apply in automatic weighing various granular products in food or non-food industries, such as potato chips, nuts, frozen food, vegetable, sea food, nail, etc.
2. Features:
IP65 waterproof, use water cleaning directly, save time while cleaning;
Modular control system, more stability and lower maintenance fees;
Production records can be checked at anytime or download to PC;
Load cell or photo sensor checking to satisfy different requirements;
Preset stagger dump function to stop blockage;
Design linear feeder pan deeply to stop small granule products leaking out;
Refer to product features, select automatic or manual adjust feeding amplitude;




SW-M14 14 Head 2.5L Standard Weigher

SPM(ANHUI)CO., LTD.



The strapping bands produced by our company feature high strength, good toughness, environmental friendliness and recyclability, as well as corrosion resistance. They have replaced the majority of packaging reinforcement materials in the market and enjoy a promising market prospect and development platform in the industry.



PET Strapping

STÄUBLI (HANGZHOU) MECHATRONIC CO., LTD.



Staubli's TS2 SCARA robot ushers the brand into a new level of robotic performance with a fully redesigned structure. It debuts Staubli's patented JCS drive technology, slashing cycle times and boosting repeat positioning accuracy to meet the high-efficiency demands of food fast packaging. Boasting revolutionary hygienic design, it complies with five key prerequisites for food processing: food-grade lubricants, pressurized arms to block microbes, washable components, and modular robot combinations for the full food processing workflow, eliminating food contamination risks and unlocking new possibilities in sensitive food environments.



Fast Packaging TS2 SCARA Robot

SUIT PACK CO.,LTD



Clipping machine can automatically close tubular nets containing delicate fruit and vegetable products:Potatoes,onions,apples,tomatoes,eggplants,cuc umbers,etc.Uses metal straps to clip the extruded or woven net. Wine-glass label can be inserted to the end of package with printing including text,date,logo,barcode to improve the image of your products. Also tape can be clipped into the end and end of the net as a handle.



HORIZONTAL CLIPPING MACHINE

SUZHOU BEST AUTOMATION TECHNOLOGY CO., LTD.



Our company has independently developed automatic cartoning machine. Series is divided into horizontal and vertical forms. The movement modes are intermittent and continuous. All models adopt servo motion control, providing advantages such as wide applicability, strong adaptability, high operating precision, and convenient specification switching. Our machines are widely used in fields such as pharmaceuticals, health products, food, cosmetics, toys, and more.



Automatic cartoning machine

SUZHOU CHENGWEI IDENTIFICATION TECHNOLOGY CO.,LTD.



The new optimized operating system, custom shortcut function, independent help key, independent main menu, one-click start and stop, one-click print, etc., make the operation clearer, simpler and faster. Support for multilingual user interface and its multi-dot printing font library, printing time, logo, skip number, pyramid information, variable data and variable bar code and two-dimensional code.



**W5000 Small
Character Ink Jet
Coder**

SUZHOU HND LASER CO., LTD



Fiber laser coding machines are highly efficient and eco-friendly marking devices widely used in the food packaging industry. Compared to traditional inkjet printing, they offer no consumables, no pollution, permanent markings, and high clarity, ensuring food safety and brand protection.

These machines can print production dates, batch numbers, expiration dates, QR codes, barcodes, and logos on various packaging materials such as plastic, glass, aluminum foil, cartons, and stainless steel. The non-contact marking process does not damage the packaging, and the laser markings remain intact despite friction, moisture, or heat.

With high-speed flying marking, fiber laser coders integrate seamlessly into production lines, ensuring efficient online coding. Advanced models support smart control, automatic recognition, and remote operation, improving productivity while reducing labor costs.

As food safety regulations tighten, fiber laser coding machines provide an eco-friendly, cost-effective, and reliable solution, meeting compliance requirements while enhancing brand image—making them an ideal choice for the food packaging industry.



**Fiber laser marking
machine**

SUZHOU JAGPACK PACKAGING EQUIPMENT CO.,LTD



The Stretch Wrapping Robot is a flexible and efficient solution designed for palletized load stabilization. With no fixed installation required, it can freely move between workstations, making it ideal for warehouses and production environments with multiple packaging points.

Equipped with a high-performance pre-stretch film carriage, the machine achieves a pre-stretch ratio of up to two hundred and fifty percent, significantly reducing film consumption while ensuring excellent load stability during transportation and storage.

Easy to operate and highly safe, the JPM3000 helps reduce manual labor intensity and improves overall packaging efficiency. It is widely used in industries such as solar manufacturing, logistics and general manufacturing, supporting cost reduction, plastic reduction and sustainable packaging goals.



Wrapping Robo

SUZHOU SHENGBAIWEI PACKAGING EQUIPMENT CO.,LTD.



Breakthrough in the traditional cutting and sealing method, and innovate to remove the excessive surplus film at four corners. The sealing line is flat and straight to achieve the perfect packaging effect. Parameter formula designing, you can change and select one formula in HMI Directly connect to the production line, packaging speed is 800-1200 boxes Using PLC control, equipped with automatic detection, fault automatic prompt.



AUTO CORNER-EDGE CUTTING EQUIPMENT

SUZHOU XUENUO MECHANICAL PRODUCTS CO.,LTD.



For different specifications of cartons, the machine adjusts adaptively to seal the cartons in mixed order efficiently and stably. The automatic tensioning belt prevents deviation, and the offset carton is automatically corrected. High degree of protection and safety. The speed is divided into standard speed of 28m / min, medium speed of 35m / min and high speed of 42m / min, which can be customized



Random Case Sealers

Taizhou Huangyan Hengmei Plastic Machinery Co., Ltd



The 2S130 full-automatic bottle blowing machine is an innovative model in the bottle blowing industry. With intelligence and high efficiency at its core, its entire operation process is automated, which greatly reduces labor costs. Through the optimized heating system, the preforms are evenly heated, and the bottles blown out are of excellent quality, with precise dimensions and uniform wall thickness, resulting in a very high qualified product rate. This equipment has outstanding production capacity and can operate stably at a high speed to meet the needs of large-scale production orders. Moreover, its mold replacement is convenient, allowing for flexible switching between the production of different bottle shapes. Whether it is a common food and beverage bottle or a uniquely shaped customized bottle, it can handle it with ease. The 2S130 full-automatic bottle blowing machine, with its excellent performance, helps enterprises gain the upper hand in the fierce market competition.



All-electric wide mouth bottle/jar blow molding machine HM-2S130

Tangshan Zhengxing Electronic Weighing Apparatus Co.,Ltd.



1. The scale is ultra-low double-layer structure design to ensure the accuracy of weighing data.The folding ramps are more convenient to install and remove,.
2. Food grade 304 stainless steel material, it's with better corrosion resistance.
3. Laser cutting unloading, the corners are rounded and do not hurt the hand; Fully automatic manipulator welding,weld bead smooth.full. beautiful.
4. The anti-rat design prevents rats from biting, which is safer and more practical, and reduces after-sales costs.
5. Equipped with four high-precision waterproof load cells and indicator, the scale can be washed and clean. Suitable for chemical plants, food processing plants, medical and other industries.
6. The carbon steel and 304 stainless steel materials both are acceptable, Support customized size and indicator function.



Waterproof Floor Scale

TECHIK INSTRUMENT (SHANGHAI) CO., LTD



Techik X-ray Inspection System takes advantage of the penetrating power of X-ray to detect contamination including metallic, non-metallic contaminants such as glass, ceramic, stone, bone, hard rubber, hard plastic, etc. Techik X-ray Inspection System can be used for inspection of metallic, non-metallic packaging and canned products.

Take tablets as an example. Techik X-ray Inspection System will detect and inform tablet crack, tablet lacking, and tablet with contamination.



Standard X-ray
Inspection System

TEPPS EQUIPMENT CO., LTD.



TEPPS EQUIPMENT CO.,LTD. is a comprehensive entity integrating research and development, production, and sales. It mainly produces: fully automatic bagging vacuum packaging machines, automatic vertical packaging machines, high-end intelligent sealing machines, automatic sealing and shrinking machines, automatic carton sealing machines, automatic strapping machines, and other packaging machinery and equipment. Its products are sold nationwide across various provinces and cities and are exported to North America, South America, Europe, Asia, Africa, and other countries and regions, receiving widespread praise from customers both domestically and internationally.



Multifunctional
Vacuum CO2 Laser
Sealing Machine

TIANJIN QIBANG TECHNOLOGY DEVELOPMENT CO., LTD.



Large Format Shrink Wrapping Machine is used for the shrink packaging of various different products.



S-1070 Large Format
Shrink Wrapping
Machine

TIANJIN ATOMROBOT CO., LTD.



The equipment demonstrates the sorting of packaging soft bag products on an automated production line, which can meet the requirements of soft bag product separation, turning, arrangement, shaping, and counting. During the feeding process of soft bag products, it is equipped with functions such as automatic quota, automatic loading direction, automatic arrangement, automatic counting, and automatic removal of non-conforming products (stacking, bundling). Pack soft bag products into boxes.



HIGH-SPEED
DISORDERLY
SORTING PACKING
WORKSTATION



TIANJIN HEXIN MACHINERY CO.,LTD.

Applying labels to round containers like metal cans;
Paper labels;
Hotmelt and clod glue;
Two label feed systems alternate to feed labels;
Easy change over to other containers and label sizes;
Low glue consumption due to leading and trailing edge gluing



GT01 CAN LABELING MACHINE



HONDON

TIANJIN HONDON PACKAGING & FOOD MACHINERY CO., LTD.

Multi-Lane Liquid Packaging Machine

- 1、 The machine features a split-type liquid tank design, capable of automatic feeding. The liquid level can be displayed in real-time on the control panel, and it can automatically perform CIP cleaning. This design is more in line with the hygiene standards of the pharmaceutical industry compared to traditional overhead tanks, offering more thorough and simpler cleaning.
- 2、 It can be designed for hot filling below 80 degrees Celsius according to customer requirements.
- 3、 The machine adopts a dual horizontal sealing reciprocating motion design, currently leading in speed domestically, with packaging speeds reaching 50-70 cuts per minute.
- 4、 Due to its unique sealing structure design, it significantly reduces the leakage rate, making it the preferred choice for large-scale production.



Multi-Lane Liquid Packaging Machine



TIANJIN RUNSHU MACHINERY ENGINEERING CO., LTD.

By using the traditional mechanical Vacuum pump, pneumatic vacuum conveyor conveys materials by using the high vacuum which is produced when the compressed air flowing through the vacuum generator. The system has the characteristics of simple structure, small size, low noise, easy operating and eliminating material static electricity etc.



VACUUM CONVEYOR



TIANJIN SANQIAO PACKAGING MACHINERY CO.,LTD.

Originally designed and independently developed by Sanqiao, the series of multi-lanes automatic packaging machine for stick bags, is of splendid quality, significant performance and magnificent efficiency. A range of automatic functions, including feeding, metering, filling, pack-making, sealing, cooling, cutting, batch and date printing, tearing incision cutting and outputting finished product, could be materialized precisely and fluently.

As for electrical part, there incorporates an automatic deviation correcting system with high accuracy, a PLC-controlling program, a high-end human-machine interface, a fully servo-driven system, a photoelectric cursor-tracking system, and a digital system to maintain constant temperature, PID.

These features collectively contribute to simplify and enhance the overall operation of the machine, which makes it as the perfect selection for food and pharmaceutical industries, to improve production efficiency, reduce labor intensity, and cultivate the taste on packaging.



Multi-lane Stick packaging machine (VFFS)

Tianjin Sen-Joy Electronic Technology Co.,Ltd.



"Detection Range: 5 ~ 350mm, Fast Response Speed, Effectively Shields Background and Unaffected by Object Color, Resistant to Sunlight Interference, Visible Red Light Source, IP65 Protection Rating.



PQ20 Red Light Background Suppression Photoelectric Switch

TIANJIN ZERPO



Outer shell of PPL dunnage airbags is made of material of kraft paper laminated with PP woven cloth, which allow dunnage air bag firm, high pressure-bearing capacity, wide range of application & excellent printing on the surface. Zerpo Dunnage airbags could protect cargoes & avoid cargoes damage by filling voids, supporting loads, stopping sliding & preventing impacting in transportation types of container, truck, rail, bulk ship, etc. Based on quality management system ISO9001, up to 12 inspections & quality control measures throughout whole production ensures stable high quality of every piece of dunnage airbag from Zerpo. Zerpo dunnage airbags have been certified by AAR and meets with ROHS requirement, also strong enough to bear compression force more than 9.5tons. Using Zerpo dunnage airbag could also increase customer satisfaction and enhance company & products impression.



PPL Dunnage Airbags

TNA(SHANGHAI) SOLUTIONS LIMITED



Built on world-first innovations, the tna robag® 3e is the most advanced VFFS packaging system delivering industry-leading performance for confectionery and snack packaging. Its simplified design with fewer moving parts ensures minimal maintenance and improved energy efficiency. Quick-change parts design enable faster changeovers.

Benefits:

- Fewer moving parts
 - Simplified mechanical design ensures minimal maintenance, reducing wear and enhancing energy efficiency.
 - Modular design
- The tna robag® 3e modular platform shares components with earlier models, simplifying maintenance and inventory
- Lower maintenance
 - Time saving maintenance with backward compatible parts and modular design for fast pitstop-style format changeovers
 - Increased uptime

Highest possible build quality paired with smart diagnostics that monitor performance to quickly identify and resolve issues.



tna robag® FX 3e

Tomra Food Sorting(Kunshan) Co.,Ltd.



The TOMRA 5B is a versatile belt sorter designed for products like potatoes, vegetables, proteins, and leafy greens. It uses advanced sensor technology and algorithms to achieve precise sorting based on color, shape, size, and defects. The machine's 360° inspection zone ensures accurate defect detection while gently handling products. It also captures images of foreign materials for better alerting and continuous improvement. Ideal for boosting production efficiency and maintaining high-quality standards in food processing.




TOMRA 5B

TONGYUN PACKAGING EQUIPMENT(SHANGHAI) CO.. LTD.



1. Equipment name: Mobile downward pressure arrow punching and packing machine - customizable
2. Applicable bundling item size: Refer to customer product size
3. Sword piercing machine bow frame size: refer to the equipment scheme diagram
4. Hot sticking area: top friction
5. Packing method: bow frame forward and backward positioning movement, movement of the movement up and down, mechanical sword piercing, signal packing, and bundling with 4 layers (the number of bundles is set according to specific customer requirements)
6. The overall appearance color of the chassis is RAL7035, which can be customized according to customer requirements. The color of the moving part of the movement is RAL1018



Mobile downward pressure packaging machine

TOP Y MACHINERY CO.,LTD



1. The mechanical structure of the entire machine adopts servo drive, pneumatic structure, stable operation, and simple operation.
2. The entire machine has multiple functions to choose from: zipper opening function, air blowing and bag opening, coding, vacuum pumping Fill with nitrogen and pat the bag at the bottom.
3. The bag dispenser adopts a standard direct bag placement method, which is convenient for bag placement, quick to operate, and can store 50-100 bags at a time.
4. The appearance design is exquisite and professional, and the machine's overall size design is relatively reasonable, effectively reducing the workshop height and floor area.



Linear doypack machine

TOPAK MACHINE (KUN SHAN) CO., LTD.



Suitable for packing cookies, candies, mooncake, pastries, bread, medicine etc. We have several types of machines for packing different products. Specialized belt type conveyor for packing sticky products. Various packing: Front seal package, Back seal package, Chain bags with punch hole(Circle punch hole, Euro lock punch hole, hand-carry punch hole) and gusset bag. Able to install various option device and match up with automated infeed. Operation stable, save labor cost. Servo control, stainless steel cover. Comfortable operation with Chinese touch panel, can store several sets of product data.



Servo Horizontal Packing Machine

TYCON (FUZHOU) CO., LTD.



TYCON (Fuzhou) Co., Ltd. is a professional manufacturer of equipment and parts for conveyor industry & other industries. Main conveyor related product lines & manufacturing capacity includes:

- 1, Conveyors & parts(roller, belt, skatewheel, chain)
- 2, Bearing & wheels
- 3, Overhead conveyor chains, trolleys & accessories
- 4, Ball transfer units & table
- 5, Steel, iron, zinc & aluminum casting
- 6, Plastic injection
- 7, Cold heading
- 8, Sheet metal stamping & punching
- 9, Welding, manual & robotic
- 10, CNC fabrication
- 11, Laser-cutting

Since 1989, benefited from over 20 years experience in manufacturing and serving customers in North America, Europe, Asia, Australia and other regions as OEM and ODM, TYCON features :

Strong engineering experience & background in product design, Quick leadtime in prototyping.



Loading&unloading conveyor

UNICOMP TECHNOLOGY



This machine is used to detect foreign matter contaminants in small bags for lightweights products. Such as candy, fresh meat, prawn, vegetable, poultry, chocolates, candy, pasta, instant noodles, bread, biscuits, dried fish, ham sausage, beef jerky, nuts, etc.



Bagged Food X-ray Foreign Material Detection Equipment UNX4015N

URSHEL CHINA LTD



The CC Series is comprised of the CC, CC-D, CC-DL, CCX-D, and CC-L. The CC Models operate via centrifugal force using a rotating impeller within a fixed cutting head to uniformly reduce ingredients as the product becomes engaged with a slicing or shredding station or grating surface.

These models also offer inexpensive knives and quick-change over of cutting heads. All models feature continuous operation for uninterrupted production and are designed for easy cleanup and maintenance.

From the largest components to the smallest, each part is specifically manufactured to fit together meticulously. Strength in manufacturing and craftsmanship is what defines the CC slicers.



CC SLICER SERIES

VALCO MELTON



Valco Melton's MXM electric hot melt valve is the workhorse for most Valco Melton hot melt dispensing solutions. The MXM electric valve can operate at extremely high speeds reaching 15,000 cycles per minute for short bursts and have a lifetime capable of more than 2 billion cycles depending on operating conditions. The MXM is widely known as the EcoStitch capable valve in Food and Beverage packaging where end users see their adhesive usage reduced by upto 75% for instant ROI and process improvement.



MXM AL-ELECTRIC ADHESIVE DISPENSING VALVE

Wantai Automation Technology (Shanghai) Co., Ltd.



With the current dual technology, various products of different shapes, sizes and tightness can be handled. Check valves or throttling devices can meet the requirements of numerous industrial sectors. The gripper system can be equipped with an integrated vacuum generator, or a separate vacuum generator (pump or side slot blower) is also applicable. The integrated vacuum generator is a modular multi-stage vacuum generating tube, easy to maintain. If necessary, even the used multi-stage multi-stage vacuum generating tubes can be easily added after installation. The gripper system pads are made of technical sponge (FDA pads have been approved for use), and this sponge has different hole spacings and thicknesses or suction cups.



vacuum suction cup

WENZHOU BROTHER MACHINERY CO.,LTD



Adopting a vertical storage method for cartons and being able to replenish cartons at any time without stopping the machine. The structural design of this carton erector machine: completing packaging processes such as Carton Suction, Carton Forming, Carton Folding and Sealing in one go. Suitable for automatic carton erecting and sealing of various sizes of cartons. If you need to change the size of the cartons, you can manually adjust it, and the required time is 5 minutes only; This machine can be operated alone or used in conjunction with automated packing lines. This machine has stable performance, reliable quality, strong applicability, high packaging efficiency, and long service life; High degree of automation, machine control using PLC+display screen, greatly convenient operation, which is an essential assembly line equipment for automated large-scale production. The mechanical performance is precise and durable, the structural design is tight, there is no vibration during operation, and the operation is stable and reliable; Equipped with blade protection device to avoid accidental stabbing during operation, safe production, and efficient packaging.



Auto Carton Erector and Bottom Sealer

WENZHOU FEIAO PACKING CO.,LTD



Spout stand-up pouches are a modern and versatile packaging solution, ideal for liquids, pastes, and powders. Designed with a self-standing bottom, they ensure excellent shelf display and storage convenience. The built-in spout, located on the top or side, allows for easy pouring, resealing, and multiple uses, greatly enhancing user convenience. Made from multi-layer laminated materials, these pouches offer strong barrier properties, leak resistance, and puncture protection, helping to extend product shelf life. Commonly used for packaging juice, beverages, sauces, shampoos, detergents, and more. Fully customizable in terms of size, material, spout type, and printed design, spout stand-up pouches combine functionality with visual appeal, making them a popular choice in food, personal care, and pharmaceutical industries.



Spout pouch

WENZHOU FORLONG MACHINERY CO., LTD.



Automatic sealing and cutting packaging machine is a fully automatic unmanned packaging machine, automatic film feeding and punching device, manual adjustment of the film guide system and manual adjustment of the feeding and conveying platform, can be used with the packaging line, feeding, bagging, sealing and cutting, shrinking automatically.



Automatic sealing and cutting machine

1. Efficiency: It only needs two men if adopt auto L type cutting and sealing machine. Color box packing speed is 1500-1800pcs/hour, which is equivalent to the amount of manual packaging for 5 person per hour.

2. Economy: 1 set of full-automatic l-type sealing and cutting machine can save 3-5 manual labor, and the cost can be returned within half a year; Shrink film material can save 1-3 cents cost per color box.

3. Purpose: using Forlong automatic L-type sealing and cutting machine to replace manual operation can not only enhance your enterprise strength, improve the production efficiency of the enterprise, but also save more costs for your enterprise; Forlong machinery is responsible for every device sold to make your packaging faster and more perfect.

WENZHOU JUXING SMART PACKAGING EQUIPMENT CO., LTD.




1. Adopting fully automated packaging forms such as feeding, sorting, bagging, pushing, sealing, and outputting, the structure is compact, the packaging is beautiful, and the sealing is firm;
2. Adopting a full servo motor and a 10" touch screen, motion control system, the human-machine interface display operation is clearer and more convenient, with a high degree of automation and more user-friendly;
3. Adopting an automatic material handling and conveying mechanism, which facilitates linkage with automatic production lines and can significantly reduce labor costs;
4. Large packaging range, easy adjustment, and quick conversion between various specifications and sizes;
5. Adopting a flat push type, it runs smoothly at high speed, and the packaging area is modular, making product replacement more convenient;
6. Using a multi station bag delivery structure, it can be applied to various types of prefabricated bags (flat bags, M-bags, standing bags, four sided sealed bags, etc.);
7. By using an open fixture, sufficient space can be opened according to the height of the material to ensure smooth entry into the bag, while maintaining the position of the prefabricated bag from deviating;
8. The front-end can be produced online with automatic material handling, back-end boxing, and packaging lines.



Bagging machine TD-100S

WENZHOU KEDI MACHINERY CO.,LTD.



Rotary bag-given packing machine with different dosing(such as multihead weigher, auger filler, liquid filler etc.), can be suitable for the automatic packing for granular, powder, liquid, past etc. Different kinds of product with the premade stand-up zipper pouch and so on.



Rotary packing machine (Stand-up&zip pouch)

WENZHOU LEADWING MACHINERY CO., LTD.



Wenzhou leadwing machinery: committed to being your most reliable partner,empowering your business to grow steadily with stable and efficient equipment model LX-HC120 continuous automatic cartoning machine for aluminum foil, silicone paper and pastic wrap boasting a maximum speed of 120 boxes per minute,this machine is suitable for the automatic cartoning and sealing of tubular products such as aluminum foil rolls, parchment paper rolls and cling film rolls.

Performance and Features:

The machine has detection, alarm, fault display system which is compose of the sensor, photoelectricity, mechanical overload protection device. The paper box will not be supplied without material; the glue will not be sprayed without the paper box. The machine will alarm when the paper box is not in position, and will stop when the material is not supplied many times or overload is happed. The safe operation can be ensured The machine has automatic waiting function and can work with rewinding machine together (the length of the machine is decided by customer's paper box).



LX-HC120 Continuous automatic cartoning machine for aluminum foil, silicone paper and plastic wrap

WENZHOU MIDDAY LIGHT INDUSTRY MACHINERY CO., LTD



The complete set of equipment consists of a feeding mechanism, a solvent heat exchanger, an extraction tube section, a liquid-sludge separator, coarse filter, a juice press, etc. According to the different solvents, it is divided into U-shaped extractors and pipeline extractors, both of which can be extracted microwave and ultrasonic waves as required; the extraction tube section is equipped with a German spiral propulsion structure, and different materials can be designed as single spiral stirring or double spiral propulsion; The constant temperature jacket adopts high-quality SUS304 honeycomb plate, and the external insulation adopts PU or glass cotton, and the outer layer adopts S304 stainless steel, which is sanitary and



Full automatic continuous countercurrent extraction unit

WENZHOU RUIDA MACHINERY CO., LTD



It is used for packing products as biscuits, chocolates, cakes, cards, products for daily used etc.



DXD-300 Servo Control Pillow Type Packaging Machine

WENZHOU RUIYOU INTELLIGENT MACHINERY CO., LTD



Economic type, Space - saving and high- speed, Waterproof housing with easy Clean surfaces ; Mechanical drive system; stable performance and extended service life. It can use to pack all kinds of materials like Granular, Powder, Block-shaped , Liquid and so on.



Pre-made Pouch Packaging Machine with 6 Postions

WENZHOU RUIYUAN MACHINERY CO., LTD.



Located in Pingyang County, Wenzhou City, Zhejiang Province, Wenzhou Ruiyuan Machinery Co., Ltd., is an innovative enterprise of heat shrinkable packaging machine products and solutions, providing professional heat shrinkable packaging services for many industries such as daily chemical, beverage, hardware, medicine, agriculture, cultural goods, household paper, electronic products and etc. All our products have passed ISO9001 quality system certification and CE international quality system certification.

The main products of Ruiyuan Machinery including: high-speed pillow type heat shrinkable packaging machine, reciprocating full-automatic heat shrinkable packaging machine, L-type full-automatic packaging machine, side sealing heat shrinkable packaging machine, sleeve type heat shrinkable packaging machine and various customized heat shrinkable completed sets of equipment.



Automatic High Speed Shrink Packing Machine

WENZHOU XINGYE MACHINERY EQUIPMENT CO., LTD.



The case-sealing Machine is mainly used in the sealing and packing of cartons, which can be used either independently or as a necessary apparatus to production line. It is widely used in the field of electric domestic appliances, textiles, foodstuffs, general merchandise, medicine and chemical industry.



Carton Sealer

WENZHOU ZUNGWAN INTELLIGENT MACHINE CO., LTD.



◆ Perfume filling and capping machine gathers optics, mechanism, electricity, pneumatics with high automatization & rate of finished product, wide adaptability & stability. It adopts PLC control, easy operation, convenient adjustment. Due to high technology and good quality, it is ideal equipment for perfume manufacturers!



Perfume Filling and Capping Machine

◆ automatic low vacuum filling, auto bottle detecting (no bottle no filling), filling for three times, auto dropping of spray head cap, circulation of perfume bottles' die set, it is wide adaptability which can meet to the requirements of different dimension and filling volume of containers.

WEPACK PACKING EQUIPMENT MANUFACTURING CO., LTD.



The integrated traditional Chinese medicine (TCM) granule packaging machine is a high-efficiency and intelligent packaging device designed specifically for TCM granules. It combines functions such as measuring, filling, sealing, and coding into one system, enabling fully automated operation and significantly improving production efficiency. Equipped with high-precision sensors and an advanced control system, it ensures accurate weight measurement for each package, with minimal error. The packaging materials, including composite film or aluminum foil, provide excellent moisture and oxidation resistance, extending the shelf life of TCM granules. The machine is user-friendly, easy to maintain, and suitable for various packaging specifications, making it ideal for TCM manufacturers, pharmacies, and medical institutions. Its compact design saves space while ensuring stable performance, making it a perfect choice for modern TCM granule packaging.



INTEGRATED TRADITIONAL CHINESE MEDICINE (TCM) GRANULE PACKAGING MACHINE

WuHan Gersun Industry Technical Co., LTD



The GLE-1100DPJ Fume Purifier, leveraging advanced technologies from the UK and Switzerland, is certified to ISO 9001:2015 and equipped with a number of independently developed patented technologies. It has become the preferred product for numerous well-known food enterprises at home and abroad.



Fume Extractor GLE-1100DPJ

Adopting a multi-stage high-precision filtration structure with a filtration accuracy of up to 0.3µm, the equipment is engineered with large air volume and high negative pressure, enabling rapid waste gas capture and deep purification for an excellent purification effect.

The whole unit operates with low noise, ensuring silent operation that does not interfere with production. Its core components are made of wear-resistant and anti-corrosive materials, boasting stable structure, long service life and significant reduction of maintenance costs.

This product is widely applied in multiple scenarios including food processing, laser processing and precision machining.



WUHAN LVGONG MACHINERY CO., LTD.

In the food packaging machinery industry, Wuhan Lv Gong Machinery Co., Ltd. has become a leader in the field of cup, tray, bowl and box filling and sealing packaging machinery with its outstanding technical strength and rich industry experience.

Manufacturing factory introduction

The company covers an area of 10,000 square meters and has a modern production base with complete functions. From the storage of raw materials to the research and development, production and commissioning of equipment, each link is operated in an orderly manner within the company, achieving efficient integration of research and development, design, production and sales, laying a solid foundation for providing one-stop services.



**Prefabricated dishes-
aluminum foil box
column for aviation**



WUHAN MACWELL PACKAGING MACHINERY CO., LTD.

Twin granule /powder packing machine WUHAN MACWELL PACKAGING MACHINERY CO., LTD. was founded in 1994 and located in Wuhan East Lake High-tech Development Zone. It is a national-level high-tech enterprise integrating R&D, manufacturing, sales and service.

The company has long been focused on small-bag packaging.

Its main products include packaging machines, filling machines and conveying equipment, which can provide automated packaging single machines and production line solutions for food, daily care, pharmaceutical and other industries.

Since its establishment, the company has produced and sold more than 10,000 sets of various packaging equipment, among which over 3,000 units have been exported to more than 50 countries around the world. The company's products have obtained CE certification and a number of national patents.

With the tenet of "Perfect Technology, Trusty Partner", Macwell Machinery is committed to providing reliable products and professional services for global customers.



**MW-2310 series high
speed packing
machine**

Wuhan Phezer Technology Co., Ltd



1. Embedded intelligent operating system, supporting USB flash drive variable database printing.
2. Capacitive touchscreen, anti-interference, and durable. Aluminum alloy casing, beautiful and stylish.
3. Original imported inkjet engine, low cost, high-quality printing performance.
4. Simple operation, no maintenance required. One-year free warranty, lifetime after-sales service.
5. Powerful functions, stable printing effect, suitable for industrial production needs.



**PRX1000 High-
Resolution Online
Inkjet Printer**

WUHAN RENTIAN PACKAGING AUTOMATION TECHNOLOGY CO., LTD.



DXH-P300 is a continuous medium to high speed side-loading Cartoner with hot melt to seal the cap. The products will be loaded into a cylindrical paper carton by a side pushing device, and the equipment includes a products collator unit and a side-loading unit. The equipment consists of a fully automatic continuous side pushing, carton taking, and carton forming mechanism, combined with hot melt sealing function, to meet the packaging needs of various rigid objects.



**SIDE LOADING
CARTONER**

WUHAN HAITAI TECHNOLOGY CO.,LTD.



This three rolls vertical packaging machine is designed to achieve automatic packaging for the viscous fluid or suspending agent or pasty fluid materials, can choose 3 or 4 sides sealing freely.

- 1, the machine adopts three-section roller simple seal: the first section is the longitudinal sealing hot roller and the checkerboard line with leakage line, the second section is the horizontal sealing hot roller flat seal to ensure the sealing, the third section is the horizontal sealing cold roller simple for the final shaping and embossing, there are checkerboard lines and water lines for choice.
2. Different metering devices and mixing devices can be selected according to different material characteristics, and there are three ways of flat cutting, seretooth and point line. And equipped with easy to open the bag of easy to tear the incision device.
3. T series models are control upgrade, three sections of silver and copper are independently controlled by the motor, convenient bag length adjustment.
4. V series models for full servo control, no chain belt and other traditional transmission structure, bag long and one-button adjustment, intelligent adjustment and link background big data network monitoring function.



**High-speed Vertical
Roller Packaging
Machine**

WUXI JIANGAO MACHINERY CO.,LTD



SPP standardized production system is designed for the needs of industrial scale production Enterprises. Long-term and high-intensity production requires higher equipment stability. The System is highly automated, simple and easy to operate, and accurately monitors the running State of each component. Modular design makes it easier to maintain and upgrade the Equipment in the future./Scraper heat exchanger is an indispensable key equipment in the production process of Castor Sauce, including gelatinized starch, pasteurization. Sterilization, color control, etc. 1. Meet the Hygiene requirements and facilitate cleaning. 2. Compact structure and wide application range, Especially suitable for high viscosity materials. 3. High heat transfer efficiency, 4. Adopt mechanical seal, with good sealing effect and long service life. / 1、Continuous discharging, uniform/stable products; 2. Ground operation, low labor intensity; 2. High vacuum and good defoaming effect; 4. Especially suitable for making products with Special formula. This equipment skillfully adopts a horizontal mixing ballstructure, which can evenly mix and emulsify high-viscosity materials at high speed. Simple structure and powerful function. It can be used for the production of salad and the mixing of various high-viscosity sauces.



**SPP-700W Eremulsifier,
GBHR-2000 SCRAPER
HEAT EXCHANGER,
CONTINUOUS
SALAD DRESSING
PRODUCTION SYSTEM**

WUXI QINGDA FOOD EQUIPMENT CO.,LTD



The series of equipment are specially developed for material requiring better pulverization and homogenization at present. It adopts modular design and ensures high efficiency, stability through three-dimensional modeling and thermo analysis with ANSYS. For different materials, we choose corresponding processing models to satisfy different processing modes. The linear velocity of multilayer stator-rotor reaches 80m/s at the rotation of 9000 RPM. The innovative wet superfine grinding technology ensures the equipment's efficiency, security and stability.



Type QDZX the series of high-precision superfine grinder

WUXI XINSHENG STAINLESS STEEL CHAIN FACTORY



Professional production of A, B series roller chains, engineering plastic chains, hollow chains, plate chains, tooth tips chains, plate chains, long pins chains, speed chains, U-shaped cover chains, roller chains, film chains, window chains and other stainless steel conveyor chains, including stainless steel sprockets, conveying mesh belts, etc., professional non-standard customization. Advanced equipment, complete molds, honest operation, quality assurance! Welcome to contact us for cooperation!



16A-U1

WUXI ZHONGRUI AIR SEPARATION EQUIPMENTS CO., LTD.



By using 99.5%-99.999% food grade nitrogen generator for packaging process, the risk of adding unwanted moisture is reduced. This will help keep the possibility of bacterial contamination at a minimum. Also can reduce the risk for cross-contamination that will affect the color, smell, or taste of your food products.



Food Grade Nitrogen Generator

XI'AN SHIBO FLUID TECHNOLOGY CO., LTD.



The bag-in-box aseptic filling machine is applicable to the aseptic filling of viscous or non-viscous fluids such as fruit juice, concentrates, jam, vegetable juice, beverage, dairy products, pharmacy or other concentrated products, and has been widely used for the sterile package of fluid food such as the fruit juice, dairy products and jam etc. to guarantee the quality of product maximally.



ASP100 BAG-IN-BOX ASEPTIC FILLING MACHINE

XIAMEN HANIN CO., LTD.



HPRT, Founded in 2012, an printer manufacturer, specializes in the R&D, manufacturing and sales of thermal receipt printers, barcode label printers, mobile printers, barcode scanners, TTO printers, portable A4 printers, small photo printers, digital textile printers, and more. Distributors, resellers, OEM & ODM welcome!



Thermal Transfer Overprinter FC53

Xiamen Threestone Packing Material Co., Ltd



Food pouch& film:

Used for sauce bags, juice bags, all kind of food package for coffee, tea, snack etc.

All the shape, size and material structure are available. Starting from 200 pieces for printing. No plate charge. we can be one item with its own design. Delivery will be completed within 7 working days.



Candy bags and other food packaging bags and films

Xiamen Xin HaiSheng Plastic Co., Ltd



Plastic modular belt mainly made of ACETAL plastic steel and polypropylene PP, POM, Polyethylene PE. Belonging to a type of conveyor belt, this is also a new type of conveyor belt, which has the following advantages: high temperature resistance, oil resistance, wear resistance, acid and alkali corrosion resistance, etc. Easy to clean, and simple maintenance. Can be used for transportation in various environments. Such as the pharmaceutical industry, food industry, packaging industry, daily chemical industry, automotive industry, logistics industry, entertainment facilities, transmission conveyor belts, conveyor equipment, etc.



Plastic Modular belt

XIJIANG TRANSMISSION TECHNOLOGY (ZHEJIANG) CO., LTD.



Xijiang Transmission Technology (Zhejiang) Co., Ltd. is located in Huzhou City, Zhejiang Province, and was established in 2006. It is a professional manufacturer and seller of conveyor belts made from various materials such as PVC, TPU, TPE, TPEE, and more. The company offers over 120 standard products, with more than 350 custom products for customers.

The belts produced by the company are high density, oil resistance, abrasion resistance, acid and alkali resistance, impact resistance, and compression deformation resistance. These feature make them suitable for various industries such as airports, logistics, electronics, tobacco, food, printing and dyeing, stone processing, woodworking, fitness, and entertainment.

The company's PU belts meet FDA standards, offering wear resistance, cut resistance, oil and mildew resistance, anti-bacterial properties, non-toxic and odorless qualities, and are safe for direct food contact.

The company has also independently developed a full set of conveyor belt processing equipment, such as opening machines, Conveyor belt layering machine, jointing machines, high-frequency welding machines, and buttoning machines. The company's products have passed ISO quality system certification and have obtained multiple national patents.



Food-Grade Conveyor Belt

XING JUNYAO INTELLIGENT PACKAGING TECHNOLOGY(TAIZHOU) CO.,LTD



Application

It is applied for the pillow packing of products with easy broken surface, such as chocolate, puffing food, rice cake, Swiss roll, caramel treats, nougat and other types of en-robing products.

Performance Characteristics:

- 1.Can be connected directly with production line, make products sending, forming, filling and sealing with fully automatic.
- 2.Full automatic, Photoelectric sensor tracking system, no empty package.
- 3.Multiply Servo motor configuration (Nine servo motor) simply construction, easy maintenance.
- 4.With automatic film roll link, Reduce packaging waste and improve work efficiency

High speed, Durable structure.



Automatic feeding
high speed pillow
packing machine

XINGTAI NUODING RUBBER PRODUCTS FACTORY



This product is suitable for chassis tugboat of winding machine and packaging machine. It is wear-resistant, anti-aging and has a long service life.



Packaging machine
chassis support wheel

Xingtai Zhongbei Machinery Manufacturing Co., Ltd



This machine is suitable for food manufacturers, frozen dumpling production, etc. It can produce dumplings with various meat fillings, mixed meat and vegetable fillings, whole vegetable fillings, and other types of fillings.

This dumpling wrapping machine imitates handmade dumpling making. The dough is made into dough with a thickness of 0.8-1.2mm through multiple pressure rollers, and then automatically filled and wrapped by a molding device. This machine is manufactured using the latest precision technology and is a genuine dumpling machine that produces handmade, shape free dumplings. The quality of the produced dumplings is good, and their appearance is more like handmade dumplings than ordinary handmade dumplings. The taste is better than handmade dumplings, and the speed is fast. It is currently the leading equipment for producing frozen dumplings in China.



Dumpling machine

XINXIAN PRINTING TECHNOLOGIES(SHARGHAI) CO.,LTD.



Thermal transfer printing, also known as thermal transfer printing (TTO), is a digital technology that prints high-resolution, variable content encoding on thin and lightweight flexible packaging such as films, packaging bags, and labels.

Typical applications of heat transfer printing include snack foods, candies and baked goods, frozen and refrigerated foods (meat and poultry, dairy products, bagged fruits and vegetables), cosmetics, pharmaceuticals, health products, and other products packaged with flexible films.



Thermal Transfer Overprinter

XINXIANG FINERAY TECH CO., LTD.



Widely used pharmaceutical, food, packaging industries to print batch number (i.e. production/expiration date) and text label



Hot Coding Foil

XINXIANG NEW BELL INFORMATION MATERIALS CO., LTD.



Hot Stamping Foil (Ribbon) - For Date Coding, also named Coding Foil or Hot Foil, working with Hot Stamp Printer, is used to print Batch No. & Mfg. / EXP. Date information onto the flexible packages of Food, Beverage, Milk-Bag, Medicine products, etc.



HOT STAMP RIBBON

Xinyuheyu Co., Ltd



Automatic Packaging Roll Film: Specifically designed for high-speed vertical form-fill-seal machines, ensuring smooth operation and precise cutting. It is the ideal choice for efficient, large-volume packaging of snacks, powders, and hardware.

Food Grade Eight-Side Seal Bag: Features a three-dimensional structure that maximizes display space and impact. The eight sealing edges provide exceptional durability, making it perfect for premium snacks, pet food, and items requiring superior stand-up stability.

Center Seal Bag (including Gusseted Version): Sealed along the back center, offering a clean, front-facing graphic panel.

The gusseted design expands to accommodate bulky or irregular products, commonly used for coffee, dried goods.

Three-Side Seal Bag: A classic and versatile bag style with seals on three sides. Cost-effective and suitable for a vast array of products from small accessories to food items. Ideal for automated packing lines.

Stand-Up Zipper Bag: Designed to stand upright on shelves for maximum visibility. The integrated re-sealable zipper lock ensures product freshness after opening, widely used for nuts, candies, and dried fruits.

Side Gusset Zipper Bag: Combines the convenience of a zipper with expandable side panels. This design allows the bag to stand and provides extra capacity while storing flat, perfect for apparel, crafts, and larger food packaging.

Spout Pouch: Features an attached spout (with or without a cap) for easy pouring and controlled dispensing. The ultimate solution for liquid, viscous, or powder products like beverages, condiments, detergents, and baby food.

Shaped Pouch: Custom-die-cut into unique shapes to mirror a product's silhouette or brand mascot. Creates an unforgettable unboxing experience and strong shelf differentiation for cosmetics, confectionery, and promotional items.

Paper Bag: An eco-friendly packaging choice made from kraft or art paper. Popular for its natural aesthetic, breathability, and customizability through various printing techniques, often used for bakery goods, gifts, and retail shopping.

Retort Pouch: Constructed with high-barrier multi-layer films, it can withstand sterilization temperatures up to 121°C or higher. Enables shelf-stable packaging for ready-to-eat meals, sauces, and pet food without refrigeration.



- Food Grade Eight-Side Seal Bag**
- Center Seal Bag (including Center Seal Gusseted Bag)**
- Three-Side Seal Bag / Pillow Bag**
- Stand-Up Zipper Bag**
- Side Gusset Zipper Bag**
- Spout Pouch**
- Shaped Pouch / Die-Cut Bag**
- Paper Bag**
- Flat Pouch**
- Self-Sealing Bag / Resealable Bag**
- Drawstring Bag**
- Vacuum Bag**
- Retort Pouch**

YAJIN INTELLIGENT SYSTEM (SHANGHAI) CO., LTD.



Shanghai Yajin was officially registered in March 2004. The company's main products include industrial electronic platform scales, crane scales, truck scales, floor scales, balances, explosion-proof scales, automatic check-weighing scales, automatic ingredient packaging scales, and IA intelligent scale . As well as IoT dynamic weighing scales.Yajin is one of the first companies to sale on line.



Food sorting scale

The company has proposed a series of innovative measures such as domestic software technology research and development, brand building, upstream and downstream supply chain system construction, product research and development, channel construction, etc. The company passed the ISO9001 management system certification in July 2015. Yajin has established long-term cooperative relationships with domestic agents,and also has an international business department.

Its foreign trade business covers Southeast Asia, the Middle East, Europe and the United States.The company is committed to assisting the development of national brands and achieving win-win results for all parties. Yajin adheres to the "user-centered" , to provide users with one-stop weighing solutions and thoughtful and satisfactory service.

YANCHENG DOER CLOTHING TECHNOLOGY CO., LTD



Prevent foreign objects from falling off, no fiber from falling off



CLEAN CLOTHING FOR FOOD WORKSHOP

Yangjiang Sanlong Hardware Products Co., Ltd.



Crafted specifically for food-grade applications and multi-scenario material processing, this stirring blade boasts core advantages of high-efficiency mixing, stable durability and safety compliance.



mixing blade

YA-VA INTELLIGENT SYSTEMS CO., LTD.



It is modular design,assembled by flex conveyor parts made from YA-VA.The total load capacity is 200KG; the Max speed:45m/min; nice design,saving floor space and longevity;suitable for glass bottle,Tetra pak packaging,cans and tissues.



Flexible chain conveyor system

YICHUN WANSHEN INTELLIGENT EQUIPMENT CO., LTD.



Automatic Unpacking and Sterilization System designed for raw material pretreatment realizes the unpacking, inner bag separation and residual material recovery of 25kg bags. The modular sterilization design supports UVC ultraviolet sterilization, the wavelength is 254nm, the radiation intensity is greater than 10000 $\mu\text{W}/\text{cm}^2$, the sterilization rate is high, the sterilization machine is equipped with automatic lifting door at the inlet and outlet, the front and rear interlock, to ensure the effective isolation of the clean area and the unclean area, and the front and rear blackout curtain is configured to protect the operator. Simultaneously eliminate the potential contamination risk of outer packaging, reduce labor costs, meet the GMP requirements, suitable for dairy products, condiments and other high hygiene standards, and help enterprises to build a full aseptic link from unpacking to feeding.



Automatic unpacking and sterilization ingredient system

YIJIA INDUSTRIAL ELECTRIC CO.,LTD.



AC contactor, available in 9A–95A current options



AC contactor

Youbajia Intelligent Technology (Yancheng) Co., Ltd.



"Two servo box unpacking and bottom sealing machine is suitable for carton L: 200-450 W: 150-350 H: 110-350 (mm), folding 10-15 boxes/min.

Automatically complete folding, forming, and bottom folding blade bending. And in a short time to complete the lower part of the tape pasting, the stacked cardboard of the box board automatically opened, the bottom of the box according to a certain program folded, and sealed with tape and then conveyed to the special equipment of the packing machine. It is easy to operate, simple to maintain, and has excellent performance. The use of P.L.C touch screen control greatly facilitates operation, management, reduces production personnel and labour intensity, and is indispensable equipment for automated large-scale production. It can be sealed with a hot melt adhesive machine. It is widely used in food, medicine, beverage, tobacco, daily chemical, electronic industry, etc.



Two servo box unpacking and bottom sealing machine

YU HOU INDUSTRY CO., LTD.



The latest generation YH WCP-35 Automatic Wrap-Around Case Packer from YU HOU is specifically designed for beverage products and supports a wide range of container types, including plastic bottles, metal cans, and glass bottles. Depending on bottle shape and packaging requirements, it wraps and boxes products using a single-piece corrugated board, achieving a high-speed output of up to 35 cases per minute. Equipped with pre-folding and a servo-driven cardboard feeding device, it ensures precise positioning of the cardboard, significantly enhancing packaging quality and production efficiency. The YH WCP-35 is an ideal solution for advancing smart manufacturing and automation.



**YH WCP-35 Automatic
Wrap-around Case
Packer**

YUGUI TECHNOLOGY CO., LTD.



Shanghai Yugu Technology Co.,Ltd.is a high-tech enterprise deeply rooted in the field of automated packaging equipment.Our core focus is to provide high-performance and high-reliability fully automated cartoning solutions for the booming cosmetics industry.We are committed to helping cosmetics companies improve production efficiency,ensure product quality,and reduce overall costs through advanced automated cartoning technology.We aim to assist our customers in gaining an advantage in the fierce market competition. Machine features:

1. Fully servo-controlled,with active box retrieval and delivery,tongue-inserting type,ensuring no friction throughout the process,and fast production changeover.
- 2.This equipment occupies a small area and is easy to maintain and repair.
- 3.The process of taking out/putting in the box adopts an active approach,while the folding/inserting of the tongue utilizes a separate,independent action.The structure for taking out products and placing them into the inner lining employs a dual-head design.
- 4.The moving parts are equipped with graphite-impregnated bearings,which feature self-lubrication and a long service life.
- 5.The four sides of the equipment can be opened,making maintenance and repair inside the box very convenient.
- 6.We can customize the wiring scheme according to the customer's on-site situation,ensuring that the entire line is reasonable and aesthetically pleasing.
- 7.50-80 boxes per minute.
- 8.Both lined and unlined products are compatible.



**YG-80MT type, fully
servo-controlled
automatic machine
with lining Cartoning
Machine**

YUHUAN B.T.BEST AIR-VALVE CO.,LTD



1. High flow, small flow resistance, Y-type design increases the flow by 30%.
2. Visual position indication: limit switch or emergency manual device can be connected.
3. Easy to install: The actuator can be rotated 360 degrees.
4. A variety of control methods: normally open, normally closed, double action, free state.
5. The position can be automatically corrected, the PTFE seal is self-lubricating, maintenance-free, and has good stability.
- 6., For different working environments: ordinary, high temperature, heavy corrosion, etc., plastic and aluminum can be selected. Gold and stainless steel corresponding actuators.
7. Long service life.
8. High frequency switch, sensitive response.




Pneumatic angle seat valve

Z&P STERITECH INTELLIGENT EQUIPMENT CO., LTD.



The customized automatic sterilization line is designed to help customers realize the unmanned operation of the sterilization line. From seaming, loading, sterilization to unloading, the smooth automatic operation of the whole line is highly efficient and energy saving, and greatly reduces the labor intensity.



Customized automatic sterilization line

ZAOZHANG FULIANG PACKAGING MACHINERY CO., LTD.



The dual-weighing-hopper screw packing machine is a fully automatic quantitative packaging device integrating dual weighing hoppers and screw feeding.

It adopts A/B hopper alternate operation and dual-screw graded feeding to achieve high-speed and precise packaging, ideal for powder, granular and small block materials in chemicals, building materials, food and fertilizer industries.


Key Highlights

- 25–50kg per bag, 50% higher efficiency than single-hopper models, precision up to $\pm 0.2\%$ – $\pm 0.5\%$
- Non-stop operation (15–20 bags/min) for mass production
- Automatic error compensation ensures stable weighing accuracy
- Flexible for quick product changeover, compact design, low running cost



DUAL-WEIGHING-HOPPER SCREW PACKING MACHINE

ZHANGJIAGANG HENGYU BEVERAGE MACHINERY CO.,LTD



This carbonated soft drink filling machine delivers end-to-end automation for energy drink bottling operations. Engineered for maximum efficiency, the system seamlessly handles everything from bottle rinsing and filling to capping and labeling. The advanced carbonation system ensures precise CO² levels, while high-speed filling heads maintain optimal production rates with minimal product loss. Built with food-grade stainless steel and featuring user-friendly PLC controls, this complete line is suitable for various bottle sizes and shapes. The integrated quality control system guarantees consistent fill levels and proper seal integrity. Perfect for medium to large-scale beverage manufacturers, this turnkey solution combines reliability, precision, and ease of maintenance to maximize your production output while minimizing labor costs.



Automatic 3-in-1 Glass Bottle Carbonated Soft Drink Filling Machine

ZHANGJIAKOU KENUO ENGINEERING PLASTICS CO., LTD.



We are a professional manufacturer of ultra-high molecular weight polyethylene, it focused on almost merits of various engineering plastics, such as wear and impact resistance, self lubrication, corrosion resistance low temperature, sanitation non-toxic, easy adhesion, non-adsorbent, low density and etc. Various turnplate and slides rail can be processed through drawings, Widely used in various machine parts such as packaging machinery and food machinery.



Ultra-high molecular weight polyethylene (UHMWPE)

ZHE JIANG PIKE MACHINERY EQUIPMENT CO., LTD.



Company specializing in the production of automated production equipment, automated packaging equipment; widely used in bio-pharmaceutical, food, daily chemicals, stationery and electrical appliances and other industries. The main products are filling, capping, labeling, sealing and so on. Company research and development, production, sales and import and export trade as one of the state-level high-tech Enterprises, city-level R & D centers, technology-based enterprises, products exported to many countries and regions, the company takes the advanced technology innovation as the idea equipment to create the value for the customer, the machine replaces the artificial, saves time, saves the labor, saves the worry.



Filling machine

ZHE JIANG RE TU FA LIFTING TECHNOLOGY CO., LTD



Suitable for cold storage and high cleanliness requirements, such as meat processing, dairy processing, food processing and other industries. All parts except rubber and plastic parts such as wheels and seals are made of 304 stainless steel material, which has a delicate appearance. Key parts integral seal cylinder, internal relief valve provides overload protection, avoid overload use, reduce maintenance costs, durable, easy maintenance.



Stainless steel manual truck

ZHEJIANG CHENGDA MACHINERY CO., LTD.



CD-5268 Automatic Blister Machine

Large forming and sealing area. It has wide range of applications, suitable for large batches production

The blister material can be PVC or PET and other rigid materials. Two rolls of materials can be loaded on the material feeding device, save the replacing time and labor.

Use the up and down heating plates for version heating, the material can be heated evenly and steady.

The forming mold can be different types according to the blister size, shape. The material dragged by servo motor and the forming station driven synchronously, to ensure the machine runs continuously.

After the blister formed, use multiple blades for cutting horizontally and vertically, no waste materials, make full use of the material. Compared to the punching mold, it will save 20% materials during the production.

More distance and space offered between the forming section and sealing section, convenient for feeding products or install extra function device. Feeding products can be manually or by special robot.

The sealing station uses two sets heating plates, ensure each package get heated evenly and reduce the sealing period so that improve the total production efficiency.

Output the finished package in the end of the machine, also can be connected to the secondary procedure, such as carton packing, barcode printing.



CD-5268 Automatic Blister Packing Machine

ZHEJIANG DASHENG INTELLIGENT EQUIPMENT CO., LTD.



Modified atmosphere packaging machine can be used for fresh-keeping packaging of chilled meat, cooked meat product, fast food, baked products, fresh fruits and vegetables, bean products, aquatic products, poultry and other products.

According to different food properties, the equipment is equipped with gas mixers with different gas types and mixing ratios to keep the original flavor, taste and fresh state of the food for as long as possible, control the growth of bacteria and micro-organisms to the maximum extent possible to keep food fresh and extend shelf life.



Vertical MAP machine

ZHEJIANG DINGYE MACHINERY CO., LTD.



The folding & sealing machine adopts the high holding power of PVC adhesive tape on the carton the following transmission, smooth transmission and sealing on the sealing tape, rapid, easy to adjust, can be a one-time adhesive tape printing, folding cover and the upper and lower sealing action.

Greatly improve the appearance of the product. It is widely used in household appliances, textiles, food, cosmetics, daily provisions, medicine, chemical industry and other manufacturing industries.

DQFXS-7050 carton edges sealer is used for sealing the edges of top and bottom flaps. It can be equipped into automatic carton packaging system.



DQFXS-7050 Automatic carton edges sealer + DQFXZ-5050S Automatic carton fold and sealing machine

Zhejiang Fengzhidu Packaging Machinery Co., Ltd



Automatic sensing of cardboard box size, automatic adjustment of sealing and packaging



4030 servo adaptive sealing machine

ZHEJIANG HOOFENG INTELLIGENT TECHNOLOGY CO., LTD



The DGYS-5800 Aluminum Foil Sealing Machine is a professional-grade device engineered for high-speed bottled production lines worldwide. Backed by a number of core technology patents and a 6000W high-power design, its key components are independently R&D and manufactured. It further optimizes the induction coil design and electromagnetic field structure, and integrates multiple advanced technologies including an intelligent temperature control algorithm, safe production monitoring, and key parameter visualization.

It delivers more efficient and stable aluminum foil sealing solutions for industries such as pharmaceuticals, food, and daily chemicals, serving as a powerful piece of equipment for enterprises to meet international production standards.



DGYS-5800 ALUMINUM FOIL SEALING

ZHEJIANG JINCHANGLA INTELLIGENT EQUIPMENT CO., LTD



Continuous band sealers are widely used in catering, food, health products, cosmetics, daily chemicals, pharmaceuticals and other industries, applicable to the packaging of products such as milk tea, beverages, drinking water, soybean milk, mung bean paste and so on.

The frame of this machine is made of high-quality 304 stainless steel.

All electrical and pneumatic components are adopted from world-renowned brands, ensuring stable working performance.

Functions: Automatic cup dropping, filling, film rolling, sealing, output and film rewinding are



Continuous Band Sealer

ZHEJIANG JINHONG INTELLIGENT TECHNOLOGY CO., LTD.



This machine is used for multi-piece packaging for biscuits, cookies, pancakes and other crispy products with brittle surface. It can operate as an independent unit or can be integrated with conveyor lines or other packaging system for full automation.



JH-Z1260 Fully Automatic Multi-layer Flow Packaging Machine



ZHEJIANG JIUTENG PACKAGING CO., LTD.

JT Package is a professional POF shrink film manufacturer in china. JT found in 2010, occupy 20000m2, which located in Jiashan city next to shanghai and ningbo port, with a very convenience transportation.

JT insist to produce different films to satisfy different requirements, pay the most important attention on film quality, use imported raw material to keep stable. Special films such as Crosslinked shrink film, High performance shrink film, Noodle film and so on are provided also to meet special requirements. Month capacity reach 1300tons, 70% exported to Euro, America, South America etc. We welcome all the customer to visit us.



POF Shrink film
Crosslinked shrink film

ZHEJIANG KAIXIANG MACHINERY TECHNOLOGY CO., LTD



This product is the newest model which is our company further improved on the basis of advanced technologies at home and abroad. It is the high-tech product which integrates electricity, gas, light.

The product is suitable for cartoning the pharmaceutical products, Foods, and cosmetic, paper, electronic and daily products and so on. The machine can finish automatically all jobs such as leaflet folding, carton opening automatically, the stuff cartoned, batch number printing, carton sealing and so on (also can use hot melt glue). It can be used alone, or be linked with the other device, to be a production line.



Automatic Foods (The tray) Cartoning Machine

ZHEJIANG KANGLING MACHINERY MANUFACTURING CO., LTD.



Zhejiang Kangling Machinery was established in 1996. It is located in Ruian, Wenzhou City, Zhejiang province. Kangling Machinery has passed ISO 9001:2008 Quality Management System authentication. Our company mainly produces packing machines like filling and sealing machine, L-bar sealer and shrink packing machine, labeling machine, and other packing machines. With years of development, Kangling now groups around 100 employees. We support customized business, and also do OEM with customer's brand.

KangLing has been concerned more professional management, more effective work, more innovative products, to service more people. Our vision is satisfying customers need, meeting customer's satisfactions, exceeding customers expectations. We serve untiringly all the customers worldwide with the faith of giving chances to staffs, seeking more development for company, and creating value for society.



cup sealing machine with labeling machine

ZHEJIANG MAILI SPECIAL ELECTROMOTOR CO., LTD.



Zhejiang Maili Mechanical and Electrical Co., Ltd. was established in 2004 locating in Rui'an City of Zhejiang Province which features developed industry. The company is devoted to the R&D, manufacturing and sale of driving equipment, and the main products include: Parallel shaft series deceleration motor, L-type series deceleration motor, direct cross shaft series deceleration motor, CH / CV series deceleration motor, RV quasi hyperboloid gear series deceleration motor, MLF3 quasi hyperboloid series deceleration motor and AC and DC series ordinary motor and DC brushless motor.

The products are widely applied in the fields such as financial machinery, food packaging machinery, printing machinery, office machinery, livestock machinery, medical machinery, advertising equipment, electronic instruments and dimensional garage. The products have passed the China Compulsory Certification (3C Certification), European Union CE Certification, ISO9001:2015 Quality System Certification and so on.

Adhering to the principle of "high technology, high quality and high reputation", our company has been dedicating itself R&D all the time. We warmly welcome the friends at home and abroad to our company for visiting and guidance, and Maili people are looking forward to shaking hands with you, and creating brilliant and bright future together.



Series of miniature AC speed reducer motors, Series of miniature DC brushless speed reduction motors, CH/CV series speed reducer motor

ZHEJIANG REZPACK MACHINERY INC.



Model : RZ8-240E



Packing Machine

Zhejiang Runli Intelligent Technology Co., Ltd



Bag packaging machine is an automated packaging equipment widely used in various industries such as food, medicine, and chemical. It can automatically feed pre made packaging bags into the packaging station, completing a series of operations such as opening, filling, and sealing, significantly improving production efficiency and reducing labor costs.



Rotary Premade Pouch Packaging Machine

Zhejiang Saimo Intelligent Technology Co., LTD



Disorderly soft bag intelligent Sorting System with intelligent Sorting machine as the core, aims to realize the soft bag packaging field from disorder to orderly the whole line automation, including soft bag products disorder to orderly sorting and plastic, online automatic counting, automatic packing /packing/ bagging /tank automatic feeding, single bag online detection and single bag online weighing, etc. The system supports the setting of material appearance parameters, compatible with the production of various materials, material size: length 5-18cm, thickness 0.1-2cm, weight 2-200g. Through the control system algorithm, without mechanical means such as reflux, repeated drop and extrusion. Using developed hybrid servo system, with energy recovery function, the whole power is only 1.1 Kw. Using independent research and development of special control system and AI algorithm, the introduction of new products without programming, simplify the operation process, two minutes of rapid maintenance and technical support, Production efficiency is improved by 200%, labor cost and production cost are saved by 70%, and product packaging accuracy is as high as 99.9%.



DISORDERED SOFT BAG INTELLIGENT SORTING SYSTEM

ZHEJIANG SAVI TECHNOLOGY CO., LTD.



self-lubricating, maintenance-free, cost-effective, wide range of application scenarios, suitable for automated mass production, special machinery manufacturing, underwater applications, food and pharmaceutical packaging industry, extreme environments is also applicable, corrosion resistance, chemical resistance, high temperature environment, low temperature environment, dust resistance, earthquake resistance, noise reduction and other requirements.



engineering-plastic-bearings

ZHEJIANG SHUANGDING TECHNOLOGY CO., LTD.



Zhejiang Shuangding Technology Co., Ltd. is a specialized manufacturer of pressure vessels, renowned for producing customized stainless steel tanks and other pressure vessels for storage, transportation, and functional applications. In response to market demands and industry advancements, the company has continuously refined its business philosophy and strengthened brand positioning. It has now established itself as a leading domestic manufacturer with substantial capabilities in contract manufacturing for equipment used in new energy lithium batteries, dairy products, and biopharmaceuticals. The new factory spans approximately 23,000 square meters and is equipped with advanced automated welding systems, polishing systems, surface treatment facilities, and hardware processing systems. It also features comprehensive testing facilities, including hydrostatic testing, X-ray flaw detection, chemical analysis, and mechanical property testing. All equipment meets the quality standards required by industries such as new energy lithium batteries, dairy products, and biopharmaceuticals, ensuring that product quality consistently maintains international benchmarks.



Mixing system

ZHEJIANG SOONPU ELECTRONICS CO., LTD.



The product features high configuration, high precision, low noise, low temperature rise and long service life.



worm gear reducer

Zhejiang Wei Chi Light Industry Machinery Co., LTD



The machine is a device developed exclusively by Weichi Light Industry on the basis of digesting and absorbing domestic and international (still) pop can filling and seaming machines (sealing machines). It adopts the normal pressure filling principle. After it passes through the dialing wheel, the empty can will enter into the lift can supporting disc, and the filling valve is aligned with the empty can, which will rise for sealing. Meanwhile, the valve port of the filling valve is automatically opened. When the filling liquid level blocks the gas return pipe mouth, the filling stops. The filled can will be conveyed to the sealing machine head by the hook chain. The cap will be sent onto the can mouth by the cap rises, the pressing head presses the can mouth, the sealing wheel carries out pre-sealing and then real sealing. After it is sealed, the can is pushed out by the beating head of the cap beating mechanism and then enters into the can discharging procedure.



Filling and seaming machine unit

ZHEJIANG WEIPAI PACKAGING EQUIPMENT CO., LTD.



ZHEJIANG WEIPAI PACKAGING EQUIPMENT CO., LTD. is a Sino-Hong Kong joint venture that introduces advanced German machinery manufacturing technologies, specializing in the R&D, manufacturing, sales and service of automated packaging equipment. The company's main products include handheld packaging machinery, fully automatic packaging equipment and packaging lines, unmanned packaging solutions, as well as various types of packaging materials.



Bagging heat shrink machine

ZHEJIANG XINGSHENG MACHINERY CO., LTD.



The rotor pump can output a powerful driving moment at a low speed and ensure material feeding consistently, without stagnancy, and also can ensure that the material performance in the process of material feeding not be damaged. The medium viscosity can reach up 1,000,000 cps by this pump.



The rotor pump

ZHEJIANG YUJUN PACKAGING MACHINERY CO., LTD.



Zhejiang Yujun Packaging Machinery Co., Ltd. specializes in the production of fully automatic sealing and cutting machines, heat shrinkable machines, bag feeding packaging machines, vacuum machines, sealing machines, and automatic carton sealing and palletizing series packaging equipment. We are committed to providing enterprises with one-stop packaging automation solutions.

The company focuses on automatic carton sealing and palletizing equipment, which can solve the pain points of back-end packaging in one stop: low manual efficiency, high labor costs, non-standard carton sealing, easy collapse of palletizing, and work-related injuries during handling, all of which can be solved with one set of equipment. The equipment features firm and aesthetically pleasing automatic carton sealing, neat and stable intelligent palletizing, and can operate continuously and stably for 24 hours. It greatly reduces labor and costs, increases production capacity, reduces losses, and ensures compliance and hygiene, making packaging more efficient, standardized, and hassle-free. The products are widely used in many industries such as food, beverages, pharmaceuticals, and cosmetics. With the advantages of high efficiency, stability, and strong adaptability, we provide enterprises with mature and reliable overall back-end packaging solutions, helping to upgrade the production and packaging links to be more efficient, standardized, and intelligent.



**Carton Erector + Cover
Folding Machine
+ Corner Sealer +
Palletizer**

ZHEJIANG ZHEJIANG SHENGLIN PACKING CO.,LTD



Suitable for all kinds of soybean milk, soy milk, milk, yogurt and all kinds of drinks. With its own advantage- straw inside, convenient to drink&carry, and excellent display effect. This package won the 18th DuPont Global Packaging Gold Award.

Patent number: ZL02 2 61721.3 ZL02 3 74457.X



**Patent bag/Straw
inside bag**

ZHENGZHOU YANFENG PLASTIC PACKAGING CO.,LTD.



Zhengzhou Yanfeng Plastic Packaging Co., Ltd. launches a new generation of spouted stand-up pouches manufactured with food-grade eco-friendly composite materials, certified under ISO 9001 Quality Management System and ISO 22000 Food Safety Management System. The product features fully automatic spout attachment technology enabling precise high-speed sealing and spout positioning, ensuring sealing integrity and hygiene standards. Customizable designs support multiple liquid packaging applications (e.g., beverages, condiments, household chemicals), compatible with PE/PP/Al multilayer composite structures that deliver both puncture resistance and barrier properties. Widely applied in dairy products, sauces, cleaning agents, and related fields, it provides one-stop flexible packaging solutions.



**Spouted Stand-up
Pouch**

ZHONGDUN TECHNOLOGY (ZHEJIANG) CO., LTD



Advantages of molded pallet:

- 1.Strong and durable, heavy load. The molded pallet is pressed once under the high temperature and high pressure, which has high strength, is not easy to deform and has a large load.
- 2.High quality, low price, high cost performance. For enterprises to save a large number of transportation, storage and packaging costs, reduce business costs.
- 3.Molded pallet products are free from inspection, comply with international requirements, free from fumigation and quarantine, no pollution, more convenient and quick export clearance.



Nine legged tray

ZHONGSHAN COMBIWEIGH AUTOMATIC MACHINERY CO.,LTD.



It is suitable for weighing of granule, slice, roll or irregular shape materials, such as candies, seeds, biscuits, fries, coffee granules, peanuts, puffy food, biscuits, chocolates, nuts, pet food, small hardwares, etc.

- ◆ Suitable for dry environment, dry material production environment, cost-effective;
- ◆ High precision, high speed continuous weighing, saving raw materials and labor costs, quick return on investment;
- ◆ 3 layers hopper with memory hopper to realized high speed;
- ◆ The 304 stainless steel chassis is integrated with the center base design, which enhances the strength of the machine and reduces the stability time of weighing;
- ◆ The combination that is closest to the target weight is calculated by the computer, which is more intelligent than manual weighing.



16 head 0.5L high speed weigher with memory hopper

Zhucheng Haodong Food Machinery Co., Ltd



The whole machine is made of SUS304 stainless steel and adopts three sided heating with a large heat exchange area and fast heating speed.

It heats up 40% faster than conventional pots and saves 30% energy.

This machine has automatic temperature control function, which can pre-set the temperature value and quickly raise the temperature for insulation. The heating speed is about 10-15 minutes (ensuring a steam pressure of about 3 kilograms).

This machine has an automatic discharge function, which reduces labor and can control the pouring time. The discharge method is hydraulic. The heat of this machine is self circulating, evenly distributed, and has a homogenizing effect on the soup.

The time and temperature of this machine are automatically controlled during operation. This machine is equipped with a pressure gauge, safety valve, angle seat valve, and drain valve. Beautiful appearance, easy installation, convenient operation, safe and reliable. The machine is designed with aluminum silicate insulation material to achieve good insulation effect and save energy and reduce consumption.



Fully automatic braised pot

Zhucheng Lonkia Machinery Co., Ltd.



Introduction

The Mango Peeling Machine is a specialized device for efficiently removing mango skin. It is widely used in juice factories, canned mango production, and dried fruit processing lines. The machine replaces manual peeling, improving processing efficiency and product consistency.

Working Principle

The machine adopts a flexible, human-like peeling design.

Mechanical grippers or vacuum suction cups hold the mango in place, while adjustable peeling blades rotate along the mango's elliptical contour to remove the skin accurately.

Core Advantages

Its key advantages include high efficiency, strong stability, and suitability for large-scale food processing production lines



Mango Peeling Machine

Zhucheng Taile Machinery Co., Ltd



The deep frying production line adopts an oil-water mixed residue filtering structure and a full oil longitudinal scraping or side scraping system, with variable frequency speed regulation. When frying, the residue of the fried product sinks into the water below the oil tank. The residue will not form carbon and can be discharged together with the water through the drain valve. At the same time, the large amount of edible oil contained in the residue is returned to the oil layer after oil-water separation. In this way, not only does it greatly extend the service life of oil, reduce oil consumption, and have a very obvious fuel saving effect, but it also makes the color, aroma, and taste of fried products better, and the appearance cleaner and more beautiful.

The machine is equipped with a lifting system that can lift the conveyor to an appropriate height, making cleaning and maintenance of the machine extremely convenient. Suitable for users with frying times between 15 seconds and 8 minutes. After technical processing, this machine can adapt to various energy sources to meet the different requirements of users. This machine is particularly suitable for use by large, medium, and small enterprises.



Fried assembly line

Zhucheng Xindesheng Automation Technology Co., Ltd.



•Equipment introduction :

1.All the parts in contact with the fruit are thickened and soft, the grading process does not hurt the fruit.It can be sorted into 8 grades, the computer system and a freely adjustable specification range.

2. The equipment is sturdy and durable, and equipped with a feeding tray, which can add AI visual equipment to select rotten fruits, and use one machine for multiple purposes.

3. The number of grades can be adjusted at will, and the size of grades can be adjusted at will.

4. Adopting all copper motor, both 220v and 380v can be used, and 19000 pieces can be sorted in one hour.

5. The working track is made of food grade silica gel, which is elastic, harmless and anti-aging.

•Application scope :

Suitable for sorting and processing of non- -standard fruits and vegetables such as sugar oranges (with branches and leaves), onions, tomatoes, potatoes, pears, dragon fruits, kiwifruit, etc. It can also be paired with automatic feeding and cleaning air drying for initial processing.

The visual system adopts a combination of AI vision, spectral analysis, deep learning algorithms, and other technologies. Based on machine vision and image processing technology, an intelligent recognition and grading system for potato non-destructive testing is constructed from the aspects of size, potato shape, external defects, and internal defect weight indicators.

After cleaning the external surface of potatoes, they are restored to their external features through stereo vision technology, and defective potatoes are screened out. They are then transported to corresponding grading boxes according to their quality and size, achieving rapid, real-time, objective, and non-destructive detection,recognition, and grading of potatoes, making the entire process automated and intelligent, and promoting large- -scale production. To achieve real-time detection, recognition, and grading of potatoes, this product constructs an intelligent grading software and hardware device for potatoes. Based on Qt and VC++, software development and design are carried out to achieve intelligent grading of potatoes.

By using methods such as deep learning and spectral analysis, not only can defective potato blocks such as insect infestation, damage, germination, and green skin (black heart disease) be selected, but also the size (starch content, sugar content) of potato can be quickly and accurately perceived without damage. The rapid and unmanned operation of the assembly line has been achieved, achieving the interdisciplinary and interdisciplinary integration of artificial intelligence and agriculture.



Single channel
tray type fruit and
vegetable sorting
machine

ZHUCHENG XINYE MACHINERY CO., LTD.



01 Jacket structure aligned to a dynamic plane

02 Steam heating superior cost performance.

03 Stainless steel finishing

04 Designed for safety and hygiene

05 Kettle bottom outlet valve (option)



MULTI-DIRECTIONAL
HORIZONTAL HEATED
COOKING MIXER

Zhucheng zhonggong machinery co.,ltd.



Indirect heating and cooling. The cooling water is indirect contact with the sterilization process water, which avoids the secondary pollution of food, and does not need to use water treatment chemicals. Reduce steam consumption. Steam and atomized sterilization water are directly thermally mixed in the sterilization tank to increase the speed of heating and cooling,High temperature and short time sterilization.



Automatic water spray retort

WOLF (HANGZHOU) PACKAGING MACHINING CO., LTD.



With the VCI 350 VFF Wolf converted their most reliable machine model to withstand the harsh environment of Frozen Food production areas. A fully stainless steel machine with a IP rating of 64 combined with the European technology of "Impulse sealing" in order to handle all kind of LDPE packaging material up to a width of 720720mm.the packaging weight can up to 5kg for Frozen Chicken wings.



Frozen Food Packaging Machine VCI350

HANGZHOU ZHONGYA MACHINERY CO., LTD.



- applicable for frozen yogurt, milk, fruit juice, coffee packaging,
- applies to PET, PE, PS, PP etc plastic bottles & containers;
- two model types for selection : Ultra Clean type & Clean type,
- fits with Tamper-proof caps and Induction seals.144



DUBL Series Automatic Linear Ultra Clean Type Plastic Bottle Filling Capping(Sealing) Equipment

For more exhibitor information, please visit: www.propakchina.com/en



2026 13 - 15 October
Shenzhen World

www.propakchina.com/sz

Shenzhen Food Processing and Packaging Exhibition

Concurrent events: Hotelex Shenzhen, Shenzhen International Nutrition and Health Industry Fair

200,000 square meters **150,000+** visitors **2,000+** exhibitors

Exhibitor Profile



Processing technology



Packaging technology



Packaging materials and products



General machinery



Smart packaging and manufacturing



Logistics technology

Visitor Enquiry

Ms. Jovienne Wang

T: +86 21 3339 2386

E: Jovienne.Dai@imsinoexpo.com

Exhibitor Enquiry

Mr. Koni Xi

T: +86 21 3339 2568

E: Koni.Xi@imsinoexpo.com

A one-stop business platform for food processing and packaging



60,000,000+
Annual Website Visits



300,000+
Website Users



8,000+
Global Supplier Members



Our services covering:



Processing & Packaging



Food & Health Ingredients



Starch & Starch Derivatives



Health & Nutrition Products

Scan QR Code



Easy Sourcing In ProPak China 2026

Supplier Categories

Want to find the right suppliers? Our professional team is here to help you match premium suppliers efficiently at the exhibition



Packaging Machinery



Food Processing Machinery



Smart Packaging and Manufacturing



Filling Technology and Equipment



Fermentation Technology and Equipment



Daily Chemical Processing & Packaging



Packaging Materials and Products



Printing and Labelling Equipment

CONTACT US



Ms. Wenyan Zou



+86-21-3339 2296




Wenyan.Zou@imsinoexpo.com

Travel Tips

Embrace the Cashless Society in China

Link your cards to enjoy the convenience of mobile payments with **Alipay** and **WeChat Pay** for dining, transportation, hotels and more in China.

- Meet the inbound mobile payment service counter at Shanghai Pudong Airport (PVG) after landed, where you can enjoy bilingual services to easily start your mobile payment experience.
- Bank cards linked to **Alipay** and **WeChat Pay**



Transportation & Accommodation



Taxi

Venue: National Exhibition and Convention Center(Shanghai)
Address: No. 1888 ZhuGuang Road, QingPu District, Shanghai, China

- ★ Please show the venue address message below to your Taxi driver.

请带我前往国家会展中心(上海), 青浦区诸光路1888号



Metro

From Pudong International Airport

Take Metro Line 2 and get off at National Exhibition and Convention Center Station(Exit 4/5/6); around 1 hour and 40 minutes

From Hongqiao International Airport

Take Metro Line 2 and get off at National Exhibition and Convention Station(Exit 4/5/6); around 20 minutes



Hotel

- > InterContinental Shanghai Hongqiao NECC
- > Hyatt Place Shanghai Hongqiao CBD
- > Howard Johnson Hongqiao Airport Hotel
- > Courtyard Shanghai Hongqiao

Please find more hotel recommendation information on
www.propakchina.com/en





Register for free admission in just a few clicks



Option 1

Register via mobile phone
scan the QR code



Option 2

Register via our website
www.propakchina.com/en



Exclusive Benefits for Pre-registered Overseas Visitors:

- Free VIP kit (includes lunch coupons for Day 1 & 2, coffee & gift voucher)
- Digital show directory
- VIP lounge access with snacks & drinks
- Customized business matching

Register now
to enjoy these perks!